

FrameMaker Commands version 5.5.6(E)

Overview

This chapter contains a complete table of the FrameMaker commands (english version) with

- Command name;
- Menu label;
- Keyboard shortcut(s);
- Function code;
- Scope.

Not all of these elements are defined for all commands.

This table is based on the file

`$FMHOME\fm\init\configui\cmds.cfg`

Documentation about the commands can be found in the on-line manual “Changing Setup Files”.

Disclaimer

Although every possible care was taken to produce this table, no guarantee about its correctness can be given by the editor.

The editor appreciates any notion of error to keep the table as correct as possible.

Klaus Daube, Docu + Design Daube
mailto:ddd@daube.ch

List of commands

Main Window commands	2	Spelling	20
File Menu	2	Graphic Tools	20
Edit menu	4	Dashed Lines Commands	21
Format Menu	5	View Menu	21
View menu	6	View Separations	21
Special Menu	7	Zoom menu	21
Graphics Menu	8	Table Commands	22
Table Menu	8	Table Dialog Shortcuts	22
Help Menu	9	Keyboard Table Selection	22
Book File Menu	9	Keyboard Table IP Navigation	22
Viewer Popup	9	Focus	23
Window Popup	9	Close Modeless Dialogs	23
Fluid view commands	10	Special Palette Commands	24
Find and Replace Commands	10	FrameMaker/SGML commands (deliberately all at end of file)	24
Alignment Commands	10	File Commands	24
Character Format	10	Element Commands	24
Deletion	10	View Commands	24
Diacritics	11	Commands for the makersgml API clients	24
Text edit commands	14	Special SGML Commands	25
Fill Pattern	15	Element Catalog View Options	25
Edit graphics	15	Structure IP Navigation	25
Highlighting	15	Structure Selection Commands	25
Object Selection	16	Validation Commands	26
Insertion Point	16	Structure Commands	26
Kerning	16	DRE (Dialog Editing) commands for FDK developers	26
Line Width	17	Notes Client commands	26
Miscellaneous	17	Table Sort Client	27
Page Commands	18		
Paragraph Format	18		
Pen Pattern	20		
Special Stuff	20		

Some commands provide more than 1 key sequence and some do not provide any. The symbol `_` defines a blank (which you will not note otherwise).!

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
Main Window commands				
Help	Contents...	\!fh	\x302	Mode All
Info	Info...		\x303	Mode All
AboutFrameProduct	About Frame Product...		\x305	Mode All
ContextSensitiveHelp	Context-Sensitive Help		\x304	Mode All
File Menu				
New	New...	\!fn	\x300	Mode All
RepeatNew	Repeat Last New		\x31d	Mode All
CustomNew	Custom New		\x2FF	Mode All
Open	Open...	\!fo	\x301	Mode All

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
OpenHeroic ^{a)} prior to editing	Heroic Open...	\!oH	\x306	Mode All
OpenSilent ^{b)}	Silent Open...	\!oS	\x307	Mode All
Save	Save	\!fs	\x310	Mode All
SaveAs	Save As...	\!fa	\x311	Mode All
Revert	Re&vert to Saved	\!fr	\x312	Mode All
ImportFile	File...	\!fif	\x314	
ImportFormats	F&ormats...	\!fio	\x316	Mode All
!ShowImportFiles			\xC14	Mode All
Print	Print...	\!fp	\x313	Mode All
Generate	Reserved label: Document &Generate/Book... Book &Generate/Update...	\!fg	\x315	Mode All
DocCompare	Compare Documents...	\!ftc	\x31F	Mode All
DocReport	Document Reports...	\!ftr	\xF10	Mode All
ApiClientInfo	API Client Info...	\!fti	\xF11	Mode All
ValidateHypertext	Validate Hypertext...	\!vh	\xF13	Mode All
MWHTMLSetup	HTML Setup...	\!fth		
Capture	Capture...	\!ftp	\x256	Mode All
CaptureInStandardFormat	Capture in Standard Format...	\!ftP	\x251	Mode All
!Macro	Keyboard Macros...	\!ftk	\x317	Mode All
StartStopRecordingKeys	Start/Stop Recording Keys		\x0252	Mode All
!MacroGetTrigger	Stop Recording Keys...		\x253	Mode All
Preferences	Pre&ferences...	\!fP	\x318	Mode All
!ShowFilesRecentlyVisited			\xC13	Mode All
Quit	Reserved label: Document &Close Book &Close Book	\!fc \!fq	\x399	Mode All
QuitAll	Reserved label: Document &Close All Open Files Book &Close All Files in Book	\!fC \!fQ	\x31B	Mode All
SaveAll	Reserved label: Document &Save All Open Files Book &Save All Files in Book	\!fS	\x31C	Mode All
TerminateMaker	Quit		\xFFFF	Mode All
GotoPreviousView)	Go Back	\!vP	\xEF0	
GotoPreviousViewFitWindow- ToPage Use after hypertext or Xref jump	Go Back && Fit Window to Page	\!vW	\xEF0 \xF33	
GotoNextView (Use after Goto- PreviousView)	Go Back Back	\!vN	\xEF1	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
GotoNextViewFitWindowToPage (Use after GotoPreviousView)	Go Back Back && Fit Window To Page	\!vX	\xE1 \xF33	
LockDoc	Lock/Unlock Document	\!Flk	\xf00	Mode All
Edit menu				
Undo	Reserved label: Undo &Undo Redo &Redo	\!eu	\x320	Mode All
Cut	Cu&t	\!ex	\x321	Mode All
Copy	Copy	\!ec	\x322	Mode All
Paste	Paste	\!ep	\x323	Mode All
YankKillBuffer	Yank Kill Buffer	\!eY	\x32C	Mode All
PasteSpecial	Paste &Special...		\xD10	Mode All
Clear	Cl&ear	\!eb	\x324	Mode All
CopyPgFormat	Reserved label: Short &Paragraph Format Long Copy &Paragraph Format	\!eyp	\x326	
CopyCharFormat	Reserved label: Short &Character Format Long Copy &Character Format	\!eyc	\x325	
CopyCondTextSettings	Reserved label: Short Conditional &Text Settings Long Copy Conditional &Text Settings	\!eyd	\xF9D	
CopyTableColumnWidth	Reserved label: Short Table Column &Width Long Copy Table Column &Width	\!eyw	\xF9C	
CopyElemAttrs	Reserved label: Short &Attribute Values Long Copy &Attribute Values	\!eya	\xF9F	
SelectAll	Reserved label: Flow Select &All in Flow Frame Select &All in Frame Page Select &All on Page Table Select &All of Table	\!ea	\x327	Mode All
Stuff	Stuff	\!ii	\x328	
Find/Change	Find/Change...	\!ef	\x329	
SpellingChecker	Spe&lling Checker...	\!es	\x32A	
Thesaurus	T&hesaurus...	\!et	\x3D0	
ThesaurusReplace	Replace selection with thesaurus selection	\!Tr	\x3D3	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
TextInsetProps	Reserved label: TextInset Text Inset Properties... MacEditionPublisher Publisher Options... MacEditionSubscriber Subscriber Options...	\lei	\x3E0	
UpdateReferences	Update References...	\leU	\x3E1	
SuppressReferenceUpdating	Suppress Automatic Reference Updating...	\leS	\x3E2	
Format Menu				
!ShowFontChoices			\xC09	
Size7	7		\xC00	
Size9	9		\xC01	
Size10	1&0		\xC02	
Size12	1&2		\xC03	
Size14	1&4		\xC04	
Size18	1&8		\xC05	
Size24	&24		\xC06	
SizeOther	36		\xC07	
SizeChoose	Other...		\xC08	
StylePlain	Plain	\!cp	\x263	Mode All
StyleBold	Bold	\!cb	\x260	Mode All
StyleItalic	Italic	\!ci	\x261	Mode All
StyleUnderline	Underline	\!cu	\x262	
StyleDoubleUnderline	Double Underline	\!cd	\x278	
StyleStrikethrough	Strikethrough	\!cs	\x26C	
StyleOverline	Overline	\!co	\x26E	
StyleChangeBar	Change Bar	\!ch	\x26F	
StyleSuperscript	Superscript	\!c\ !c+	\x264	
StyleSubscript	Subscript	\!c-	\x265	
StyleSmallCaps	Small Caps	\!cm	\x273	Mode All
CharacterFormatDesigner	Reserved label: Short &Designer... Long Character &Designer...	\!ocd	\x330	Mode All
CharacterCatalog	Reserved label: Short &Catalog... Long Character &Catalog...	\!occ	\xF24	Mode All
CharQuickKey	Quick Character	\!qc	\xF40	Mode All
CharacterDefaultPgFont	Default Paragraph Font	\!ocp	\x26D	Mode All
!ShowCharacterTags			\xC11	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
ParagraphFormatDesigner	Reserved label: Short &Designer... Long Paragraph &Designer...	\!opd	\x331	
ParagraphCatalog	Reserved label: Short &Catalog... Long Paragraph &Catalog...	\!opc	\xF23	
!ShowParagraphTags			\xC10	
ColumnLayout	Column Layout...	\!ocl \!ogn	\x348	
LineLayout	Line Layout...	\!oll	\x332	
PageSize	Page Size...	\!ops	\x349	
MasterPageUsage	Master Page Usage...	\!omu \!ogm	\x34A	
NewMasterPage	New Master Page...	\!omp \!pm	\xA0A	Mode All
UpdateColumnLayout	Update Column Layout...	\!oup \!pu	\xa00	Mode All
CustomizeTextFrame	Customize Text Frame...	\!ocf	\xA01	Mode All
ConnectTextFrames	Connect Text Frames	\!CC	\x35B	Mode All
CutHead	Disconnect Previous	\!CP	\x35C	Mode All
CutTail	Disconnect Next	\!CN	\x35D	Mode All
CutBoth	Disconnect Both	\!CB	\xA04	Mode All
SplitTextFrame	Split Text Frame	\!CS	\x35A	Mode All
RotatePageClockwise	Rotate Page Clockwise	\!pO	\x34E	Mode All
RotatePage	Rotate Page Counterclockwise	\!po	\x34F	Mode All
RotatePageNormal	Unrotate Page	\!pU	\xA05	Mode All
DocumentNumbering	Numbering...	\!odn	\x333	Mode All
ChangeBars	Change Bars...	\!ob	\x334	Mode All
FootnoteProperties	Footnote Properties...	\!of	\x335	
AcrobatSetup	Acrobat Setup...	\!oda	\x36C	
TextOptions	Text Options...	\!oto	\x337	Mode All
CombinedFonts	Combined Fonts...	\!oco	\x338	Mode All AsianFonts Yes
RubiProperties	Rubi Properties...	\!or	\x3DD	Mode All AsianFonts No
HeaderFooterInsertPageNum	Insert Page #	\!ohp	\xA06	
HeaderFooterInsertPageCount	Insert Page Count	\!ohc	\xA07	
HeaderFooterInsertCurrentDate	Insert Current Date	\!ohd	\xA08	
HeaderFooterInsertOther	Insert Other...	\!oho	\xA09	
FreezePagination	Freeze Pagination...	\!pz	\x34B	Mode All

View menu

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
ViewQuickAccessBar	&QuickAccess Bar...	\!vq	\xD30	Mode All
ViewBorders	Borders	\!vb	\x361	Mode All
ViewTextSymbols	Text Symbols	\!vt	\x362	Mode All
ViewRulers	Rulers	\!vr	\x363	Mode All
!ShowRulerToggle			\x0	
ToggleFullAbbrevRuler	Full/Abbrev Ruler	\!oa	\x3BD	
!ShowRulerAlignmentSpacingAndTabs			\x0	
!ShowRulerParagraphTags			\x0	
ViewGridLines	Grid Lines	\!vg	\x364	Mode All
ViewPublisherBoundaries	Publisher Boundaries	\!vl	\x3D7	Mode All
ViewOptions	Options...	\!vo	\x360	Mode All
GotoPage	Go to Page...	\!vp	\x345	Mode All
ViewBodyPages	Body Pages	\!vB	\x342	Mode All
ViewMasterPages	Master Pages	\!vM	\x343	Mode All
ViewReferencePages	Reference Pages	\!vR	\x344	Mode All
ColorViews	Views...	\!vcv	\x365	Mode All
ColorDefinitions	Definitions...	\!vcd	\x39F	Mode All
!ShowDocumentWindows			\xC12	
ViewQuickMenus	Quick	\!vmq	\x33E	Mode All
ViewCompleteMenus	Complete			
ViewCustomMenus	Custom			
ViewModifyMenus	Modify...			
Special Menu				
PageBreak	Page Break...	\!spb \!opb	\x32F	
AnchoredFrame	Anchored Frame...	\!sa	\x350	
Footnote	Footnote	\!sf	\x351	
InsertRubi	Rubi	\!sr	\x3DC	AsianFonts No
CrossReference	Cross-Reference...	\!sc	\x352	
Variable	Variable...	\!sv	\x353	
Marker	Marker...	\!sm	\x355	
Hypertext	Hypertext...	\!sh	\x359	
EquationsPalette	Equations...	\!se \!mw	\xF26	Mode All Obsolete shortcut?
Inset	Graphic Inset...	\!sg \!si	\x354	Mode All
ConditionalText	Conditional Text...	\!sC	\x357	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
PageAdd	Reserved label: Body Add Disconnected &Pages... Master Add Master &Page... Reference Add Reference &Page...	\!spa	\x346	Mode All
!PageDelete	Reserved label: Body &Delete Pages... Other &Delete Page "%s"... NoDelete Can't &Delete Page "%s"... NoName Can't &Delete Page... Scratch Hello	\!spd	\x347	Mode All
Graphics Menu				
ToolsPalette	Tools...	\!gT \!1w	\xF22	Mode All
GraphicsGroup	Group	\!gg	\x382	
GraphicsUngroup	Ungroup	\!gu	\x383	
GraphicsBringToFront	Bring to Front	\!gf	\x380	Mode All
GraphicsSendToBack	Send to Back	\!gb	\x381	Mode All
GraphicsAlign	Align...	\!ga	\x384	
GraphicsDistribute	Distribute...	\!gd	\x385	
GraphicsReshape	Reshape	\!gr	\x376	
GraphicsSmooth	Smooth	\!gs	\x374	
GraphicsUnsmooth	Unsmooth	\!gm	\x375	
GraphicsFlipUpDown	Flip Up/Down	\!gv	\x370	
GraphicsFlipLeftRight	Flip Left/Right	\!gh	\x371	
GraphicsRotate	Rotate...	\!gt	\x38B	
GraphicsScale	Scale...	\!gz	\x373	
GraphicsJoinCurves	Join	\!gj	\x377	
GraphicsSetNumSides	Set # Sides...	\!gn	\x378	
GraphicsObjProps	Object &Properties...	\!go	\x387	Mode All
GraphicsPickObjProps	Pick up Object &Properties	\!gO	\x388	Mode All
GraphicsGravity	Gravity	\!gy	\x37b	
GraphicsSnap	Snap	\!gp	\x37A	
GraphicsKeepTool	Keep Tool	\!gk	\x37C	Mode All
RunaroundProperties	Runaround Properties...	\!gR	\x667	Mode All
RunAroundContour	Run Around Contour	\!gw	\x668	Mode All
RunAroundBoundingBox	Run Around Bounding Box	\!gW	\x669	Mode All
RunaroundOff	Runaround Off	\!gq	\x670	Mode All
ToggleRunaroundDraw	Toggle Runaround Drawing	\!RBD	\x672	Mode All
Table Menu				

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
TableInsert	Insert Table...	\!ti	\xF80	
TableFormatDesigner	Table Designer...	\!td	\xF81	
TableRowFormat	Row Format...	\!tr	\xF85	
TableCustRuleAndShade	Custom Ruling && Shading...	\!tx	\xF86	
TableAddRowsOrColumns	Add Rows or Columns...	\!ta	\xF87	
TableResizeColumns	Resize Columns...	\!tz	\xF88	
TableStraddle	Reserved label: Straddle &Straddle Unstraddle Un&straddle	\!tl	\xF89	
TableConvert	Reserved label: ToTable Con&vert to Table... ToText Con&vert to Para- graphs...	\!tv	\xF8A	
Help Menu				
HelpIndex	Index...		\x02A0	Mode All
HelpShortcuts	Keyboard Shortcuts...	\!?k	\x02A1	Mode All
HelpOnlineManuals	Online Manuals...		\x02A4	Mode All
HelpSamples	Samples && Clip Art...		\x02A2	Mode All
HelpOverview	FrameMaker Overview...		\x02A3	Mode All
Book File Menu				
BookOpen	Open...	!fo	\x301	Mode All
OpenAll	Open All Files in Book	\!fO	\x31A	Mode All
BookAddFile	Add File...	\!ff	\x30A	
BookSetupFile	Set Up File...	\!fd	\x30B	
BookRearrangeFiles	Rearrange Files...	\!fe	\x30C	
BookDeleteFile	Delete File from Book	\!fx		
BookMoveFileUp	Move Up	\!mu		
BookMoveFileDown	Move Down	\!md		
BookCompare	Compare Books...	\!fb	\x31F	
Viewer Popup				
GotoNextPage	Next Page	\!pn	\x34D	Mode All
GotoPreviousPage	Previous Page	\!pp	\x34C	Mode All
GotoFirstPage	First Page	\!pf	\x340	Mode All
GotoLastPage	Last Page	\!pl	\x341	Mode All
GotoPreviousScreen	Previous Screen	\!vsp	\xD40	Mode All
GotoNextScreen	Next Screen	\!vsn	\xD41	Mode All
ViewerFind	Find...	!ef	\x329	Mode All
Window Popup				
!WindowClose	Close	\!wc	\x390	Mode All
!WindowOpen ^{c)}	Open	\!wo	\x391	Mode All

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
WindowToggleCloseOpen	Close/Open		\x392	Mode All
WindowMove	Move	\!wm	\x393	Mode All
WindowExpose	Expose	\!we	\x395	Mode All
WindowHide	Hide	\!wh	\x396	Mode All
WindowHideShowToggle	Hide/Show		\x397	Mode All
WindowRedisplay	Redisplay	\!wr	\x398	Mode All
Fluid view commands				
FluidView	Fluid View	\!VF	\x500	Mode All
PageView	Page View	!VF	\x500	Mode All
Find and Replace Commands				
FindPrevious	Find Previous	\!fip	\x230	
FindNext	Find Next	\!eF \!fin	\x231	
ReplaceOnce	Replace	\!ro	\x232	
ReplaceAll	Replace All	\!rg	\x233	
ReplaceAndFindAgain	Replace and Find Again	\!ra	\x234	
FindSetFindString	Set Find String	\!fis	\x235	
Alignment Commands				
AlignTop	Top Align	\!jt	\x290	
AlignMiddle	Top/Bottom Align	\!jm	\x291	
AlignBottom	Bottom Align	\!jb	\x292	
Character Format				
CharacterKerned	Pair Kern	\!ck	\x270	
CharacterTsume	Tsume	\!ct	\x2A5	
CharacterNumericUnderline	Numeric Underline	\!c2	\x279	
CharacterNormal	Set Characters To Normal	\!c=	\x266	Mode All
IncrementTextOnePt	Increment Text Size 1 pt	\!+s (Esc + s) \!c]	\x267	Mode All
DecrementTextOnePt	Decrement Text Size 1 pt	\!-s (Esc mi- nus s) \!c[\x268	Mode All
CharacterSqueezeSpace	Squeeze Spacing 20% of em	\![D	\x269	
CharacterSpreadSpace	Spread Spacing 20% of em	\![C	\x26A	
CharacterNoStretch	Set Stretch to 100%	\![n	\x130	
CharacterLessStretch	Condense Stretch by 5%pts	\![c	\x131	
CharacterMoreStretch	Expand Stretch by 5%pts	\![e	\x132	
CharacterRepeatLast	Repeat Last Font Command	\!cc	\x26B	Mode All
Deletion				
DeleteBack1Char	Delete Back 1 Character		\x112	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
DeleteBackToPrevWordStart	Delete Back To Prev Word Start	\!kb	\x160	
DeleteBackToPrevWordEnd	Delete Back To Prev Word End		\x0114	
DeleteBackToStartOfLine	Delete Back To Start Of Line		\x0119	
DeleteBackToPrevSentenceEnd	Delete Back To Prev Sentence End	\!ka	\x163	
DeleteForw1Char	Delete Forward 1 Character		\x0113	
DeleteForwToNextWordStart	Delete Forward To Next Word Start		\x0115	
DeleteForwToNextWordEnd	Delete Forward To Next Word End	\!kf	\x161	
DeleteForwToEndOfLine	Delete Forward To End Of Line		\x0116	
DeleteForwToNextSentenceEnd	Delete Forward To Next Sentence End		\x0117	
DeleteForwToNextSentenceStart	Delete Forward To Next Sentence Start	\!ks	\x162	
DeleteWholeLine	Delete Whole Line		\x116 \x119	
Diacritics				
Acutea		\!'a	\x87	
Acutee		\!'e	\x8e	
Acutei		\!'i	\x92	
Acuteo		\!'o	\x97	
Acuteu		\!'u	\x9c	
AcuteA		\!'A	\xe7	
AcuteE		\!'E	\x83	
AcuteI		\!'I	\xea	
AcuteO		\!'O	\xee	
AcuteU		\!'U	\xf2	
Tildea		\!\~a	\x8b	
Tilden		\!\~n	\x96	
Tildeo		\!\~o	\x9b	
TildeA		\!\~A	\xcc	
TildeN		\!\~N	\x84	
TildeO		\!\~O	\xcd	
Gravea		\!'a	\x88	
Gravee		\!'e	\x8f	
Gravei		\!'i	\x93	
Graveo		\!'o	\x98	
Graveu		\!'u	\x9d	
GraveA		\!'A	\xcb	
GraveE		\!'E	\xe9	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
Gravel		\!'l	\xed	
GraveO		\!'O	\xf1	
GraveU		\!'U	\xf4	
Diaeresisa		\!\:a \!%a	\x8a	
Diaeresise		\!\:e \!%e	\x91	
Diaeresisi		\!\:i \!%i	\x95	
Diaeresiso		\!\:o \!%o	\x9a	
Diaeresisu		\!\:u \!%u	\x9f	
Diaeresisy		\!\:y \!%y	\xd8	
DiaeresisA		\!\:A \!%A	\x80	
DiaeresisE		\!\:E \!%E	\xe8	
Diaeresisl		\!\:l \!%l	\xec	
DiaeresisO		\!\:O \!%O	\x85	
DiaeresisU		\!\:U \!%U	\x86	
DiaeresisY		\!\:Y \!%Y	\xd9	
Circuma		\!\^a	\x89	
Circume		\!\^e	\x90	
Circumi		\!\^i	\x94	
Circumo		\!\^o	\x99	
Circumu		\!\^u	\x9e	
CircumA		\!\^A	\xe5	
CircumE		\!\^E	\xe6	
Circuml		\!\^l	\xeb	
CircumO		\!\^O	\xef	
CircumU		\!\^U	\xf3	
Ringa		\!*a	\x8c	
RingA		\!*A	\x81	
Cedillac		\!,c	\x8d	
CedillaC		\!,C	\x82	
SuperScript1			\x31	
SuperScript2			\x32	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
SuperScript3			\x33	
CharBrokenBar			\x7C	
CharDagger			\xA0	
CharUpsilon1			\xA1	Symbol Font
CharCent			\xA2	
CharPound			\xA3	
CharPilcrow			\xA4	
CharParagraph			\xA6	
CharGermanDoubleS			\xA7	
CharRegister			\xA8	
CharCopyright			\xA9	
CharTrademark			\xAA	
CharAcute			\xAB	
CharDiaeresis			\xAC	
CharArrowUp			\xAD	Symbol Font
DiphthongAE			\xAE	
ObliqueO			\xAF	
CharDegree			\xB0	Symbol Font
CharPlusMinus			\xB1	Symbol Font
CharSecond			\xB2	Symbol Font
CharGreaterEqual			\xB3	Symbol Font
CharYen			\xB4	
CharProportional			\xB5	Symbol Font
CharPartialDiff			\xB6	Symbol Font
CharBigBullet			\xB7	Symbol Font
CharDivision			\xB8	Symbol Font
CharNotEqual			\xB9	Symbol Font
CharEquivalent			\xBA	Symbol Font
CharOrdFeminine			\xBB	
CharOrdMasculine			\xBC	
CharVertBar			\xBD	Symbol Font
Diphthongae			\xBE	
Obliqueo			\xBF	
CharInvQuestion			\xC0	
CharInvExclamation			\xC1	
CharNot			\xC2	
CharWeierstrass			\xC3	Symbol Font
CharFlorin			\xC4	
CharCirclePlus			\xC5	Symbol Font
CharEmptySet			\xC6	Symbol Font

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
CharLeftGuillemot			\xC7	
CharRightGuillemot			\xC8	
CharEllipsis			\xC9	
CharReflexSuperset			\xCA	Symbol Font
DiphthongOE			\xCE	
Diphthongoe			\xCF	
CharEndash			\xD0	
CharEmdash			\xD1	
CharLeftQuote			\xD4	
CharRightQuote			\xD5	
CharRadical			\xD6	Symbol Font
CharDotProduct			\xD7	Symbol Font
CharFraction			\xDA	
CharCurrency			\xDB	
CharLeftAngleQuote			\xDC	
CharRightAngleQuote			\xDD	
CharKernfi			\xDE	
CharKernfl			\xDF	
CharDoubleDagger			\xE0	
CharPeriodCentered			\xE1	
CharBaseQuote			\xE2	
CharDbIBaseQuote			\xE3	
CharPerThousand			\xE4	
Not defined in standard fonts nor symbol font			\xF0	
Charidotless			\xF5	
CharCircumflex			\xF6	
CharTilde			\xF7	
CharMacron			\xF8	
CharBreve			\xF9	
CharDotAbove			\xFA	
CharRingAbove			\xFB	
CharCedilla			\xFC	
CharDoubleAcute			\xFD	
CharOgonek			\xFE	
Not defined in standard fonts nor Symbol Font			\xFF	
CharMu			\x6D	
Text edit commands				
Capitalization	Capitalization	\!eC	\x32B	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
UpperCaseText	Uppercase Selected Text		\x33A	
LowerCaseText	Lowercase Selected Text		\x33B	
InitialCapsText	Initial Caps On Selected Text		\x33C	
Fill Pattern				
SetFirstFillPattern	Set To First Fill Pattern (black)	\!0f	\x3B4	Mode All
SetLastFillPattern	Set To Last Fill Pattern (none)	\!9f	\x3B5	Mode All
IncrementFillPattern	Increment Fill Pattern	\!\+f	\x3B6	Mode All
DecrementFillPattern	Decrement Fill Pattern	\!-f	\x3B7	Mode All
Edit graphics				
RotateCounterclock90	Rotate 90 Degrees Counter-clockwise	\!g-	\x372	
RotateClockwise90	Rotate 90 Degrees Clockwise	\!g\+	\x386	
RotateAgain	Rotate Again	\!gx	\x38C	
RotateToNatural	Rotate To Natural Orientation	\!g0	\x38D	
RotateToPrevious	Rotate To Previous Orientation	\!g1	\x38E	
ResetNatural	Reset Natural Orientation	\!g9	\x38F	
AtomizeInset	Atomize Inset	\!gU	\xFAA	Mode All
SwapRedBlue	Exchange Red And Blue	\!rxb	\xFAB	Mode All
RewrapInlineMath	ReShrinkwrap All Inline Math	\!rwm	\xFAC	Mode All
Highlighting				
SelectCharacter	Select Character	\!hc	\x240	
SelectWord	Select Word	\!hw	\x241	
SelectLine	Select Line	\!hl	\x242	
SelectSentence	Select Sentence	\!hs	\x243	
SelectParagraph	Select Paragraph	\!hp	\x244	
SelectShiftLeft	Shift Selection Left	\!hb	\x245	
SelectShiftRight	Shift Selection Right	\!hf	\x246	
Unhighlight	UnHighlight	\!h0	\x247	
SelectPreviousCharacter	Select Previous Character	\!HC	\x410	
SelectPreviousWord	Move Active Edge Back One Word	\!HW	\x411	
SelectPreviousLine	Select Previous Line	\!HL	\x412	
SelectPreviousSentence	Select Previous Sentence	\!HS	\x413	
SelectPreviousParagraph	Select Previous Paragraph	\!HP	\x414	
ExtendOneLineUp	Extend One Line Up	\!hu	\x415	
ExtendOneLineDown	Extend One Line Down	\!hd	\x416	
ExtendToTopOfColumn	Extend To Top Of Column	\!ht	\x417	
ExtendToBottomOfColumn	Extend To Bottom Of Column	\!hm	\x418	
ExtendToStartOfFlow	Extend To Start Of Flow	\!hg	\x419	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
ExtendToEndOfFlow	Extend To End Of Flow	\!hn	\x41A	
SelectLineToBegin	Select Line To Beginning		\x41B	
SelectLineToEnd	Select Line To End		\x41C	
SelectNextCharacter	Select Next Character	\!Hc	\x510	
SelectNextWord	Move Active Edge Ahead One Word	\!Hw	\x511	
SelectNextLine	Select Next Line	\!HI	\x512	
SelectNextSentence	Select Next Sentence	\!Hs	\x513	
SelectNextParagraph	Select Next Paragraph	\!Hp	\x514	
SelectSameCharFormat	Select Same Character Format	\!hF	\x515	
SelectSameCondTags	Select Same Condition Tags	\!hC	\x516	
Object Selection				
SelectFirstObject	Select First Object	\!oF	\x600	Mode All
SelectNextObject	Select Next Object	\!on	\x601	Mode All
ExtendObjectSelection	Extend To Next Object	\!oe	\x602	Mode All
Insertion Point				
IPTopOfColumn	Move IP To Top Of Column		\x100	
IUpOneLine	Move IP Up One Line		\x101	
IPDownOneLine	Move IP Down One Line		\x102	
IPRightOneCharacter	Move IP Right		\x103	
IPLeftOneCharacter	Move IP Left		\x104	
IPBottomOfColumn	Move IP To Bottom Of Column		\x10E	
IPStartOfFlow	Move IP To Start Of Flow		\x10F	
IPEndOfFlow	Move IP To End Of Flow		\x110	
			\x106	
IPToNextWordStart	Move IP To Next Word	\!bw	\x140	
IPToNextWordEnd	Move IP To End of Word		\x0108	
IPToNextSentenceStart	Move IP To Next Sentence	\!bs	\x141	
IPToNextSentenceEnd	Move IP To End of Sentence		\x010A	
IPToNextParaStart	Move IP To Next Paragraph	\!bp	\x142	
IPToNextParaEnd	Move IP To End of Paragraph		\x010C	
IPToFirstTextCol	Move IP To First Text Column	\!bf	\x143	
IPToNextTextCol	Move IP To Next Text Column	\!bn	\x144	
IPStartOfWord	Move IP To Start of Word		\x0107	
IPStartOfLine	Move IP To Start of Line		\x0105	
IPEndOfLine	Move IP To End of Line		\x0106	
IPStartOfSentence	Move IP To Start of Sentence		\x0109	
IPToPrevParaStart	Move IP To Previous Paragraph		\x010B	
Kerning				

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
Move1PtUp	Move 1 Point Up		\x11A	Mode All
Move1PtDown	Move 1 Point Down		\x11B	Mode All
Move1PtLeft	Move 1 Point Left		\x11C	Mode All
Move1PtRight	Move 1 Point Right		\x11D	Mode All
Move6PtUp	Move 6 Points Up		\x121	Mode All
Move6PtDown	Move 6 Points Down		\x122	Mode All
Move6PtLeft	Move 6 Points Left		\x123	Mode All
Move6PtRight	Move 6 Points Right		\x124	
RemoveAllKerning	Remove All Kerning		\x11E	
Line Width				
SetThinLineWidth	Set To Thinnest Line Width	\!0w	\x3AC	Mode All
SetThickLineWidth	Set To Thickest Line Width	\!9w	\x3AD	Mode All
IncrementLineWidth	Increment Line Width	\!+w	\x3AE	Mode All
DecrementLineWidth	Decrement Line Width	\!-w	\x3AF	Mode All
Miscellaneous				
ContextMenu	Context Menu		\x39D	Mode All
Tab	Tab		\x219	
BackTab	Back Tab		\x220	Mode All
FirstTab	First Tab		\x222	Mode All
SetDialogItemsNoChange	Set Dialog Items To No Change		\xF4A	
ResetDialog	Reset Dialog		\xF4B	
OpenLine	Open Line		\x0a \x104	
TransposeChars	Transpose Characters		\x224	
CharShiftSpace	Shift Space		\x0221	Mode All
CharNumberSpace	Number Space	\! 1	\x22A	Mode All
CharThinSpace	Thin Space	\! t	\x22B	Mode All
CharEmSpace	Em Space	\! m	\x22C	Mode All
CharEnSpace	En Space	\! n	\x22D	Mode All
CharNonBreakHyphen	Non Breaking Hyphen	\!-h	\x227	
CharDiscretionaryHyphen	Discretionary Hyphen	\!-D	\x225	
NoHyphenWord	No Hyphenation In Word	\!ns	\x226	
CharHardReturn	Hard Return		\x229	
Return	Return		\x22f	
Abort	Cancel		\x250	
CharLeftDbQuote	Left Double Quote		\xd2	
CharRightDbQuote	Right Double Quote		\xd3	
SmartSingleQuote	Smart Single Quote	'	\x400	
SmartDoubleQuote	Smart Double Quote	"	\x401	
CharBullet	Bullet Character		\xa5	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
CharHardSpace	Hard Space	\! h	\x228	Mode All
CharASCIIApostrophe	ASCII Apostrophe		\x27	
CharASCIILeftQuote	ASCII Left Quote		\x60	
CharStraightQuote	Straight Quote	"		
ToggleSaveAsTextMode	Toggle Save As Text Mode	\!Ftc	\xF03	Mode All
!Separator	--- (Menu item separator)		\xF12	
Separator1	--- (Menu item separator)		\xF12	
Separator2	--- (Menu item separator)		\xF12	
Separator3	--- (Menu item separator)		\xF12	
Separator4	--- (Menu item separator)		\xF12	
Separator5	--- (Menu item separator)		\xF12	
Separator6	--- (Menu item separator)		\xF12	
NumLock	NumLock		\x170	Mode All
ReportCmds_byTag	Report Commands by Tag	\!SCR1	\xD00	Mode All
ReportCmds_byShortcut	Report Commands by Shortcuts	\!SCR2	\xD01	Mode All
Page Commands				
RenamePage	Rename Master/Ref Page...	\!pN	\xF3A	Mode All
Paragraph Format				
ParaQuickKey	Quick Paragraph	\!qp	\xF41	
InclLineLeading1pt	Increment Line Leading 1 pt	\!j)+ !j+ \!\+1 !+1	\x280	
DeclLineLeading1pt	Decrement Line Leading 1 pt	\!j)- \!-1	\x281	
CenterPara	Reserved label: Short Center Long Center Paragraph/Objects	\!jc	\x282	Mode All
LeftPara	Reserved label: Short Left Long Left Justify Paragraph/Objects	\!jl	\x283	Mode All
RightPara	Reserved label: Short Right Long Right Justify Paragraph/Objects	\!jr	\x284	Mode All
FullyJustifyPara	Reserved label: Short Justify Long Fully Justify Paragraph/Objects	\!jf	\x285	
SingleSpaceParas	Reserved Short Single Long Single Space Paragraphs	\!j1	\x293	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
OneAndHalfSpaceParas	Reserved Short 1.5 Long One And A Half Space Paragraphs	\!jV	\x294	
DoubleSpaceParas	Reserved Short Double Long Double Space Paragraphs	\!j2	\x295	
SpaceBetweenParas	Reserved label: Short Space Between... Long Space Between Para- graphs...	\!jw	\x296	
CustomLineSpacingParas	Reserved label: Short Custom... Long Custom Line Spacing For Paragraphs...	\!ju	\x297	
SetLineSpaceFixed	Set Line Spacing Fixed	\!jx	\x287	
SetLineSpaceFloating	Set Line Spacing Floating	\!jo	\x288	
UnifyParas	Unify Paragraphs	\!jU	\x289	
RepeatLastParaCommand	Repeat Last Paragraph Com- mand	\!jj	\x286	
HyphenationOn	Hyphenation On	\!jh	\x27E	
HyphenationOff	Hyphenation Off	\!jn	\x27F	
ParaTopOfPage	Start Para At Top Of Page	\!jP	\x28A	
ParaTopOfColumn	Start Para At Top Of Column	\!jC	\x28B	
ParaTopOfLeftPage	Start Para At Top Of Left Page	\!jL	\x28C	
ParaTopOfRightPage	Start Para At Top Of Right Page	\!jR	\x28D	
ParaAnywhere	Start Para Anywhere	\!jA	\x28E	
ParaPlacementNormal	Set Para Placement Normal	\!jpn	\xFC9	
ParaPlacementRunIn	Set Para Placement Run-in	\!jpr	\xFCD	
ParaPlacementSidehead	Set Para Placement Sidehead	\!jps	\xFCC top edge \xFCA first baseline \xFCB last baseline	
ToggleSideheadsOnOff	Toggle Room For Side Heads On/Off	\!jps	\x339	
ParaPlacementFullStraddle	Set Para Placement Full Strad- dle	\!jpT	\xFCE	
ParaPlacementBodyStraddle	Set Para Placement Body Strad- dle	\!jpt	\xFCF	
ParaNewFormat	Reserved label: Short &New Format... Long &New Paragraph For- mat...	\!opn	\x299	

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
ParaUpdateFormat	Reserved label: Short &Update All... Long &Update Paragraph For- mat...	\!opu	\x298	
Pen Pattern				
SetFirstPenPattern	Set First Pen Pattern (black)	\!Op	\x3B0	Mode All
SetLastPenPattern	Set Last Pen Pattern (none)	\!9p	\x3B1	Mode All
IncrementPenPattern	Increment Pen Pattern	\!\+p \!+p	\x3B2	Mode All
DecrementPenPattern	Decrement Pen Pattern	\!-p	\x3B3	Mode All
Special Stuff				
QuickVariables	Quick Variable	\!qv	\xF42	
QuickConditionalIn	Quick Conditional Text In	\!qC	\xF44	
QuickConditionalNotIn	Quick Conditional Text NotIn	\!qD	\xF45	
QuickConditionalUn	Quick Conditional Text Uncondi- tional	\!qU	\xF46	
ShowOneCondTextTag	Show One Conditional Text Tag	\!qS	\xF47	
InsertNewMarker	Insert New Marker	\!mk	\x356	
InsertNewHypertext	Insert New Hypertext	\!mh	\x35E	
Spelling				
CheckWord	Spellcheck Current Selection	\!ls (lc L)	\x3C0	
CheckDocument	Spellcheck Document	\!le (lc L)	\x3C1	
CheckPage	Spellcheck Page	\!lp (lc L)	\x3CB	
CorrectWord	Correct Word	\!lcw (lc L)	\x3C2	
LearnWord	Learn Word	\!lap (lc L)	\x3C3	
AddWordToDocDict	Add Word To Document Diction- ary	\!lad (lc L)	\x3C4	
AddToAutoCorrect	Add To Auto Corrections	\!lac (lc L)	\x3C5	
UnlearnWord	Unlearn Word	\!lxp (lc L)	\x3C6	
DeleteWordFromDocDict	Delete Word From Document Dictionary	\!lxd (lc L)	\x3C7	
ClearAutoCorrections	Clear Auto Corrections	\!lca (lc L)	\x3C8	
ChangeDictionaries	Change Dictionaries	\!lcd (lc L)	\x3C9	
SpellCheckerOptions	Spelling Checker Options	\!lo (lc L)	\x3CC	
BatchSpellCheck	Batch Spell Check	\!lb (lc L)	\x3CE	
MarkAllPgfsForRechecking	Mark All Paragraphs For Re- checking	\!lr (lc L)	\x3CA	
ShowWordsHyphenation	Show Word's Hyphenation	\!l- (lc L)	\x3CD	
ReformatDocument	Reformat Document	\!lR (lc L)	\x3CF	
Graphic Tools				

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
SmartSelectionTool	Smart Selection Tool	\!1s	\xF20	Mode All
ObjectSelectionTool	Object Selection Tool	\!1o	\xF21	Mode All
Line	Line	\!1l	\x3A0	Mode All
Rectangle	Rectangle	\!1r	\x3A1	Mode All
RoundedRectangle	Rounded Rectangle	\!1R	\x3A5	Mode All
Polygon	Polygon	\!1pg	\x3A2	Mode All
Polyline	Polyline	\!1pl	\x3A3	Mode All
Arc	Arc	\!1a	\x3A4	Mode All
Ellipse	Ellipse	\!1e	\x3A6	Mode All
Textline	Text Line	\!1tl	\x3A7	Mode All
TextFrame	Text Frame	\!1tf \!1tc	\x3A8	Mode All
Freehand	Freehand	\!1f	\x3A9	Mode All
Frame	Frame	\!1m	\x3AA	Mode All
SelectLastUsedTool	Select Last Used Tool	\!11	\x3AB	Mode All
Dashed Lines Commands				
SetPatternSolid	Set Pattern Solid	\!1ds	\x402	Mode All
SetPatternDashed	Set Pattern Dashed	\!1dd	\x403	Mode All
SelectFirstDashedPattern	Select First Dashed Pattern	\!0d	\x404	Mode All
SelectLastDashedPattern	Select Last Dashed Pattern	\!9d	\x405	Mode All
SelectNextDashedPattern	Select Next Dashed Pattern	\!+d	\x406	Mode All
SelectPreviousDashedPattern	Select Previous Dashed Pattern	\!-d	\x407	Mode All
DashedOptions	Dashed Options	\!1di	\x408	Mode All
View Menu				
ConditionVisibility	Set Conditional Text Show/Hide	\!vC	\x367	Mode All
ToggleCondUseFormatOverride	Toggle Conditional Text Format Overrides On/Off	\!vO	\x368	Mode All
ToggleGraphicsDisplay	Toggle Graphics Display On/Off	\!vv	\x366	Mode All
View Separations				
ViewSeparation1	View Separation 1	\!v1	\x36D	Mode All
ViewSeparation2	View Separation 2	\!v2	\x36E	Mode All
ViewSeparation3	View Separation 3	\!v3	\x36F	Mode All
ViewSeparation4	View Separation 4	\!v4	\x37D	Mode All
ViewSeparation5	View Separation 5	\!v5	\x37E	Mode All
ViewSeparation6	View Separation 6	\!v6	\x39E	Mode All
Zoom menu				
ZoomIn	Zoom In	\!zi	\xF30	Mode All
ZoomOut	Zoom Out	\!zo	\xF31	Mode All
ZoomFitPageInWindow	Zoom Fit Page In Window	\!zp	\xF32	Mode All

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode	
ZoomFitWindowToPage	Zoom Fit Window To Page	\!zw	\xF33	Mode All	
ZoomFitWindowToTextFrame	Zoom Fit Window To Text Frame	\!zf	\xF3F	Mode All	
ZoomTo100	Zoom To 100	\!zz	\xF35	Mode All	
ZoomSet	Set Zoom Percentages	\!zs	\xF3C	Mode All	
ToggleZoomAutofit	Toggle Autofit After Zoom	\!zaf	\xF1A	Mode All	
Table Commands					
MoveIPOutOfTable	Move IP Out Of Table	\!tl (uc i)	\xFC0	Mode All	
EditRulingStyle	Edit Ruling Style	\!te	\xF8C		
CharTabForTableCell	Tab For Table Cell		\x223		
Table Dialog Shortcuts					
UnifyTableFormats	Unify Table Formats	\!tut	\xF90		
AddRowsAbove	Add Rows Above	\!tRa	\xF92		
AddRowsBelow	Add Rows Below	\!tRb	\xF93		
AddColumnsToLeft	Add Columns To Left	\!tcl	\xF94		
AddColumnsToRight	Add Columns To Right	\!tcr	\xF95		
ClearLeavingCellsEmpty	Clear Leaving Cells Empty	\!tce	\xF96		
ClearRemovingCells	Clear Removing Cells	\!tcx	\xF97		
TablePasteReplaceSelection	Paste Replacing Selection	\!tpr	\xF98		
TablePasteBefore	Paste Before	\!tpb	\xF99		
TablePasteAfter	Paste After	\!tpa	\xF9A		
TableShrinkWrapColWidth	Shrink Wrap Column Width	\!tw	\xFD0		
Keyboard Table Selection					
SelectCell	Select Cell	\!the	\xFA0		
SelectRow	Select Row	\!thr	\xFA1		
SelectColumn	Select Column	\!thc	\xFA2		
SelectTable	Select Table	\!tht	\xFA3		
SelectTextInCell	Select Text In Cell	\!tha	\xFA4		
SelectColumnBodyCells	Select Column Body Cells	\!thb	\xFA5		
Keyboard Table IP Navigation					
MoveIPToTopLeftSelectedCell	Move IP To Top Left Selected Cell	\!tms \!th0	\xFB0		
MoveIPToCellAtRight	Move IP To Cell At Right	\!tmr	\xFB1		
MoveIPToCellAtLeft	Move IP To Cell At Left	\!tml	\xFB2		
MoveIPToCellAbove	Move IP To Cell Above	\!tmu	\xFB3		
MoveIPUpAndSelectText	Move IP Up And Select Text		\xFB3 \xFA4		
MoveIPToCellBelow	Move IP To Cell Below	\!tmd	\xFB4		

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
MoveIPDownAndSelectText	Move IP Down And Select Text		\xFB4 xFA4	
MoveIPToLeftmostCell	Move IP To Leftmost Cell	\!tma	\xFB5	
MoveIPToRightmostCell	Move IP To Rightmost Cell	\!tme	\xFB6	
MoveIPToNextCell	Move IP To Next Cell	\!tmn	\xFB7	
MoveIPToPreviousCell	Move IP To Previous Cell	\!tmp	\xFB8	
MoveIPToColumnTop	Move IP To Column Top	\!tmt	\xFB9	
MoveIPToColumnBottom	Move IP To Column Bottom	\!tmb	\FBA	
MoveIPToTopLeftCell	Move IP To Top Left Cell	\!tmT	\xFB9 \xFB5	Mode All
Focus				
FocusInDocument	Focus In Document	\!Fid	\x620	Mode All
FocusInFind	Focus In Find	\!Fif	\x621	Mode All
FocusInMarker	Focus In Marker	\!Fim	\x622	Mode All
FocusInSpelling	Focus In Spelling	\!Fis	\x623	Mode All
FocusInHypertext	Focus In Hypertext	\!Fih	\x624	Mode All
FocusInParagraphDesigner	Focus In Paragraph Designer	\!Fip	\x626	Mode All
FocusInCharacterDesigner	Focus In Character Designer	\!Fic	\x627	Mode All
FocusInConditionalText	Focus In Conditional Text	\!Fio	\x629	Mode All
FocusInRulingAndShading	Focus In Ruling And Shading	\!Fir	\x62B	Mode All
FocusInTableDesigner	Focus In Table Designer	\!Fit	\x62C	Mode All
FocusInStructureView	Focus In Structure View	\!Fiv	\x62D	Mode All
FocusInValidationWindow	Focus In Validation Window	\!Fiw	\x62E	Mode All
FocusInAttributeEditor	Focus In Attribute Editor	\!Fia	\x62F	Mode All
FocusInShowElementContext	Focus In Show Element Context	\!Fie	\xA32	Mode All
Close Modeless Dialogs				
CloseFind	Close Find	\!Cf	\x681	Mode All
CloseMarker	Close Marker	\!Cm	\x682	Mode All
CloseSpelling	Close Spelling	\!Cs	\x683	Mode All
CloseParagraphDesigner	Close Paragraph Designer	\!Cp	\x684	Mode All
CloseCharacterDesigner	Close Character Designer	\!Cc	\x685	Mode All
CloseConditionalText	Close Conditional Text	\!Co	\x686	Mode All
CloseRulingAndShading	Close Ruling And Shading	\!Cr	\x687	Mode All
CloseTableDesigner	Close Table Designer	\!Ct	\x688	Mode All
CloseStructureView	Close Structure View	\!Cv	\x689	Mode All
CloseValidationWindow	Close Validation Window	\!Cw	\x68A	Mode All
CloseAttributeEditor	Close Attribute Editor	\!Ca	\x68B	Mode All
CloseElementContextWindow	Close Element Context Window	\!Cx	\x68C	Mode All
CloseHypertext	Close Hypertext	\!Ch	\x68D	Mode All

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
Special Palette Commands				
ClosePalette	Close Top Palette		\xD20	Mode All
CloseParagraphCatalog	Close Paragraph Catalog		\xD21	Mode All
CloseCharacterCatalog	Close Character Catalog		\xD22	Mode All
CloseToolsPalette	Close Tools Palette		\xD23	Mode All
CloseEquationsPalette	Close Equations Palette		\xD24	Mode All
CloseElementCatalog	Close Element Catalog		\xD26	Mode All
CloseBookElementCatalog	Close Element Catalog		\xD26	Mode All
CloseCommandPalette	Close Palette		\xD27	Mode All
FrameMaker/SGML commands (deliberately all at end of file)				
File Commands				
ImportElementDefns	&Element Definitions...	\!fie	\xF9E	Mode All
Element Commands				
!ElementMergeFirst	Merge	\!Em	\xFD3	Mode All
!ElementSplit	Split	\!Es	\xFD5	Mode All
!ElementUnwrap	Unwrap	\!Eu	\xFD6	Mode All
!EditElementAttributes	Edit Attributes...	\!EA	\xFEC	Mode All
ElementCatalog	Element Catalog...	\!EC	\xF28	Mode All
!SetAvailableElements	Set Available Elements...	\!EOC	\xFD7	Mode All
ElementInsertionOptions	New Element Options...	\!EOI	\xFEF	Mode All
!Validation	Validate...	\!Ev	\xFE0	Mode All
View Commands				
ViewElementBoundaries	Element Boundaries	\!vE	\xFD2	Mode All
ViewElementTags	Element Boundaries (as Tags)	\!vT	\xFDD	Mode All
SetAttrDisplay	Attribute Display...	\!vA	\xFEE	Mode All
ShowElementContext	Show Element Context...	\!fDE	\xA31	Mode All
Commands for the makersgml API clients				
ECMNewEDD	New EDD	\!fDN		
ECMExportEDD	Export Element Catalog as EDD	\!fDX		
ECMNextElementPosition		\!fEL		
ECMUpdateOldEDD		\!fEU		
SGInitRuleTable	Generate Conversion Table...	\!fDG		
SGStructureCurrentDoc	Structure Current Document...	\!ftC		
SGStructureCurrentBook	Structure Current Book...	\!ftB		
SGStructureDocuments	Structure Documents...	\!ftD		
SCOpenDTD	Open DTD...	\!fDO		
SCUpdateDTD	Import DTD...	\!fDM		
SCSaveDTD	Save as DTD...	\!fDS		

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
SCImportDocs	Convert SGML Documents...	\!fts		
SCExportDocs	Convert Documents to SGML...	\!ftd		
SCOpenApp	Edit SGML Application File	\!fDA		
SCReadApp	Reread SGML Application File	\!fDR		
SCReadAppFromDisk		\!fDr		
SCNewRules	New SGML Read/Write Rules	\!fDW		
SCCheckRules	Check SGML Read/Write Rules...	\!fDC		
SCParseDoc	Parse SGML Document...	\!fDP		
SCSetApp	Set SGML Application...	\!fA		
SCDocLink		\!fDL		
Special SGML Commands				
RemoveStruct	Remove Structure from Flow	\!ssf	\xA30	Mode All
NormalizeTags	Create and Apply Formats	\!ftf	\xA33	Mode All
Element Catalog View Options				
ListStrictValid	List Valid Elements Working Start to End	\!elv	\xFD8	Mode All
ListLooseValid	List Valid Elements in Any Order	\!elu	\xFD9	Mode All
ListValidChildren	List Elements Allowed Anywhere in Parent	\!elc	\xFDA	Mode All
ListFreqUsedElements	List Frequently Used Elements	\!elf	\xFF7	Mode All
ListAllElements	List All Elements	\!ela	\xFDB	Mode All
InclusionElementGrouping	Toggle Inclusion Grouping	\!eli	\xFF1	Mode All
ToggleElementCollapse	Toggle Element Collapse	\!Ex	\xFF2	Mode All
ToggleElementCollapseAllSiblings	Toggle Element Collapse All Siblings	\!EX	\xFF3	Mode All
PromoteElement	Promote Element	\!EP	\xFDE	Mode All
DemoteElement	Demote Element	\!ED	\xFDF	Mode All
TransposeWithPrevElement	Transpose With Previous	\!ET	\xFF4	Mode All
TransposeWithNextElement	Transpose With Next	\!Et	\xFF5	Mode All
ElementMergeLast	Merge Into Last	\!EM	\xFD4	Mode All
Structure IP Navigation				
MoveIPNextElement	Move To Next Element	\!sD	\x145	Mode All
MoveIPPrevElement	Move To Previous Element	\!sU	\x146	Mode All
MoveIPIntoNextChild	Move Into Next Child	\!sN	\x14D	Mode All
MoveIPBeforeElement	Move To Before Element	\!sB	\x14B	Mode All
MoveIPStartOfElement	Move To Start Of Element	\!sS	\x149	Mode All
MoveIPEndOfElement	Move To End Of Element	\!sE	\x14A	Mode All
Structure Selection Commands				

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
SelectElement	Select Element	\!hE	\x249	Mode All
SelectPreviousElement	Select Previous Element	\!hP	\x420	Mode Non-Math
SelectNextElement	Select Next Element	\!hN	\x421	Mode Non-Math
SelectSiblings	Select Siblings	\!hS	\x422	Mode All
SelectParent	Select Parent	\!heP	\x423	Mode Non-Math
Validation Commands				
ValidateElement	Validate Element	\!ve	\xFE1	Mode All
ValidateFlow	Validate Flow	\!vf	\xFE2	Mode All
ValidateDocument	Validate Document	\!vd	\xFE3	Mode All
IgnoreMissingElements	Ignore Missing Elements	\!vie	\xFE4	Mode All
IgnoreMissingAttributes	Ignore Missing Attributes	\!via	\xFF6	Mode All
StartValidating	Start Validating	\!vn	\xFE5	Mode All
AllowAsSpecialCase	Allow As Special Case	\!vae	\xFE6	Mode All
ClearSpecialValidationCases	Clear Special Validation Cases	\!vce	\xFE7	Mode All
Structure Commands				
InsertElement	Insert Element	\!Ei	\xF48	Mode All
WrapElement	Wrap Element	\!Ew	\xF49	Mode All
ChangeElement	Change Element	\!Ec	\xF4C	Mode All
EditAttributeQuick	Quick Attr Edit		\xF4D	Mode All
RepeatElemCommand	Repeat Last Element Command	\!ee	\xFDC	Mode All
StructureView	Structure View...	\!EV	\xFD1	Mode All
DRE (Dialog Editing) commands for FDK developers				
TestAsModalDialog	Test As Modal Dialog	\!dt	\xF71	
TestAsModelessDialog	Test As Modeless Dialog	\!dT	\xF72	
TestPrintDialog	Print Dialog Resource...	\!dp	\xF75	
CaptureLiveDialog	Capture Live Dialog	^~p \!dc	\xF78	
SetStuffItem	Set Stuff Item	\!df	\xF73	
ShowMacDialog	Show Mac Dialog	\!dm	\xF7C	
ShowWindowsDialog	Show Windows Dialog	\!dw	\xF7B	
ShowXDialog	Show X/Motif Dialog	\!dx	\xF7A	
RemovePlatformDialog	Remove Platform Dialog	\!dr	\xF79	
Notes Client commands				
SaveNotesAndBookmarks	Save Notes and Bookmarks			
NewMark	New Bookmark...			
NewNote	New Note...			

Table 1: Commands and key sequences of FrameMaker (english)

command	Label	Key Sequence	Definition	Mode
Bookmarks	Bookmarks...			
Notes	Notes...			
Table Sort Client				
TableSort	S&ort...			
AdobeOnline ^{d)}	Adobe Online...	\!www	\xC19	Mode All

- a) After a OpenHeroic command, the document should be saved as MIF and reopened prior to editing.
- b) A document opened via the SilentOpen command should never be saved; open it using the Open command to see if any reformatting took place during open.
- c) Not supported on all platforms (This Command may not function in some GUI environments, such as X)
- d) Do not localize

