

Notes:

This report lists all commands available in the current FrameMaker environment (version & language) at runtime.

All modifications of the commands (via FM cfg file, CustomUI.cfg, script or plug-in) are shown.

The command sequence in this report corresponds to their initialization by FrameMaker. The group titles for the report are read from the corresponding comment lines of the FM-cfg files.

First, those commands defined in the configuration file 'cmds.cfg' file are listed.

Then the equation commands from the 'mathcmds.cfg' file are listed.

Groups:

- 2 Main Window commands
- 2 File Menu
- 3 Edit menu
- 5 Format Menu
- 7 View menu
- 8 Special Menu
- 10 Graphics Menu
- 11 Table Menu
- 12 Review Menu
- 12 Help Menu
- 12 Book File Menu
- 13 Book View Menu
- 13 Project File Menu
- 13 Ditamap File Menu
- 13 Ditamap Context Menu
- 13 Viewer Popup
- 14 Window Popup
- 14 Fluid view commands
- 14 Alignment Commands
- 14 Character Format
- 15 Deletion
- 16 Diacritics
- 19 more edit commands
- 20 Fill Pattern
- 20 Graphics
- 20 Highlighting
- 21 Object Selection
- 22 Insertion Point
- 22 Kerning

In the configuration file 'wincmds.cfg' primarily platform-specific keyboard shortcuts are added to the commands that have already been initialized; a few new Windows-specific commands are, however, also defined.

FrameMaker then subsequently initializes the command modifications of the configuration file 'CustomUI.cfg' (also refer to MicroType's [ToolbarPlus Express](#) [Express Customization] on this).

In conclusion, those commands in this report that are defined by API clients (plug-ins) are listed. Among these are all FrameScripts that are installed.

You can create an Index of the shortcuts from the report!

- 23 Line Width
- 23 Miscellaneous
- 25 Page Commands
- 25 Paragraph Format
- 26 Pen Pattern
- 26 Special Stuff
- 26 Spelling
- 27 AutoSpellCheck
- 27 Tools
- 28 Dashed Lines Commands
- 28 More View Commands
- 29 View Separations
- 29 Window menu
- 29 Table Commands
- 29 Table Dialog Shortcuts
- 30 Keyboard Table Selection
- 30 Keyboard Table IP Navigation
- 31 Focus
- 31 Close Modeless Dialogs
- 32 Special Palette Commands
- 32 FrameMaker-Structured commands
- 32 Element Commands
- 33 View Commands
- 33 Commands for the makersgml API clients
- 34 Special Commands
- 34 Non-menu Structure Commands
- 35 Structure IP Navigation
- 35 Structure Selection Commands
- 35 Validation Commands

The 'FC Dec' column renders the FM commands internal code in decimal format. It can be used in order to call up the respective command, with FrameScript for example:

```
Execute FC 770;
```

The 'FC Hex' column renders FM command internal code into hexadecimal format. It corresponds to the specifications in the cfg files (\x302) as well as the definitions in the fcodes.h file of the FDK (0x302).

The FDK names listed for the commands correspond to the FC constants from FrameScript, whereby the FrameScript constants don't contain underscores:

```
Execute FC KbdHelp;
```

- 36 Structure Commands
- 36 DRE (Dialog Editing) commands for FDK developers
- 37 PDFSize Client commands
- 37 Notes Client commands
- 37 Table Sort Client command
- 37 Adobe Online commands
- 38 XV Commands
- 39 open file enhancement commands
- 40 Reference Frame Commands
- 40 Workspace Commands
- 40 Math – Equations menu
- 40 Math – Greek Letters
- 41 Math – Diacritical Marks
- 42 Math – Unusual Symbols
- 42 Math – template - N-ary
- 43 Math – template - multi-format
- 44 Math – template - Large
- 44 Math – template - binary
- 44 Math – Indices
- 45 Math – Functions
- 45 Math – Unaries
- 46 Math – Matrices
- 46 Math – Computation
- 47 Math – editing/navigation
- 48 Math – Alignment stuff
- 48 Windows Commands
- 50 Custom / API Client Commands
- 53 Script Commands

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|-----------------------------|------------------------|----------------|--------|--------|------------------------------|
| Main Window commands | | | | | |
| Help | Help Topics... | Esc fh, F1 | 770 | 302 | KBD_HELP |
| Info | Info... | | 771 | 303 | KBD_INFO |
| AboutFrameProduct | About FrameMaker... | Esc ?v, Esc fl | 773 | 305 | KBD_ABOUTPRODUCT |
| ContextSensitiveHelp | Context-Sensitive Help | Shift+F1 | 772 | 304 | KBD_CSHELPMODE |
| ShowStructText | Show Text | | 2052 | 804 | SHOW_STRUCT_TEXT |

File Menu

| | | | | | |
|------------------|---------------------------|------------------------------|---------|--------|--------------------------------------------|
| NewDocument | Document... | Esc fn, Ctrl+n | 3870192 | 3B0DF0 | |
| CommandSearch | Command Search | Esc Sc, Ctrl+Shift+s, F7 | 1678 | 68E | KBD_SEARCH_COMMAND |
| NewBook | Book | Esc fN | 776 | 308 | KBD_NEWBOOK |
| NewProject | Project | Esc prn | 1020 | 3FC | KBD_NEWPROJECT -- lpN |
| RepeatNew | Repeat Last New | | 797 | 31D | KBD_REPEATNEW -- Repeat last new command |
| CustomNew | Custom New | | 767 | 2FF | KBD_CUSTOMNEW -- Custom Blank Paper dialog |
| Open | Open... | Esc fo, Ctrl+o, Ctrl+Shift+o | 769 | 301 | KBD_OPEN |
| OpenComponents | Open | | 1002 | 3EA | KBD_OPEN_COMPONENTS |
| OpenHeroic | Heroic Open... | Esc oH | 774 | 306 | KBD_HEROIC_OPEN |
| OpenSilent | Silent Open... | Esc oS | 775 | 307 | KBD_SILENT_OPEN |
| BookOpenAll | Open All Files in Book | Esc fO | 794 | 31A | KBD_OPENALL -- Open all |
| DitamapOpenAll | Open All Files in Ditamap | Esc fO | 794 | 31A | KBD_OPENALL -- Open all |
| Save | Save | Esc fs, Ctrl+s | 784 | 310 | KBD_SAVE |
| SaveAs | Save As... | Esc fa | 785 | 311 | KBD_SAVEAS |
| SaveAsPdf | Save As PDF... | Esc fwp | 2384 | 950 | KBD_SAVEASPDF |
| SaveAsXml | Save As XML... | Esc fwx | 2385 | 951 | KBD_SAVEASXML |
| SaveAsHtmlNew | Save As HTML New... | Esc fwh | 2840 | B18 | KBD_SAVEASHTML |
| SaveComponents | Save | | 1005 | 3ED | KBD_SAVE_COMPONENTS |
| Revert | Revert to Saved | Esc fr | 786 | 312 | KBD_REVERT |
| ImportFile | File... | Esc fif | 788 | 314 | KBD_IMPORT -- Import File |
| ImportFormats | Formats... | Esc fio | 790 | 316 | KBD_USEFMFROM -- Import Formats |
| !ShowImportFiles | | | 3092 | C14 | MENU_IMPORT_FILE -- Import file from menu |
| DocInfo | File Info... | Esc fil, Shift+F1 | 986 | 3DA | KBD_DOCINFO -- File Info |
| Print | Print... | Esc fp, Ctrl+p | 787 | 313 | KBD_PRINT |
| PrintComponents | Print Selected Files... | Esc ff | 1004 | 3EC | KBD_PRINT_COMPONENTS |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|---------------------------------|-----------------------------------|-----------------------------------------------|----------|---------|-------------------------------------------------------|
| DocCompare | Compare Documents... | Esc ftc | 799 | 31F | KBD_COMPARE -- Compare docs or books |
| DocReport | Document Reports... | Esc ftr | 3856 | F10 | KBD_DOC_REPORT -- Document reports |
| ApiClientInfo | API Client Info... | Esc fti | 3857 | F11 | |
| ValidateHypertext | Validate Hypertext... | Esc vh | 3859 | F13 | KBD_VALIDATE_HYPertext -- Validate hypertext makers |
| MWHTMLSetup | HTML Setup... | Esc fth | 21171696 | 1430DF0 | |
| Capture | Capture... | Esc ftp | 598 | 256 | KBD_ECAPTURE -- Capture portion of screen, compressed |
| CaptureInStandardFormat | Capture in Standard Format... | Esc ftP | 593 | 251 | KBD_CAPTURE -- Capture portion of screen, not used |
| !Macro | Keyboard Macros... | Esc ftk | 791 | 317 | KBD_KBMACRO |
| StartStopRecordingKeys | Start/Stop Recording Keys | | 594 | 252 | KBD_RECORD -- Record keystrokes |
| !MacroGetTrigger | Stop Recording Keys... | | 595 | 253 | KBD_GETTRIGGER -- Get trigger for recorded keystrokes |
| Preferences | Preferences... | Esc fP | 792 | 318 | KBD_SESSION -- Session preferences |
| PodsLocationCriteria | Pods Location Criteria... | Esc pL | 798 | 31E | KBD_PODLOCATION |
| !ShowFilesRecentlyVisited | | | 3091 | C13 | MRU_SELECT_FILE -- Select a most recently visited |
| InternalValidateFile | Validate... | | 3861 | F15 | KBD_VALIDATEFILE -- Internal |
| Quit | Close | Esc fc, Esc fq, Ctrl+w, Ctrl+Shift+w, Ctrl+F4 | 921 | 399 | KBD_QUITWIN |
| CloseComponents | Close | | 1003 | 3EB | KBD_CLOSE_COMPONENTS |
| QuitAll | Close All Open Files | Esc fC, Esc fQ | 795 | 31B | KBD_QUITALL -- Quit all |
| SaveAll | Save All Open Files | Esc fS | 796 | 31C | KBD_SAVEALL -- Save all |
| TerminateMaker | Exit | | 4095 | FFF | FM_TERMINATE -- Quit FrameMaker |
| InlineTypeIn | | | 3571 | DF3 | INLINE_TYPEIN -- Inline input for Asian text |
| GotoPreviousView | Go Back | Esc vP, Shift+F2, Esc Left | 3824 | EF0 | KBD_BACKSTACK -- Backward Link |
| GotoPreviousViewFitWindowToPage | Go Back & Fit Window to Page | Esc vW | 3824 | EF0 | KBD_BACKSTACK -- Backward Link |
| GotoNextView | Go Back Back | Esc vN, Shift+F3, Esc Right | 3825 | EF1 | KBD_UPSTACK -- Forward Link |
| GotoNextViewFitWindowToPage | Go Back Back & Fit Window To Page | Esc vX | 3825 | EF1 | KBD_UPSTACK -- Forward Link |
| Lock | Lock/Unlock Document | Esc Flk | 3840 | F00 | KBD_VIEWER -- Toggle view-only document or book |
| Edit menu | | | | | |
| Undo | Undo | Esc eu, Ctrl+z, Ctrl+Shift+z, Alt+BkSp | 800 | 320 | KBD_UNDO |
| Redo | Redo | Esc er, Ctrl+Shift+z | 2357 | 935 | KBD_REDO |
| Repeat | Repeat Distribute... | Esc ez, F6 | 2361 | 939 | KBD_REPEAT |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|----------------------------|---------------------------|-----------------------------------------------|---------------|---------------|-------------------------------------------------------|
| Cut | Cut | Esc ex, Shift+Delete, Ctrl+x, Ctrl+Shift+x | 801 | 321 | KBD_CUT |
| Copy | Copy | Esc ec, Ctrl+Insert, Ctrl+c | 802 | 322 | KBD_COPY |
| Paste | Paste | Esc ep, Shift+Insert, Ctrl+v | 803 | 323 | KBD_PASTE |
| YankKillBuffer | Yank Kill Buffer | Esc eY, Ctrl+y | 812 | 32C | KBD_YANK -- pastes kill buffer |
| PasteSpecial | Paste Special... | Ctrl+Shift+v | 3344 | D10 | KBD_PASTESPECIAL |
| Delete | Delete | Esc ed | 3345 | D11 | KBD_DELETE |
| InsertBefore | Insert Before | Esc leb | 3346 | D12 | KBD_INSERT_BEFORE |
| InsertAfter | Insert After | Esc lea | 3347 | D13 | KBD_INSERT_AFTER |
| PasteBefore | Paste Before | Esc Pb | 3348 | D14 | KBD_PASTE_BEFORE |
| PasteAfter | Paste After | Esc Pa | 3349 | D15 | KBD_PASTE_AFTER |
| Clear | Clear | Esc eb, Shift+BkSp | 804 | 324 | KBD_CLEAR |
| CopyPgfFormat | Paragraph Format | Esc eyp, Alt+F9 | 806 | 326 | KBD_COPYPGF -- Copy pgf properties |
| CopyCharFormat | Character Format | Esc eyc, Alt+F8 | 805 | 325 | KBD_COPYFONT -- Copy font properties |
| CopyCondTextSettings | Conditional Text Settings | Esc eyd, Alt+F7 | 3997 | F9D | KBD_COPYCOND -- Copy Condition Setting |
| CopyTableColumnWidth | Table Column Width | Esc eyw, Alt+F10 | 3996 | F9C | KBD_COPYCOLW -- Copy Column Width |
| CopyElemAttrs | Attribute Values | Esc eya | 3999 | F9F | KBD_COPYATTRS -- Copy Element Attributes |
| SelectAll | Select All on Page | Esc ea, Ctrl+a, Ctrl+Shift+a | 807 | 327 | KBD_SELECTALL |
| SelectAllGeneratedFiles | Generated Files | Esc eAG | 813 | 32D | KBD_SELECT_GENERATED_FILES |
| SelectAllNonGeneratedFiles | Nongenerated Files | Esc eAN | 814 | 32E | KBD_SELECT_NON_GENERATED_FILES |
| SelectAllFMFiles | FrameMaker Files | Esc eAF | 789 | 315 | KBD_SELECT_FM_FILES |
| SelectAllFMXMLAuthorFiles | FrameMakerXMLAuthor Files | Esc eAX | 2633 | A49 | KBD_SELECT_FM_XMLAUTHOR_FILES |
| SelectAllExcludedItems | Excluded Components | Esc eAE | 2513 | 9D1 | KBD_SELECT_EXCLUDED_FILE |
| SelectAllNonExcludedItems | Nonexcluded Components | Esc eNE | 2514 | 9D2 | KBD_SELECT_NONEXCLUDED_FILE |
| CollapseAllComponents | Collapse All | Esc cAC | 1018 | 3FA | KBD_COLLAPSE_ALL |
| ExpandAllComponents | Expand All | Esc eAC | 1019 | 3FB | KBD_EXPAND_ALL |
| SelectChapterComponents | Chapter Components | Esc cl | 2515 | 9D3 | KBD_SELECT_CHAPTER_COMPONENTS |
| SelectSectionComponents | Section Components | Esc sl | 2516 | 9D4 | KBD_SELECT_SECTION_COMPONENTS |
| SelectSubSectionComponents | Sub-section Components | Esc ssl | 2517 | 9D5 | KBD_SELECT_SUBSECTION_ COMPONENTS |
| Stuff | Replace | Esc ii | 808 | 328 | KBD_STUFF |
| Find/Change | Find/Change... | Esc ef, Ctrl+f | 809 | 329 | KBD_SEARCH |
| SpellingChecker | Spelling Checker... | Esc es, Insert F10 | 810 | 32A | KBD_SPELLING |
| Thesaurus | Thesaurus... | Esc et | 976 | 3D0 | KBD_THESAURUS -- lookup selected word in Thesaurus |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|---------------------------|--------------------------------------------|------------------------|--------|--------|----------------------------------------------------------------------------|
| ThesaurusReplace | Replace selection with thesaurus selection | Esc Tr | 979 | 3D3 | KBD_THESAURUS_REPLACE -- replace active selection with word from thesaurus |
| TextInsetProps | Text Inset Properties... | Esc ei | 992 | 3E0 | TEXT_INSET_PROPS -- Text inset properties |
| Update | Update References... | Esc eU, Esc fg, Alt+F6 | 993 | 3E1 | KBD_GENERATE (see also: UPDATE_INSETS) |
| SuppressReferenceUpdating | Suppress Automatic Reference Updating... | Esc eS | 994 | 3E2 | SUPPRESS_INSETS -- Suppress auto reference updating |
| EditMarkerTypes | Edit Marker Types... | Esc emt | 1033 | 409 | KBD_EDITMARKERTYPE -- Edit Marker Types |

Format Menu

| | | | | | |
|----------------------|------------------|----------------------------------|------|-----|-----------------------------------------------------------|
| IShowFontChoices | | | 3081 | C09 | TXT_FAMILY_AND_VARIATION -- Set text family and variation |
| Size7 | 7 pt | | 3072 | C00 | TXT_7 -- Set text to 7 point |
| Size9 | 9 pt | | 3073 | C01 | TXT_9 -- Set text to 9 point |
| Size10 | 10 pt | | 3074 | C02 | TXT_10 -- Set text to 10 point |
| Size12 | 12 pt | | 3075 | C03 | TXT_12 -- Set text to 12 point |
| Size14 | 14 pt | | 3076 | C04 | TXT_14 -- Set text to 14 point |
| Size18 | 18 pt | | 3077 | C05 | TXT_18 -- Set text to 18 point |
| Size24 | 24 pt | | 3078 | C06 | TXT_24 -- Set text to 24 point |
| SizeOther | 36 pt | | 3079 | C07 | TXT_USIZE -- Set text to the last size (initially 36) |
| SizeChoose | Other... | | 3080 | C08 | TXT_OTHERSIZE -- Set text size with dialog |
| StylePlain | Plain | Esc cp | 611 | 263 | TXT_PLAIN -- Set chars to plain |
| StyleBold | Bold | Esc cb, F4, Ctrl+b, Ctrl+Shift+b | 608 | 260 | TXT_BOLD -- Set chars to bold |
| StyleItalic | Italic | Esc ci, F5, Ctrl+Tab | 609 | 261 | TXT_ITALIC -- Set chars to italic |
| StyleUnderline | Underline | Esc cu, Ctrl+u, Ctrl+Shift+u | 610 | 262 | TXT_UNDERLINE -- Set chars to underline |
| StyleDoubleUnderline | Double Underline | Esc cd | 632 | 278 | TXT_DBLUNDERLINE -- Set chars to double underline |
| StyleStrikethrough | Strikethrough | Esc cs, Ctrl+/- | 620 | 26C | TXT_STRIKEOUT -- Set chars to strikethrough |
| StyleOverline | Overline | Esc co | 622 | 26E | TXT_OVERLINE -- Set chars to overline |
| StyleChangeBar | Change Bar | Esc ch, Ctrl+Shift+BkSp | 623 | 26F | TXT_CHANGEBAR -- Set chars to change bar |
| StyleSuperscript | Superscript | Esc c+, Ctrl+Shift++ | 612 | 264 | TXT_SUPER -- Set chars to superscript |
| StyleSubscript | Subscript | Esc c-, Ctrl+_ | 613 | 265 | TXT_SUB -- Set chars to subscript |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|-------------------------|--------------------------------|-----------------------------------------|---------------|---------------|-----------------------------------------------|
| StyleSmallCaps | Small Caps | Esc cm, Ctrl+e | 627 | 273 | TXT_MINICAPS -- Set chars to small caps |
| CharacterFormatDesigner | Character Designer... | Esc ocd, Ctrl+d | 816 | 330 | KBD_FONTDESIGN -- Character Format Designer |
| CharacterCatalog | Character Catalog... | Esc occ | 3876 | F24 | KBD_FONTWIN -- font catalog window |
| CharQuickKey | Quick Character | Esc qc, F8, Ctrl+8 | 3904 | F40 | KBD_FONTQUICK -- Char fmt quick key |
| CharacterDefaultPgfFont | Default ¶ Font | Esc ocp, F2 | 621 | 26D | TXT_DEFAULT -- Set chars to default pgf font |
| !ShowCharacterTags | | | 3089 | C11 | CHAR_APPLY_TAG -- Set char tag from menu |
| ParagraphFormatDesigner | Paragraph Designer... | Esc opd, Ctrl+Return, Ctrl+Shift+Return | 817 | 331 | KBD_PGFDESIGN -- Paragraph Format Designer |
| ParagraphCatalog | Paragraph Catalog... | Esc opc | 3875 | F23 | KBD_PGFWIN -- paragraph catalog window |
| !ShowParagraphTags | | | 3088 | C10 | PGF_APPLY_TAG -- Set pgf tag from menu |
| ColumnLayout | Column Layout... | Esc ocl, Esc ogn | 840 | 348 | KBD_COLLAYOUT |
| LineLayout | Line Layout... | Esc oll | 818 | 332 | KBD_LINELAYOUT |
| PageSize | Page Size... | Esc ops | 841 | 349 | KBD_PAGESIZE |
| Pagination | Pagination... | Esc opi | 2624 | A40 | KBD_PAGINATION |
| MasterPageUsage | Master Page Usage... | Esc omu, Esc ogm | 842 | 34A | KBD_PAGEBACK |
| NewMasterPage | New Master Page... | Esc omp, Esc pm | 2570 | A0A | KBD_NEWMMASTER |
| ReorderMasterPage | Reorder Custom Master Pages... | Esc omr | 2571 | A0B | KBD_REORDERMASTER -- Reorder Master Pages |
| UpdateColumnLayout | Update Column Layout... | Esc oup, Esc pu | 2560 | A00 | KBD_PAGEUPDATE |
| CustomizeTextFrame | Customize Text Frame... | Esc ocf | 2561 | A01 | KBD_CUST_TEXT_FRAME -- Customize text frame |
| ConnectTextFrames | Connect Text Frames | Esc CC | 859 | 35B | KBD_CONNECT_TEXT_FRAME -- Connect text frames |
| CutHead | Disconnect Previous | Esc CP | 860 | 35C | KBD_CUTHEAD -- Cut Previous |
| CutTail | Disconnect Next | Esc CN | 861 | 35D | KBD_CURTAIL -- Cut Next |
| CutBoth | Disconnect Both | Esc CB | 2564 | A04 | KBD_CUTBOTH -- Cut Both |
| SplitTextFrame | Split Text Frame | Esc CS | 858 | 35A | KBD_SPLIT -- Split column below IP |
| RotatePageClockwise | Rotate Page Clockwise | Esc pO | 846 | 34E | KBD_ROTPAGE_PLUS -- Rotate page clockwise |
| RotatePage | Rotate Page Counterclockwise | Esc po | 847 | 34F | KBD_ROTPAGE_MINUS -- Rotate page CounterC |
| RotatePageNormal | Unrotate Page | Esc pU | 2565 | A05 | KBD_ROTPAGE_NORM -- Un-rotate Page |
| DocumentNumbering | Numbering... | Esc odn | 819 | 333 | KBD_NUMBERING -- Doc Numbering |
| ChangeBars | Change Bars... | Esc ob | 820 | 334 | KBD_CBARPRO -- Change Bars |
| FootnoteProperties | Footnote Properties... | Esc of | 821 | 335 | KBD_FOOTNOTEPRO -- Footnote Properties |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|-----------------------------------|------------------------|------------------------------|---------------|---------------|-----------------------------------------------------|
| AcrobatSetup | PDF Setup... | Esc odp, Esc oda, Alt+F12 | 876 | 36C | KBD_ACROBAT_SETUP -- PDF Setup |
| TextOptions | Text Options... | Esc oto | 823 | 337 | KBD_TEXT_OPTIONS -- Text Options |
| CombinedFonts | Combined Fonts... | Esc oco | 824 | 338 | KBD_COMBINED_FONTS -- Combined Fonts |
| RubiProperties | Rubi Properties... | Esc or | 989 | 3DD | KBD_RUBIPROPS |
| DocDirectionLTR | Left-to-Right | Esc ltr | 1504 | 5E0 | KBD_DIRECTION_LTR -- Set Document Direction as LTR |
| DocDirectionRTL | Right-to-Left | Esc rtl | 1505 | 5E1 | KBD_DIRECTION_RTL -- Set Document Direction as RTL |
| NumberUtilityNTI | N-To-Indic | | 1506 | 5E2 | KBD_NUMBERUTILITY_NTOI -- Number Utility N to Indic |
| NumberUtilityITN | Indic-To-N | | 1507 | 5E3 | KBD_NUMBERUTILITY_ITON -- Number Utility Indic to N |
| NumberUtilityNTF | N-To-Farsi | | 1512 | 5E8 | KBD_NUMBERUTILITY_NTOF -- Number Utility N to Farsi |
| NumberUtilityFTN | Farsi-To-N | | 1513 | 5E9 | KBD_NUMBERUTILITY_FTON -- Number Utility Farsi to N |
| HeaderFooterInsertPageNum | Insert Page # | Esc ohp | 2566 | A06 | KBD_VARCURPG -- Insert current page # variable |
| HeaderFooterInsertPageCount | Insert Page Count | Esc ohc | 2567 | A07 | KBD_VARPGCOUNT -- Insert page count variable |
| HeaderFooterInsertCurrentDate | Insert Current Date | Esc ohd | 2568 | A08 | KBD_VARCURDATE -- Insert current date # variable |
| HeaderFooterInsertOther | Insert Other... | Esc oho | 2569 | A09 | KBD_VAROTHER -- Insert current date # variable |
| FreezePagination | Freeze Pagination... | Esc pz | 843 | 34B | KBD_FREEZE |
| View menu | | | | | |
| ViewProjectManager | Project Manager | Esc vPM | 1036 | 40C | KBD_PROJECTMANAGERVIEW |
| ViewBorders | Borders | Esc vb | 865 | 361 | KBD_BORDERS |
| ViewHotspotIndicators | Hotspot Indicators | Esc vHS | 1288 | 508 | KBD_HOTSPOTINDICATORS -- toggle hotspot indicator |
| ViewTextSymbols | Text Symbols | Esc vt | 866 | 362 | KBD_SYMBOLS |
| ViewRulers | Rulers | Esc vr | 867 | 363 | KBD_RULERS |
| ViewBreadCrumbs | Breadcrumbs | Esc vr | 2506 | 9CA | KBD_BREADCRUMBS -- !vr |
| !ShowRulerToggle | | | | | |
| ToggleFullAbbrevRuler | Full/Abbreviated Ruler | Esc oa | 957 | 3BD | KBD_FULLRULERS -- toggle full/abbreviated rulers |
| !ShowRulerAlignmentSpacingAndTabs | | | | | |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|--------------------------------|----------------------------|------------------------------|--------|--------|---------------------------------------------------------------------------------------|
| IShowRulerParagraphTags | | | | | |
| ViewGridLines | Grid Lines | Esc vg | 868 | 364 | KBD_GRID |
| ViewPublisherBoundaries | Publisher Boundaries | Esc vl | 983 | 3D7 | KBD_LINK_BOUNDARIES -- Turn link borders on and off. Currently only effect Publishers |
| History | Undo History | Esc eh, Ctrl+k, Ctrl+Shift+k | 2358 | 936 | KBD_HIST |
| ViewOptions | Options... | Esc vo | 864 | 360 | KBD_OPTIONS |
| GotoPage | Go to Page... | Esc vp, Ctrl+g, Ctrl+Shift+g | 837 | 345 | KBD_GOTOPAGE |
| ViewBodyPages | Body Pages | Esc vB | 834 | 342 | KBD_BODYPAGE |
| ViewMasterPages | Master Pages | Esc vM | 835 | 343 | KBD_MASTERPAGE |
| ViewReferencePages | Reference Pages | Esc vR | 836 | 344 | KBD_REFPAGE |
| ColorViews | Views... | Esc vcv | 869 | 365 | KBD_SEPARATIONS |
| ColorDefinitions | Definitions... | Esc vcd | 927 | 39F | KBD_COLOR |
| IShowDocumentWindows | | | 3090 | C12 | MENU_EXPOSE_WIN -- Expose window from menu |
| ViewQuickMenus | Quick | Esc vmq | 830 | 33E | KBD_MENUQUICK |
| ViewCompleteMenus | Complete | Esc vmc | 829 | 33D | KBD_MENUCOMPLETE |
| ViewCustomMenus | Custom | Esc vmu | 831 | 33F | KBD_MENUCUSTOM |
| ViewModifyMenus | Modify... | Esc vmm | 985 | 3D9 | KBD_MENUMODIFY |
| ResourceManager | Open Resource Manager view | Esc rm | 2538 | 9EA | SWITCH_TO_RESOURCEMANAGER |
| DocumentView | Document View... | Esc dv | 2539 | 9EB | SWITCH_TO_DOCUMENTVIEW |
| ViewInsets | Insets... | Esc vip | 2452 | 994 | KBD_INSETPOD |

Special Menu

| | | | | | |
|------------------|------------------------|------------------|----------|---------|---------------|
| PageBreak | Page Break... | Esc spb, Esc opb | 815 | 32F | KBD_PAGEBREAK |
| AnchoredFrame | Anchored Frame... | Esc sa, Alt+F5 | 848 | 350 | KBD_ANCHOR |
| Footnote | Footnote | Esc sf | 849 | 351 | KBD_FOOTNOTE |
| InsertRubi | Rubi | Esc sr | 988 | 3DC | |
| CrossReference | Cross-Reference... | Esc sc, Alt+F11 | 850 | 352 | KBD_REFERENCE |
| Variable | Variables... | Esc sv | 851 | 353 | KBD_VARIABLE |
| Marker | Marker... | Esc sm | 853 | 355 | KBD_MARKERS |
| Hypertext | Hypertext... | Esc sh | 857 | 359 | KBD_HYPertext |
| EquationsPalette | Equations... | | 16845848 | 1010C18 | |
| Inset | Graphic Inset... | Esc sg, Esc si | 852 | 354 | KBD_INSET |
| AttributeCond | Filter by Attribute... | Esc ac | 2388 | 954 | KBD_ATTRCOND |
| ConditionalText | Conditional Tags... | Esc sC, Shift+F7 | 855 | 357 | KBD_CONDTEXT |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|--------------------------------|---------------------------|-----------------|---------------|---------------|------------------------------------------------------------------------|
| SearchAllReferences | References... | | 2839 | B17 | KBD_SEARCHREFS |
| HotspotsPod | Hotspots... | Esc pHS | 1279 | 4FF | KBD_HOTSPOTSPOD -- Hotspots pod |
| HotspotMode | Hotspot Mode | Esc hot | 1277 | 4FD | KBD_HOTSPOT -- HOTSPOT draw mode |
| NavigationViewPod | Navigation View... | Esc nv | 2496 | 9C0 | KBD_NAVIGATIONVIEW -- NavigationView Pod |
| ManageCond | Manage Condition | Esc mC | 2386 | 952 | KBD_MANCOND |
| ShowConditionIndicator | Show Condition Indicator | | 2387 | 953 | KBD_CONDINDICATOR |
| TrackTextEnable | Enable | Esc sto | 2391 | 957 | KBD_TRACKCHANGE -- Track Changes |
| TrackTextDisable | Disable | Esc std | 2397 | 95D | KBD_TRACKCHANGEDISABLE -- Track Changes |
| ShowNextTrackTextEdit | Show Next | Esc stn | 2389 | 955 | KBD_FINDNEXT -- Track Changes |
| ShowPrevTrackTextEdit | Show Previous | Esc stp | 2390 | 956 | KBD_FINDPREV -- Track Changes |
| AcceptTrackTextEdit | Accept Edit | Esc sta | 2392 | 958 | KBD_ACCEPTCHANGE -- Track Changes |
| RejectTrackTextEdit | Reject Edit | Esc str | 2393 | 959 | KBD_REJECTCHANGE -- Track Changes |
| AcceptTrackTextEditAndShowNext | Accept Edit and Show Next | Esc stta | 2459 | 99B | KBD_ACCEPTCHANGEANDNEXT -- Track Changes |
| RejectTrackTextEditAndShowNext | Reject Edit and Show Next | Esc sttr | 2460 | 99C | KBD_REJECTCHANGEANDNEXT -- Track Changes |
| AcceptAllTrackTextEdit | Accept All | Esc stA | 2400 | 960 | KBD_ACCEPTALLCHANGE -- Track Changes |
| RejectAllTrackTextEdit | Reject All | Esc stR | 2401 | 961 | KBD_REJECTALLCHANGE -- Track Changes |
| PreviewFinal | Preview Final | Esc stF | 2402 | 962 | KBD_PREVIEW_ACCEPTALL -- Track Changes |
| PreviewOriginal | Preview Original | Esc stO | 2403 | 963 | KBD_PREVIEW_REJECTALL -- Track Changes |
| PreviewOff | Preview Off | Esc spo | 2404 | 964 | KBD_PREVIEW_OFF -- Track Changes |
| ConfigureColor | Configure Color | | 2448 | 990 | KBD_CONFIGURE_TC_COLOR -- Track Changes: Track Text Edit enhancement |
| !ShowReviewerName | | | 2449 | 991 | KBD_TC_USER_NAME -- Track Changes: User name get from Menu and Toolbar |
| ShowTCDocSeachable | Document | | 307 | 133 | KBD_TC_SEARCH_DOC -- Track Changes |
| ShowTCBookSeachable | Book | | 308 | 134 | KBD_TC_SEARCH_BOOK -- Track Changes |
| ShowTCDitaMapSeachable | DITA Map | | 309 | 135 | KBD_TC_SEARCH_DITAMAP -- Track Changes |
| ShowTCSelSeachable | Selected Documents | | 310 | 136 | KBD_TC_SEARCH_SEL -- Track Changes |
| PageAdd | Add Disconnected Pages... | Esc spa | 838 | 346 | KBD_ADDPAGE |
| !PageDelete | Delete Pages... | Esc spd | 839 | 347 | KBD_DELETEPAGE |
| TableOfContents | Create Standalone TOC... | Esc toc | 688 | 2B0 | KBD_TOC |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|------------------------------|------------------------------|-----------------|---------------|---------------|-----------------------------------------|
| MiniTableOfContents | Create Mini TOC... | Esc mtoc | 2649 | A59 | KBD_INLINE_TOC |
| DeleteMiniTableOfContents | Delete Mini TOC | Esc Dmtoc | 2656 | A60 | KBD_DELETE_INLINE_TOC |
| ListOfFigures | Figures... | Esc lof | 689 | 2B1 | KBD_LIST_FIGURE |
| ListOfTables | Tables... | Esc lot | 690 | 2B2 | KBD_LIST_TABLE |
| ListOfParagraphs | Paragraphs... | Esc lop | 691 | 2B3 | KBD_LIST_PGF |
| ListOfParagraphsAlphabetical | Paragraphs (Alphabetical)... | Esc loP | 692 | 2B4 | KBD_LIST_PGF_ALPHA |
| ListOfMarkers | Markers... | Esc lom | 693 | 2B5 | KBD_LIST_MARKER |
| ListOfMarkersAlphabetical | Markers (Alphabetical)... | Esc loM | 694 | 2B6 | KBD_LIST_MARKER_ALPHA |
| ListOfReferences | References... | Esc lor | 695 | 2B7 | KBD_LIST_REFERENCES |
| StandardIndex | Standard Index... | Esc ix | 704 | 2C0 | KBD_INDEX_STANDARD |
| IndexOfAuthors | Authors... | Esc ioa | 705 | 2C1 | KBD_INDEX_AUTHOR |
| IndexOfSubjects | Subjects... | Esc ios | 706 | 2C2 | KBD_INDEX_SUBJECT |
| IndexOfMarkers | Markers... | Esc iom | 707 | 2C3 | KBD_INDEX_MARKER |
| IndexOfReferences | References... | Esc ior | 708 | 2C4 | KBD_INDEX_REFERENCES |

Graphics Menu

| | | | | | |
|-------------------------------|-------------------------------|------------------------------|------|-----|-------------------------------------------------|
| ToolsPalette | Tools... | Esc gT, Esc 1w | 3874 | F22 | KBD_TOOLWIN -- tools window |
| GraphicsGroup | Group | Esc gg | 898 | 382 | KBD_GROUP |
| GraphicsUngroup | Ungroup | Esc gu | 899 | 383 | KBD_UNGROUP |
| GraphicsBringToFront | Bring to Front | Esc gf | 896 | 380 | KBD_FRONT |
| GraphicsSendToBack | Send to Back | Esc gb | 897 | 381 | KBD_BACK |
| GraphicsAlign | Align... | Esc ga | 900 | 384 | KBD_ALIGN |
| GraphicsDistribute | Distribute... | Esc gd | 901 | 385 | KBD_DISTRIBUTE |
| GraphicsReshape | Reshape | Esc gr, Ctrl+r, Ctrl+Shift+r | 886 | 376 | KBD_RESHAPE |
| GraphicsSmooth | Smooth | Esc gs | 884 | 374 | KBD_SMOOTH |
| GraphicsUnsmooth | Unsmooth | Esc gm | 885 | 375 | KBD_UNSMOOTH |
| GraphicsFlipUpDown | Flip Up/Down | Esc gv | 880 | 370 | KBD_FLIPUD |
| GraphicsFlipLeftRight | Flip Left/Right | Esc gh | 881 | 371 | KBD_FLIPLR |
| GraphicsRotate | Rotate... | Esc gt | 907 | 38B | KBD_ROTATE |
| GraphicsFitToFrame | Fit To Frame | Esc Ftf | 253 | FD | |
| GraphicsFitToFrameProprtional | Fit To Frame (Proportionally) | Esc Ftp | 2505 | 9C9 | KBD_FIT_FRAME_PROPORTIONAL -- !Ftf fit to frame |
| GraphicsFitToImage | Fit To Image | Esc Fti | 3494 | DA6 | KBD_FIT_IMAGE -- !Fti - fit to image |
| GraphicsSelectFrame | Select Frame | Esc Stf | 1517 | 5ED | KBD_SELECT_FRAME |
| GraphicsSelectInset | Select Image | Esc Sti | 415 | 19F | KBD_SELECT_IMAGE |
| GraphicsScale | Scale... | Esc gz | 883 | 373 | KBD_SCALE |
| GraphicsJoinCurves | Join | Esc gj | 887 | 377 | KBD_JOINCURVES |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|-------------------------------|---------------------------------|------------------------------|---------------|---------------|--------------------------------------------------------------------------------|
| GraphicsSetNumSides | Set # Sides... | Esc gn | 888 | 378 | KBD_SETSIDES |
| GraphicsObjProps | Object Properties... | Esc go, Shift+F6 | 903 | 387 | KBD_OBJPROPS |
| HotspotProps | Hotspot Properties... | Esc eHS | 1278 | 4FE | KBD_EDITHOTSPOT -- edit HOTSPOT object |
| DelinkHotspot | Delink Hotspot | Esc dHS | 1287 | 507 | KBD_DELINKHOTSPOT -- delink/clear HOTSPOT object |
| GraphicsPickObjProps | Pick up Object Properties | Esc gO | 904 | 388 | KBD_PICKOBJPROPS |
| GraphicsGravity | Gravity | Esc gy | 891 | 37B | KBD_GRAVITY |
| GraphicsSnap | Snap | Esc gp | 890 | 37A | KBD_SNAP |
| GraphicsKeepTool | Keep Tool | Esc gk | 892 | 37C | KBD_KEEPTOOL |
| GraphicsSetPoster | Set Poster... | Esc gsp | 987 | 3DB | KBD_SETPOSTER -- set the poster on inset |
| GraphicsEditMathML | Edit with MathFlow... | | 3864 | F18 | KBD_MATHML_EDIT |
| ActivateInPDFByDefault | Activate by default | | 1274 | 4FA | KBD_ACTIVATE_IN_PDF_BYDEFAULT |
| OpenGraphicInPopUpWindowInPDF | Open In Pop up Window | | 1275 | 4FB | KBD_OPEN_IN_POPUP_WIN_IN_PDF |
| GraphicsSetName | Set Graphic Name... | | 1276 | 4FC | KBD_GRAPHIC_SET_NAME |
| GraphicsRemovePoster | Set Default Poster | Esc grp | 990 | 3DE | KBD_REMOVEPOSTER -- Remove the poster set on the inset |
| RunaroundProperties | Runaround Properties... | Esc gR | 1639 | 667 | KBD_RUN_PROPS |
| RunAroundContour | Run Around Contour | Esc gw | 1640 | 668 | KBD_RUN_CONTOUR -- Contour runaround |
| RunAroundBoundingBox | Run Around Bounding Box | Esc gW | 1641 | 669 | KBD_RUN_BBOX -- Bounding box runaround |
| GraphicsCreateLink | Create Link to Graphic... | Esc gcl | 995 | 3E3 | KBD_CREATE_MULTIMEDIA_LINK -- Create link to multimedia object |
| PDFCreateLinkToEmbedFile | Embed File in PDF... | | 1591 | 637 | |
| PDFCreateLinkToAttachFile | Attach File in PDF... | | 1592 | 638 | |
| PDFEmbedOpenMarkerPod | Open Marker Panel... | | 2797 | AED | KBD_EMBED_OPEN_MARKER_POD -- Create table with links to multimedia object |
| GraphicsCreateLinkTable | Create Link Table to Graphic... | Esc gct | 996 | 3E4 | KBD_CREATE_MULTIMEDIA_LINK_TBL -- Create table with links to multimedia object |
| MathMLEquation | MathML Equation... | Esc nml | 997 | 3E5 | KBD_MATHML_EQUATION -- Create New MML equation |
| EditMathML | Edit MathML... | | 998 | 3E6 | KBD_EDIT_MATHML_EQUATION -- Create New MML equation |
| RunaroundOff | Runaround Off | Esc gq | 1648 | 670 | KBD_RUN_OFF -- Turn off runarounds |
| Table Menu | | | | | |
| TableInsert | Insert Table... | Esc ti | 3968 | F80 | KBD_TABLE_INS -- Insert Table |
| TableVariables | Insert Table Variables... | Esc itv | 3981 | F8D | KBD_TABLE_VARS -- litv - Insert Table Variables |
| TableFormatDesigner | Table Designer... | Esc td, Ctrl+t, Ctrl+Shift+t | 3969 | F81 | KBD_TABLE_FORMAT -- Table Designer |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|------------------------|------------------------------|----------|--------|--------|---------------------------------------------------------|
| TableRowFormat | Row Format... | Esc tr | 3973 | F85 | KBD_TABLE_ROWFORMAT -- Row Format |
| TableCustRuleAndShade | Custom Ruling and Shading... | Esc tx | 3974 | F86 | KBD_TABLE_CUSTRS -- Custom Ruling and Shading |
| TableRotateCellContent | Rotate Table Cell Content... | Esc ttr | 3982 | F8E | KBD_TABLE_ROTATE_CC -- !trc - rotate table cell content |
| TableAddRowsOrColumns | Add Rows or Columns... | Esc ta | 3975 | F87 | KBD_TABLE_ADDRC -- Add Rows or Columns |
| TableResizeColumns | Resize Columns... | Esc tz | 3976 | F88 | KBD_TABLE_RESIZECOL -- Resize columns |
| TableStraddle | Straddle | Esc tl | 3977 | F89 | KBD_TABLE_STRADDLE -- Straddle/Unstraddle |
| TableConvert | Convert to Table... | Esc tv | 3978 | F8A | KBD_TABLE_CONVERT -- Convert to Table/Paragraphs |

Review Menu

| | | | | | |
|--------------------------------|----------------------------|--|------|-----|------------------------------------|
| SendForOnlineReview | Send for Online review... | | 1185 | 4A1 | KBD_SENDFORONLINEREVIEW |
| SaveAsReviewPDF | Save as Review PDF | | 1184 | 4A0 | KBD_SAVEASREVIEWPDF |
| ImportCommentsFromOnlineReview | From Online Review | | 1187 | 4A3 | KBD_IMPORTCOMMENSTFROMONLINEREVIEW |
| ManageOnlineReviews | Manage Online Reviews... | | 1188 | 4A4 | KBD_MANAGEONLINEREVIEWS |
| OnlineReviewSignOut | Sign-out (TechComm Review) | | 1189 | 4A5 | KBD_ONLINEREVIEWSIGNOUT |

Help Menu

| | | | | | |
|--------------|--------------------|--|-----|-----|------------------------------------------|
| HelpHowToUse | How to Use Help... | | 675 | 2A3 | KBD_HELP_OVERVIEW -- FrameMaker Overview |
|--------------|--------------------|--|-----|-----|------------------------------------------|

Book File Menu

| | | | | | |
|---------------------|--------------------------|---------|------|-----|---------------------------------------------|
| BookOpen | Open... | | 769 | 301 | KBD_OPEN |
| BookAddFile | Files... | Esc ff | 778 | 30A | KBD_BOOKADDFILE -- Add file to book |
| BookAddFolder | Folder... | Esc baf | 1537 | 601 | KBD_BOOKADDFOLDER (see also: OBJ_SEL_NEXT) |
| BookAddGroup | Group... | Esc bag | 1545 | 609 | KBD_BOOKADDGROUP |
| BookSetupFile | Set Up Generated File... | Esc fd | 779 | 30B | KBD_BOOKEDITDEFINE -- Set up generated file |
| BookNumbering | Numbering... | Esc en | 819 | 333 | KBD_NUMBERING -- Doc Numbering |
| BookRenameFile | Rename | Esc fe | 780 | 30C | KBD_BOOKRENAMEFILE |
| DeleteComponent | Delete | Esc fx | 783 | 30F | KBD_DELETE_FILE |
| ComponentProperties | Properties | Esc bcp | 1006 | 3EE | KBD_COMPONENT_PROPERTIES |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|----------------------|------------------|----------|--------|--------|--------------------------------------|
| ExcludeBookComponent | Exclude | Esc be | 1248 | 4E0 | KBD_BOOKCOMP_EXCLUDE |
| MoveComponentUp | Move Up | Esc mu | 1802 | 70A | KBD_MOVE_UP |
| MoveComponentDown | Move Down | Esc md | 1803 | 70B | KBD_MOVE_DOWN |
| MoveComponentLeft | Move Left | Esc bl | 1804 | 70C | KBD_MOVE_LEFT |
| MoveComponentRight | Move Right | Esc br | 1805 | 70D | KBD_MOVE_RIGHT |
| BookMoveFileUp | Move Up | Esc bu | 1000 | 3E8 | KBD_BOOKMOVEFILEUP |
| BookMoveFileDown | Move Down | Esc bd | 1001 | 3E9 | KBD_BOOKMOVEFILEDOWN |
| BookCompare | Compare Books... | Esc fb | 799 | 31F | KBD_COMPARE -- Compare docs or books |

Book View Menu

| | | | | | |
|-------------------|-----------|--------|------|-----|-----------------------|
| ViewBookFilenames | Filenames | Esc VM | 1543 | 607 | KBD_BOOKCOMP_FILENAME |
| ViewBookText | Text | Esc VX | 1544 | 608 | KBD_BOOKCOMP_TEXT |

Project File Menu

| | | | | | |
|---------------------|-----------|---------|------|-----|------------------------------------------------------|
| ProjectOpen | Open... | | 769 | 301 | KBD_OPEN |
| ProjectAddLocation | Folder... | Esc prl | 1034 | 40A | KBD_PROJECTADDDLOCATION -- lff - Add file to project |
| ProjectCreateFolder | Folder... | Esc prf | 1035 | 40B | KBD_PROJECTCREATEFOLDER |
| ProjectRenameFile | Rename | Esc prr | 1037 | 40D | KBD_PROJECTRENAMEFILE |
| ProjectExploreFile | Explore | Esc prx | 1038 | 40E | KBD_PROJECTEXPLOREFILE |
| ProjectEditFile | Edit | Esc pre | 1039 | 40F | KBD_PROJECTEDITFILE |
| ProjectDeleteFile | Delete | Esc prd | 1546 | 60A | KBD_PROJECTDELETEFILE |

Ditamap File Menu

| | | | | | |
|-------------|---------|--|-----|-----|----------|
| DitamapOpen | Open... | | 769 | 301 | KBD_OPEN |
|-------------|---------|--|-----|-----|----------|

Ditamap Context Menu

| | | | | | |
|-----------------------|-------|--|------|-----|------------------------------------------------------------------------------------------|
| OpenDitamapComponent | Open | | 3860 | F14 | CMD_OPEN_DITAMAP_COMPONENT -- Open DITA Map component |
| SaveDitamapComponent | Save | | 3865 | F19 | CMD_SAVE_DITAMAP_COMPONENT -- Save DITA Map component. Child Components won't be saved |
| CloseDitamapComponent | Close | | 3867 | F1B | CMD_CLOSE_DITAMAP_COMPONENT -- Open DITA Map component. Child Components won't be closed |

Viewer Popup

| | | | | | |
|--------------|-----------|--------------|-----|-----|--------------|
| GotoNextPage | Next Page | Esc pn, PgDn | 845 | 34D | KBD_NEXTPAGE |
|--------------|-----------|--------------|-----|-----|--------------|

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|--------------------|-----------------|--------------------|--------|--------|-------------------------------------------|
| GotoPreviousPage | Previous Page | Esc pp, PgUp | 844 | 34C | KBD_PREVPAGE |
| GotoFirstPage | First Page | Esc pf, Alt+PgUp | 832 | 340 | KBD_FIRSTPAGE |
| GotoLastPage | Last Page | Esc pl, Alt+PgDn | 833 | 341 | KBD_LASTPAGE |
| GotoPreviousScreen | Previous Screen | Esc vsp, PgUp, F11 | 3392 | D40 | KBD_WINDOWFULL_UP -- Scroll prev screen |
| GotoNextScreen | Next Screen | Esc vsn, PgDn, F12 | 3393 | D41 | KBD_WINDOWFULL_DOWN -- Scroll next screen |
| ViewerFind | Find... | | 809 | 329 | KBD_SEARCH |

Window Popup

| | | | | | |
|-----------------------|------------|----------------|-----|-----|----------------------------------|
| !WindowClose | Close | Esc wc | 912 | 390 | KBD_CLOSEWIN |
| !WindowOpen | Open | Esc wo | 913 | 391 | KBD_OPENWIN |
| WindowToggleCloseOpen | Close/Open | | 914 | 392 | KBD_CLOPWIN -- Close/Open Window |
| WindowMove | Move | Esc wm | 915 | 393 | KBD_MOVEWIN |
| WindowExpose | Expose | Esc we | 917 | 395 | KBD_EXPOSEWIN |
| WindowHide | Hide | Esc wh | 918 | 396 | KBD_HIDEWIN |
| WindowHideShowToggle | Hide/Show | | 919 | 397 | KBD_HISHWIN -- Hide/show toggle |
| WindowRedisplay | Refresh | Esc wr, Ctrl+l | 920 | 398 | KBD_REFRESHWIN |

Fluid view commands

Find and Replace Commands

| | | | | | |
|---------------------|------------------------|-----------------------------------------------|-----|-----|-------------------------------------|
| FindPrevious | Find Previous | Esc fip, Alt+Ctrl+f, Alt+Ctrl+r, Shift+F3 | 560 | 230 | KBD_FPREV -- Search backward |
| FindNext | Find Next | Esc eF, Esc fin, F3, Ctrl+Shift+f, Alt+Ctrl+s | 561 | 231 | KBD_FNEXT -- Search forward |
| ReplaceOnce | Replace | Esc ro | 562 | 232 | KBD_RONCE -- Change |
| ReplaceAll | Replace All | Esc rg | 563 | 233 | KBD_RGLOBAL -- Change all |
| ReplaceAndFindAgain | Replace and Find Again | Esc ra | 564 | 234 | KBD_RANDF -- Replace and find again |

Alignment Commands

| | | | | | |
|-------------|--------------|-----------------|-----|-----|-----------------------------------------------|
| AlignTop | Top Align | Esc jt, Ctrl+F1 | 656 | 290 | KBD_ALIGN_TOP -- Top align |
| AlignMiddle | Middle Align | Esc jm, Ctrl+F2 | 657 | 291 | KBD_ALIGN_MIDDLE -- Top/bottom (middle) align |
| AlignBottom | Bottom Align | Esc jb, Ctrl+F3 | 658 | 292 | KBD_ALIGN_BOTTOM -- Bottom align |

Character Format

| | | | | | |
|-----------------|-----------|--------|-----|-----|---------------------------------|
| CharacterKerned | Pair Kern | Esc ck | 624 | 270 | TXT_KERN -- Set chars to kerned |
|-----------------|-----------|--------|-----|-----|---------------------------------|

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------------|-----------------------------------|-----------------|---------------|---------------|----------------------------------------------------|
| CharacterTsume | Tsume | Esc ct | 677 | 2A5 | TXT_TSUME -- Set chars to tsume |
| CharacterNumericUnderline | Numeric Underline | Esc c2 | 633 | 279 | TXT_NUMUNDERLINE -- Set chars to numeric underline |
| CharacterNormal | Set Characters To Normal | Esc c= | 614 | 266 | TXT_NORMAL -- Set chars to normal |
| IncrementTextOnePt | Increment Text Size 1 pt | Esc +s, Esc c] | 615 | 267 | TXT_INCFSIZE -- Increment text size |
| DecrementTextOnePt | Decrement Text Size 1 pt | Esc -s, Esc c[| 616 | 268 | TXT_DECFSIZE -- Decrement text size |
| CharacterSqueezeSpace | Squeeze Spacing 20% of em | Esc [D | 617 | 269 | TXT_SQUEEZE -- Squeeze spacing 20% of an em |
| CharacterSpreadSpace | Spread Spacing 20% of em | Esc [C | 618 | 26A | TXT_SPREAD -- Spread spacing 20% of an em |
| CharacterNoStretch | Set Stretch to 100% | Esc [n | 304 | 130 | TXT_NOSTRETCH -- Set textstretch to 100% |
| CharacterLessStretch | Condense Stretch by 5FrameMakerts | Esc [c | 305 | 131 | TXT_LESSSTRETCH -- Condense textstretch by 5 %pts |
| CharacterMoreStretch | Expand Stretch by 5FrameMakerts | Esc [e | 306 | 132 | TXT_MORESTRETCH -- Extend textstretch by 5 %pts |
| CharacterRepeatLast | Repeat Last Font Command | Esc cc, F5 | 619 | 26B | TXT_BAM -- Set to font dialog values, no dialog |

Deletion

| | | | | | |
|-----------------------------|-------------------------------------|---------------------|-----|-----|--------------------------------------------------------------------|
| DeleteBack1Char | Delete Text | Ctrl+BkSp | 274 | 112 | DEL_CHARBWD -- Delete backward one character (gobbled) |
| DeleteBackToPrevWordStart | Delete Back To Prev Word Start | Esc kb | 352 | 160 | DEL_WORD_START -- Delete backward to previous word start (gobbled) |
| DeleteBackToPrevWordEnd | Delete Back To Prev Word End | Ctrl+BkSp | 276 | 114 | DEL_BOW -- Delete backward to previous word end (gobbled) |
| DeleteBackToStartOfLine | Delete Back To Start Of Line | | 281 | 119 | DEL_BOL -- Delete backward to start of line (gobbled) |
| DeleteBackToPrevSentenceEnd | Delete Back To Prev Sentence End | Esc ka | 355 | 163 | DEL_BOS -- Delete backward to previous sentence end (gobbled) |
| DeleteForw1Char | Delete Text | Delete | 275 | 113 | DEL_CHARFWD -- Delete forward one character (gobbled) |
| DeleteForwToNextWordStart | Delete Forward To Next Word Start | | 277 | 115 | DEL_EOW -- Delete forward to next word start (gobbled) |
| DeleteForwToNextWordEnd | Delete Forward To Next Word End | Esc kf, Ctrl+Delete | 353 | 161 | DEL_WORD_END -- Delete forward to next word end (gobbled) |
| DeleteForwToEndOfLine | Delete Forward To End Of Line | Ctrl+Shift+Delete | 278 | 116 | DEL_EOL -- Delete forward to end of line (gobbled) |
| DeleteForwToNextSentenceEnd | Delete Forward To Next Sentence End | | 279 | 117 | DEL_EOS -- Delete forward to next sentence end (gobbled) |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|-------------------------------|---------------------------------------|----------|--------|--------|----------------------------------------------------------------|
| DeleteForwToNextSentenceStart | Delete Forward To Next Sentence Start | Esc ks | 354 | 162 | DEL_NEXT_SS -- Delete forward to next sentence start (gobbled) |
| DeleteWholeLine | Delete Whole Line | | 278 | 116 | DEL_EOL -- Delete forward to end of line (gobbled) |

Diacritics

| | | | | | |
|------------|--|-------------------------------|-----|----|--|
| Acutea | | Esc 'a, Ctrl+q Ctrl+g | 135 | 87 | |
| Acutee | | Esc 'e, Ctrl+q Ctrl+n | 142 | 8E | |
| Acutei | | Esc 'i, Ctrl+q Ctrl+r | 146 | 92 | |
| Acuteo | | Esc 'o, Ctrl+q Ctrl+w | 151 | 97 | |
| Acuteu | | Esc 'u, Ctrl+q Ctrl+8 | 156 | 9C | |
| AcuteA | | Esc 'A, Ctrl+q g | 231 | E7 | |
| AcuteE | | Esc 'E, Ctrl+q Ctrl+c | 131 | 83 | |
| Acutel | | Esc 'l, Ctrl+q j | 234 | EA | |
| AcuteO | | Esc 'O, Ctrl+q n | 238 | EE | |
| AcuteU | | Esc 'U, Ctrl+q r | 242 | F2 | |
| Tildea | | Esc ~a, Ctrl+q Ctrl+k | 139 | 8B | |
| Tilden | | Esc ~n, Ctrl+q Ctrl+v | 150 | 96 | |
| Tildeo | | Esc ~o, Ctrl+q Ctrl+7 | 155 | 9B | |
| TildeA | | Esc ~A, Ctrl+q L | 204 | CC | |
| TildeN | | Esc ~N, Ctrl+q Ctrl+d | 132 | 84 | |
| TildeO | | Esc ~O, Ctrl+q M | 205 | CD | |
| Gravea | | Esc `a, Ctrl+q Ctrl+BkSp | 136 | 88 | |
| Gravee | | Esc `e, Ctrl+q Ctrl+o | 143 | 8F | |
| Gravei | | Esc `i, Ctrl+q Ctrl+s | 147 | 93 | |
| Graveo | | Esc `o, Ctrl+q Ctrl+x | 152 | 98 | |
| Graveu | | Esc `u, Ctrl+q Ctrl+9 | 157 | 9D | |
| GraveA | | Esc `A, Ctrl+q K | 203 | CB | |
| GraveE | | Esc `E, Ctrl+q i | 233 | E9 | |
| Gravel | | Esc `l, Ctrl+q m | 237 | ED | |
| GraveO | | Esc `O, Ctrl+q q | 241 | F1 | |
| GraveU | | Esc `U, Ctrl+q t | 244 | F4 | |
| Diaeresisa | | Esc :a, Esc %a, Ctrl+q Ctrl+j | 138 | 8A | |
| Diaeresise | | Esc :e, Esc %e, Ctrl+q Ctrl+q | 145 | 91 | |
| Diaeresisi | | Esc :i, Esc %i, Ctrl+q Ctrl+u | 149 | 95 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------|----------------------|-----------------------------------------------------|---------------|---------------|-----------------------------------------|
| Diaeresiso | | Esc :o, Esc %o, Ctrl+q Ctrl+z | 154 | 9A | |
| Diaeresisu | | Esc :u, Esc %u, Ctrl+q Ctrl+1 | 159 | 9F | |
| Diaeresisy | | Esc :y, Esc %y, Ctrl+q X | 216 | D8 | |
| DiaeresisA | | Esc :A, Esc %A, Ctrl+q Ctrl+2, Ctrl+q Ctrl+Space | 128 | 80 | |
| DiaeresisE | | Esc :E, Esc %E, Ctrl+q h | 232 | E8 | |
| Diaeresisl | | Esc :l, Esc %l, Ctrl+q l | 236 | EC | |
| DiaeresisO | | Esc :O, Esc %O, Ctrl+q Ctrl+e | 133 | 85 | |
| DiaeresisU | | Esc :U, Esc %U, Ctrl+q Ctrl+f | 134 | 86 | |
| DiaeresisY | | Esc :Y, Esc %Y, Ctrl+q Y | 217 | D9 | |
| Circuma | | Esc ^a, Ctrl+q Ctrl+Tab | 137 | 89 | |
| Circume | | Esc ^e, Ctrl+q Ctrl+p | 144 | 90 | |
| Circumi | | Esc ^i, Ctrl+q Ctrl+t | 148 | 94 | |
| Circumo | | Esc ^o, Ctrl+q Ctrl+y | 153 | 99 | |
| Circumu | | Esc ^u, Ctrl+q Ctrl+0 | 158 | 9E | |
| CircumA | | Esc ^A, Ctrl+q e | 229 | E5 | |
| CircumE | | Esc ^E, Ctrl+q f | 230 | E6 | |
| Circuml | | Esc ^l, Ctrl+q k | 235 | EB | |
| CircumO | | Esc ^O, Ctrl+q o | 239 | EF | |
| CircumU | | Esc ^U, Ctrl+q s | 243 | F3 | |
| Ringa | | Esc *a, Ctrl+q Ctrl+l | 140 | 8C | |
| RingA | | Esc *A, Ctrl+q Ctrl+a | 129 | 81 | |
| Cedillac | | Esc ,c, Ctrl+q Ctrl+Return | 141 | 8D | |
| CedillaC | | Esc ,C, Ctrl+q Ctrl+b | 130 | 82 | |
| SuperScript1 | | | 49 | 31 | |
| SuperScript2 | | | 50 | 32 | |
| SuperScript3 | | | 51 | 33 | |
| CharBrokenBar | | | 124 | 7C | |
| CharDagger | | Ctrl+q Space, Insert d | 160 | A0 | |
| CharUpsilon1 | | Ctrl+q ! | 161 | A1 | |
| CharCent | Cent | Ctrl+q ", Insert v | 162 | A2 | |
| CharPound | Pound | Ctrl+q #, Insert w | 163 | A3 | |
| CharPilcrow | | Ctrl+q \$, Insert s | 164 | A4 | |
| CharParagraph | | Ctrl+q &, Insert p | 166 | A6 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------|----------------------|-------------------------|---------------|---------------|-----------------------------------------|
| CharGermanDoubleS | | Ctrl+q ', ???, Insert g | 167 | A7 | |
| CharRegister | Register | Ctrl+q (, Insert r | 168 | A8 | |
| CharCopyright | Copyright | Ctrl+q), Insert c | 169 | A9 | |
| CharTrademark | Trademark | Ctrl+q *, Insert t | 170 | AA | |
| CharAcute | | Ctrl+q + | 171 | AB | |
| CharDiaeresis | | Ctrl+q | 172 | AC | |
| CharArrowUp | | Ctrl+q -, Insert | 173 | AD | |
| DiphthongAE | | Ctrl+q ., Insert i | 174 | AE | |
| ObliqueO | | Ctrl+q /, Insert 8 | 175 | AF | |
| CharDegree | Degree | Insert 0 | 194 | C2 | |
| CharPlusMinus | Plus/Minus | Ctrl+q 1, Insert + | 177 | B1 | |
| CharSecond | | Ctrl+q 2 | 178 | B2 | |
| CharGreaterEqual | Greater/Equal | Ctrl+q 3 | 179 | B3 | |
| CharYen | Yen | Ctrl+q 4, Insert y | 180 | B4 | |
| CharProportional | | Ctrl+q 5, Insert u | 181 | B5 | |
| CharPartialDiff | | Ctrl+q 6 | 182 | B6 | |
| CharBigBullet | | Ctrl+q 7 | 183 | B7 | |
| CharDivision | | Ctrl+q 8 | 184 | B8 | |
| CharNotEqual | Not Equal | Ctrl+q 9, Insert 1 | 185 | B9 | |
| CharEquivalent | | Ctrl+q :, Insert 2 | 186 | BA | |
| CharOrdFeminine | | Ctrl+q ;, Insert a | 187 | BB | |
| CharOrdMasculine | | Ctrl+q <, Insert o | 188 | BC | |
| CharVertBar | | Ctrl+q =, Insert 3 | 189 | BD | |
| Diphthongae | | Ctrl+q >, Insert h | 190 | BE | |
| Obliqueo | | Ctrl+q ?, Insert 7 | 191 | BF | |
| CharInvQuestion | | Ctrl+q @, Insert ? | 192 | C0 | |
| CharInvExclamation | | Ctrl+q A, Insert ! | 193 | C1 | |
| CharNot | | Ctrl+q B | 194 | C2 | |
| CharWeierstrass | | Ctrl+q C | 195 | C3 | |
| CharFlorin | | Ctrl+q D, Insert f | 196 | C4 | |
| CharCirclePlus | | Ctrl+q E | 197 | C5 | |
| CharEmptySet | | Ctrl+q F | 198 | C6 | |
| CharLeftGuillemot | | Ctrl+q G, Insert [| 199 | C7 | |
| CharRightGuillemot | | Ctrl+q H, Insert] | 200 | C8 | |
| CharEllipsis | Ellipsis | Ctrl+q I, Insert e | 201 | C9 | |
| CharReflexSuperset | | Ctrl+q J | 202 | CA | |
| DiphthongOE | | Ctrl+q N, Insert l | 206 | CE | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------|----------------------|---------------------|---------------|---------------|-----------------------------------------|
| Diphthongoe | | Ctrl+q O, Insert k | 207 | CF | |
| CharEndash | En Dash | Ctrl+q P, Insert n | 208 | D0 | |
| CharEmdash | Em Dash | Ctrl+q Q, Insert m | 209 | D1 | |
| CharLeftQuote | | Ctrl+q T, ` | 212 | D4 | |
| CharRightQuote | | Ctrl+q U, ??? | 213 | D5 | |
| CharRadical | | Ctrl+q V, Insert : | 214 | D6 | |
| CharDotProduct | | Ctrl+q W | 215 | D7 | |
| CharFraction | | Ctrl+q Z, Insert / | 218 | DA | |
| CharCurrency | | Ctrl+q [, Insert z | 219 | DB | |
| CharLeftAngleQuote | | Ctrl+q \, Insert < | 220 | DC | |
| CharRightAngleQuote | | Ctrl+q], Insert > | 221 | DD | |
| CharKernfi | | Ctrl+q ^ | 222 | DE | |
| CharKernfl | | Ctrl+q _ | 223 | DF | |
| CharDoubleDagger | Double Dagger | Ctrl+q ` , Insert j | 224 | E0 | |
| CharPeriodCentered | | Ctrl+q a, Insert . | 225 | E1 | |
| CharBaseQuote | | Ctrl+q b | 226 | E2 | |
| CharDblBaseQuote | | Ctrl+q c | 227 | E3 | |
| CharPerThousand | | Ctrl+q d, Insert % | 228 | E4 | |
| Charidotless | | Ctrl+q u | 245 | F5 | |
| CharCircumflex | | Ctrl+q v | 246 | F6 | |
| CharTilde | | Ctrl+q w, Insert ~ | 247 | F7 | |
| CharMacron | | Ctrl+q x, Insert _ | 248 | F8 | |
| CharBreve | | Ctrl+q y | 249 | F9 | |
| CharDotAbove | | Ctrl+q z | 250 | FA | |
| CharRingAbove | | Ctrl+q { | 251 | FB | |
| CharCedilla | | Ctrl+q | 252 | FC | |
| CharDoubleAcute | | Ctrl+q } | 253 | FD | |
| CharOgonek | | Ctrl+q ~ | 254 | FE | |
| CharMu | | | 109 | 6D | |

more edit commands

| | | | | | |
|----------------|----------------|-----------------------------------|-----|-----|-----------------------------------------------------|
| Capitalization | Capitalization | Esc eC | 811 | 32B | KBD_CAPITAL |
| UpperCaseText | UPPER CASE | Alt+Ctrl+u, Alt+Ctrl+U, Alt+F3 | 826 | 33A | KBD_ALLCAP -- convert selected text to cap |
| LowerCaseText | lower case | Alt+Ctrl+l, Alt+Ctrl+L, Alt+F1 | 827 | 33B | KBD_ALLLOWER -- convert selected text to lower case |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments <i>fcodes.h</i> |
|-----------------|---------------|-----------------------------------|--------|--------|------------------------------------------------------|
| InitialCapsText | Initial Cap | Alt+Ctrl+c, Alt+Ctrl+C, Alt+F2 | 828 | 33C | KBD_INITCAP -- convert selected text to initial caps |

Fill Pattern

| | | | | | |
|----------------------|-----------------------------------|--------|-----|-----|------------------------------------------|
| SetFirstFillPattern | Set To First Fill Pattern (black) | Esc 0f | 948 | 3B4 | KBD_FILL0 -- Set to "first" fill pattern |
| SetLastFillPattern | Set To Last Fill Pattern (none) | Esc 9f | 949 | 3B5 | KBD_FILL1 -- Set to last fill pattern |
| IncrementFillPattern | Increment Fill Pattern | Esc +f | 950 | 3B6 | KBD_INCFILL -- Increment fill pattern |
| DecrementFillPattern | Decrement Fill Pattern | Esc -f | 951 | 3B7 | KBD_DECFFILL -- Decrement fill pattern |

Graphics

| | | | | | |
|----------------------|------------------------------------|---------|------|-----|-----------------------------------------------------------------------|
| RotateCounterclock90 | Rotate 90 Degrees Counterclockwise | Esc g- | 882 | 372 | KBD_ROT_PLUS (see also: KBD_ROTATE_CCW) -- rotate 90 counterclockwise |
| RotateClockwise90 | Rotate 90 Degrees Clockwise | Esc g+ | 902 | 386 | KBD_ROT_MINUS (see also: KBD_ROTATE_CW) -- rotate 90 clockwise |
| RotateAgain | Rotate Again | Esc gx | 908 | 38C | KBD_ROTATE_AGAIN |
| RotateToNatural | Rotate To Natural Orientation | Esc g0 | 909 | 38D | KBD_ROTATE_NATURAL |
| RotateToPrevious | Rotate To Previous Orientation | Esc g1 | 910 | 38E | KBD_REROTATE |
| ResetNatural | Reset Natural Orientation | Esc g9 | 911 | 38F | KBD_ROTATE_RESET0 |
| AtomizeInset | Atomize Inset | Esc gU | 4010 | FAA | KBD_ATOMIZE_INSET -- Ungroup FmVect import |
| SwapRedBlue | Exchange Red And Blue | Esc rxb | 4011 | FAB | KBD_SWAP_RED_BLUE -- Swap red and blue for 24-bit frameimage |
| RewrapInlineMath | ReShrinkwrap All Inline Math | Esc rwm | 4012 | FAC | KBD_REWRAP_INLINE_MATH -- Shrink-wrap all inline math |

Highlighting

| | | | | | |
|-------------------------|--------------------------------|-------------------------|------|-----|------------------------------------------------------------|
| SelectCharacter | Select Character | Esc hc | 576 | 240 | HIGH_CHAR -- Highlight next character |
| SelectWord | Select Word | Esc hw | 577 | 241 | HIGH_WORD -- Highlight next word |
| SelectLine | Select Line | Esc hl, Ctrl+F12 | 578 | 242 | HIGH_LINE -- Highlight next line |
| SelectSentence | Select Sentence | Esc hs, Ctrl+F11 | 579 | 243 | HIGH_SENT -- Highlight next sentence |
| SelectParagraph | Select Paragraph | Esc hp, Ctrl+F10 | 580 | 244 | HIGH_PGF -- Highlight next paragraph |
| SelectShiftLeft | Shift Selection Left | Esc hb | 581 | 245 | HIGH_SHL -- Shift highlighting left 1 char |
| SelectShiftRight | Shift Selection Right | Esc hf | 582 | 246 | HIGH_SHR -- Shift highlighting right 1 char |
| Unhighlight | UnHighlight | Esc h0 | 583 | 247 | HIGH_CLEAR -- Clear Selection |
| SelectPreviousCharacter | Select Previous Character | Esc HC, Shift+Left | 1040 | 410 | HIGH_CHAR_PREV -- Move active end of selection back 1 char |
| SelectPreviousWord | Move Active Edge Back One Word | Esc HW, Ctrl+Shift+Left | 1041 | 411 | HIGH_WORD_PREV -- Move active end back 1 word |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|-------------------------|---------------------------------|-----------------------------------------|---------------|---------------|------------------------------------------------------------------------|
| SelectPreviousLine | Select Previous Line | Esc HL | 1042 | 412 | HIGH_LINE_PREV -- Move active end back 1 line (select a whole line) |
| SelectPreviousSentence | Select Previous Sentence | Esc HS, Alt+Shift+Home, Ctrl+Shift+Home | 1043 | 413 | HIGH_SENT_PREV -- Move active end back 1 sentence |
| SelectPreviousParagraph | Select Previous Paragraph | Esc HP, Ctrl+Shift+Up | 1044 | 414 | HIGH_PGF_PREV -- Move active end back 1 paragraph |
| ExtendOneLineUp | Extend One Line Up | Esc hu, Shift+Up | 1045 | 415 | HIGH_LINE_UP -- Extend one line up |
| ExtendOneLineDown | Extend One Line Down | Esc hd, Shift+Down | 1046 | 416 | HIGH_LINE_DOWN -- Extend one line down |
| ExtendToTopOfColumn | Extend To Top Of Column | Esc ht, Shift+PgUp | 1047 | 417 | HIGH_COL_TOP -- Extend to top of column |
| ExtendToBottomOfColumn | Extend To Bottom Of Column | Esc hm, Shift+PgDn | 1048 | 418 | HIGH_COL_BOT -- Extend to bottom of column |
| ExtendToStartOfFlow | Extend To Start Of Flow | Esc hg, Ctrl+Shift+PgUp | 1049 | 419 | HIGH_FLOW_BEG -- Extend to beginning of flow |
| ExtendToEndOfFlow | Extend To End Of Flow | Esc hn, Ctrl+Shift+PgDn | 1050 | 41A | HIGH_FLOW_END -- Extend to end of flow |
| SelectLineToBegin | Select Line To Beginning | Shift+Home | 1051 | 41B | HIGH_LINE_BEG -- Select line to the beginning |
| SelectLineToEnd | Select Line To End | Shift+End | 1052 | 41C | HIGH_LINE_END -- Select line to the end |
| SelectNextCharacter | Select Next Character | Esc Hc, Shift+Right | 1296 | 510 | HIGH_CHAR_NEXT -- Move active end of selection fwd 1 char |
| SelectNextWord | Move Active Edge Ahead One Word | Esc Hw, Ctrl+Shift+Right | 1297 | 511 | HIGH_WORD_NEXT -- Move active end forward 1 word |
| SelectNextLine | Select Next Line | Esc HI | 1298 | 512 | HIGH_LINE_NEXT -- Move active end forward 1 line (select a whole line) |
| SelectNextSentence | Select Next Sentence | Esc Hs, Alt+Shift+End, Ctrl+Shift+End | 1299 | 513 | HIGH_SENT_NEXT -- Move active end forward 1 sentence |
| SelectNextParagraph | Select Next Paragraph | Esc Hp, Ctrl+Shift+Down | 1300 | 514 | HIGH_PGF_NEXT -- Move active end forward 1 paragraph |
| SelectSameCharFormat | Select Same Character Format | Esc hF, Ctrl+F8 | 1301 | 515 | HIGH_SAMECB -- Select text with the same char fmt |
| SelectSameCondTags | Select Same Condition Tags | Esc hC, Ctrl+F7 | 1302 | 516 | HIGH_SAMECOND -- Select text with the same conditions |

Object Selection

| | | | | | |
|-----------------------|-----------------------|--------|------|-----|-------------------------------------------------------------------------------|
| SelectFirstObject | Select First Object | Esc oF | 1536 | 600 | OBJ_SEL_FIRST -- Select first object on cur page |
| SelectNextObject | Select Next Object | Esc on | 1537 | 601 | KBD_BOOKADDFOLDER (see also: OBJ_SEL_NEXT) |
| ExtendObjectSelection | Extend To Next Object | Esc oe | 1538 | 602 | OBJ_SEL_EXTEND_NEXT -- Extend object selection to next object on current page |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|------------------------|-------------------------------|-------------------|--------|--------|--------------------------------------------------------------|
| Insertion Point | | | | | |
| IPTopOfColumn | Move IP To Top Of Column | Ctrl+PgUp | 256 | 100 | CSR_HOME -- Top of column (gobbled) |
| IUpOneLine | Move IP Up One Line | Up | 257 | 101 | CSR_UP -- (gobbled) |
| IPDownOneLine | Move IP Down One Line | Down | 258 | 102 | CSR_DOWN -- (gobbled) |
| IPRightOneCharacter | Move IP Right | Right | 259 | 103 | CSR_RIGHT -- (gobbled) |
| IPLeftOneCharacter | Move IP Left | Left | 260 | 104 | CSR_LEFT -- (gobbled) |
| IPBottomOfColumn | Move IP To Bottom Of Column | Ctrl+PgDn | 270 | 10E | CSR_BOTR -- Bottom of column (gobbled) |
| IPStartOfFlow | Move IP To Start Of Flow | Alt+Shift+PgUp | 271 | 10F | CSR_TOP -- Beginning of flow (gobbled) |
| IPEndOfFlow | Move IP To End Of Flow | Alt+Shift+PgDn | 272 | 110 | CSR_BOT -- End of flow (gobbled) |
| IPToNextWordStart | Move IP To Next Word | Esc bw | 320 | 140 | CSR_NEXT_BOW -- Next word start (gobbled) |
| IPToNextWordEnd | Move IP To End of Word | Ctrl+Right | 264 | 108 | CSR_EOW -- Next word end (gobbled) |
| IPToNextSentenceStart | Move IP To Next Sentence | Esc bs | 321 | 141 | CSR_NEXT_BOS -- Next sentence start (gobbled) |
| IPToNextSentenceEnd | Move IP To End of Sentence | Ctrl+End | 266 | 10A | CSR_EOS -- Next sentence end (gobbled) |
| IPToNextParaStart | Move IP To Next Paragraph | Esc bp, Insert F3 | 322 | 142 | CSR_NEXT_BOP -- Next paragraph start (gobbled) |
| IPToNextParaEnd | Move IP To End of Paragraph | Ctrl+Down | 268 | 10C | CSR_EOP -- Next paragraph end (gobbled) |
| IPToFirstTextCol | Move IP To First Text Column | Esc bf | 323 | 143 | CSR_FIRST_COL -- First text column on current page (gobbled) |
| IPToNextTextCol | Move IP To Next Text Column | Esc bn | 324 | 144 | CSR_NEXT_COL -- Next text column on current page (gobbled) |
| IPStartOfWord | Move IP To Start of Word | Ctrl+Left | 263 | 107 | CSR_BOW -- Previous word start (gobbled) |
| IPStartOfLine | Move IP To Start of Line | Home | 261 | 105 | CSR_BOL -- Beginning of line (gobbled) |
| IPEndOfLine | Move IP To End of Line | End | 262 | 106 | CSR_EOL -- End of line (gobbled) |
| IPStartOfSentence | Move IP To Start of Sentence | Ctrl+Home | 265 | 109 | CSR_BOS -- Previous sentence start (gobbled) |
| IPToPrevParaStart | Move IP To Previous Paragraph | Ctrl+Up | 267 | 10B | CSR_BOP -- Previous paragraph start (gobbled) |

Kerning

| | | | | | |
|--------------|--------------------|-----------|-----|-----|-----------------------------------------------|
| Move1PtUp | Move 1 Point Up | Alt+Up | 282 | 11A | KBD_KERNUP -- Move 1 point up (gobbled) |
| Move1PtDown | Move 1 Point Down | Alt+Down | 283 | 11B | KBD_KERNDOWN -- Move 1 point down (gobbled) |
| Move1PtLeft | Move 1 Point Left | Alt+Left | 284 | 11C | KBD_KERNLEFT -- Move 1 point left (gobbled) |
| Move1PtRight | Move 1 Point Right | Alt+Right | 285 | 11D | KBD_KERNRIGHT -- Move 1 point right (gobbled) |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|------------------|---------------------|-----------------|--------|--------|-------------------------------------------------|
| Move6PtUp | Move 6 Points Up | Alt+Shift+Up | 289 | 121 | KBD_KERNUP6 -- Move 6 point up (gobbled) |
| Move6PtDown | Move 6 Points Down | Alt+Shift+Down | 290 | 122 | KBD_KERNDOWN6 -- Move 6 point down (gobbled) |
| Move6PtLeft | Move 6 Points Left | Alt+Shift+Left | 291 | 123 | KBD_KERNLEFT6 -- Move 6 point left (gobbled) |
| Move6PtRight | Move 6 Points Right | Alt+Shift+Right | 292 | 124 | KBD_KERNRIGHT6 -- Move 6 point right (gobbled) |
| RemoveAllKerning | Remove All Kerning | Alt+Home | 286 | 11E | KBD_KERNHOME -- Move back to baseline (gobbled) |

Line Width

| | | | | | |
|--------------------|----------------------------|--------|-----|-----|--------------------------------------|
| SetThinLineWidth | Set To Thinnest Line Width | Esc 0w | 940 | 3AC | KBD_WIDTH0 -- Set to thinnest width |
| SetThickLineWidth | Set To Thickest Line Width | Esc 9w | 941 | 3AD | KBD_WIDTH1 -- Set to thickest width |
| IncrementLineWidth | Increment Line Width | Esc +w | 942 | 3AE | KBD_INCWIDTH -- Increment line width |
| DecrementLineWidth | Decrement Line Width | Esc -w | 943 | 3AF | KBD_DECWIDTH -- Decrement line width |

Miscellaneous

| | | | | | |
|------------------------|-------------------------------|------------------------------------------------|------|-----|---------------------------------------------------------------------------------|
| ContextMenu | Context Menu | Shift+F10, Ctrl+Shift+F10, Insert Insert | 925 | 39D | KBD_POPOPUP_MENU -- Bring up the Popup Menu (ala right button), in X-Motif port |
| Tab | Tab | Tab | 537 | 219 | KBD_TAB -- Tab, just normal tab |
| BackTab | Back Tab | Shift+Tab | 544 | 220 | KBD_BACKTAB -- Tab backwards in a dialog |
| FirstTab | First Tab | Ctrl+Shift+Tab | 546 | 222 | KBD_FIRSTTAB -- First tab (as in dialogs), First text column flow in doc |
| IndentList | Indent List | | 1508 | 5E4 | KBD_INDENT_LIST -- TAB for indent and outdent list |
| OutdentList | Outdent List | | 1509 | 5E5 | KBD_OUTDENT_LIST -- TAB for Outdent List |
| NavigateDown | Navigate Down | | 1510 | 5E6 | KBD_NAVIGATE_DOWN -- Navigate down in simplified xml |
| SetDialogItemsNoChange | Set Dialog Items To No Change | | 3914 | F4A | KBD_NOCHANGEDB -- Set all items to As Is in dialog |
| ResetDialog | Reset Dialog | | 3915 | F4B | KBD_RESETEDB -- Reset dialog |
| OpenLine | Open Line | | 10 | 0A | |
| TransposeChars | Transpose Characters | Ctrl+F9 | 548 | 224 | KBD_XCHARS -- transpose characters (eXchange) |
| CharShiftSpace | Shift Space | Shift+Space | 545 | 221 | KBD_SHFTSPACE -- Shift Space |
| CharNumberSpace | Number Space | Esc Space 1 | 554 | 22A | KBD_NUMSPACE -- number space |
| CharThinSpace | Thin Space | Esc Space t | 555 | 22B | KBD_THINSPACE -- thin space = 1/12 em |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|-------------------------|------------------------------|----------------------------------|---------------|---------------|-------------------------------------------------------------------------|
| CharEmSpace | Em Space | Esc Space m, Ctrl+Shift+Space | 556 | 22C | KBD_EMSPACE -- em space = 1 em |
| CharEnSpace | En Space | Esc Space n, Alt+Ctrl+Space | 557 | 22D | KBD_ENSPACE -- en space = 1/2 em |
| CharNonBreakHyphen | Non Breaking Hyphen | Esc -h, Insert - | 551 | 227 | KBD_HARDHYPHEN -- nonbreaking hyphen |
| CharDiscretionaryHyphen | Discretionary Hyphen | Esc -D, Ctrl+- | 549 | 225 | KBD_SOFTHYPHEN -- discretionary hyphen |
| NoHyphenWord | No Hyphenation In Word | Esc ns | 550 | 226 | KBD_DONTHYPHEN -- suppress hyphenation |
| CharHardReturn | Hard Return | Shift+Return | 553 | 229 | KBD_HARDRETURN -- Hard return |
| Return | Return | Return | 559 | 22F | KBD_RETURN -- normal return |
| Abort | Cancel | | 592 | 250 | KBD_ABORT -- Abort a long process like import |
| CharLeftDbQuote | Left Double Quote | Alt+Ctrl+`, Ctrl+q R | 210 | D2 | |
| CharRightDbQuote | Right Double Quote | Alt+Ctrl+', Ctrl+q S | 211 | D3 | |
| SmartSingleQuote | Smart Single Quote | ' | 1024 | 400 | KBD_SINGLE_QUOTE |
| SmartDoubleQuote | Smart Double Quote | " | 1025 | 401 | KBD_DOUBLE_QUOTE |
| CharBullet | Bullet | Ctrl+q %, Insert b | 165 | A5 | |
| CharHardSpace | Hard Space | Esc Space h, Ctrl+Space | 552 | 228 | KBD_HARDSPACE -- hard space (not word delimiter) |
| CharASCIIApostrophe | ASCII Apostrophe | Ctrl+', Insert ' | 39 | 27 | |
| CharASCIILeftQuote | ASCII Left Quote | Ctrl+`, Ctrl+q Ctrl+' | 96 | 60 | |
| CharStraightQuote | Straight Quote | Esc ", Insert " | 34 | 22 | |
| CharLRM | Left-to-Right Mark | | 16781307 | 1000FFB | |
| CharRLM | Right-to-Left Mark | | 16846843 | 1010FFB | |
| CharLRE | Left-to-Right Embedding | | 16912379 | 1020FFB | |
| CharLRO | Left-to-Right Override | | 16977915 | 1030FFB | |
| CharRLE | Right-to-Left Embedding | | 17043451 | 1040FFB | |
| CharRLO | Right-to-Left Override | | 17108987 | 1050FFB | |
| CharRuppee | Ruppee | | 17174523 | 1060FFB | |
| CharPDF | Pop Directional Formatting | | 17240059 | 1070FFB | |
| SpecialSymbolsPopup | Symbols | Esc KKK | 17303828 | 1080914 | |
| DirectionSymbolsPopup | Symbols | | 17369364 | 1090914 | |
| ToggleSaveAsTextMode | Toggle Save As Text Mode | Esc Ftc | 3843 | F03 | KBD_SAVEMETA -- Toggle mode so Save Text saves meta Chars |
| NumLock | NumLock | | 368 | 170 | KBD_NUMLOCK -- change keypad between function pad and keypad. (gobbled) |
| ReportCmds_byTag | Report Commands by Tag | Esc SCR1 | 3328 | D00 | FM_RPT_CMDS_BY_TAG |
| ReportCmds_byShortcut | Report Commands by Shortcuts | Esc SCR2 | 3329 | D01 | FM_RPT_CMDS_BY_SHORTCUT |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|-------------------------|---------------------------------|--------------------|--------|--------|------------------------------------------------|
| Page Commands | | | | | |
| RenamePage | Rename Master/Ref Page... | Esc pN | 3898 | F3A | KBD_RENAMEPAGE -- rename master/reference page |
| Paragraph Format | | | | | |
| ParaQuickKey | Quick Paragraph | Esc qp, F9, Ctrl+9 | 3905 | F41 | KBD_PGFQUICK -- Pgf fmt quick key |
| IncLineLeading1pt | Increment Line Leading 1 pt | Esc j+, Esc +1 | 640 | 280 | PGF_INCLINE -- Increment line spacing |
| DeclLineLeading1pt | Decrement Line Leading 1 pt | Esc j-, Esc -1 | 641 | 281 | PGF_DECLINE -- Decrement line spacing |
| CenterPara | Center | Esc jc | 642 | 282 | PGF_CENTER -- Center paragraph |
| LeftPara | Left | Esc jl | 643 | 283 | PGF_LEFT -- Left justify paragraph |
| RightPara | Right | Esc jr | 644 | 284 | PGF_RIGHT -- Right justify paragraph |
| FullyJustifyPara | Justify | Esc jf | 645 | 285 | PGF_FULL -- Full justify paragraph |
| SingleSpaceParas | Single | Esc j1 | 659 | 293 | PGF_SINGLE_SPACE -- Single space paragraphs |
| OneAndHalfSpaceParas | 1.5 | Esc j/ | 660 | 294 | PGF_ONEANDHALF_SPACE -- 1 1/2 space paragraphs |
| DoubleSpaceParas | Double | Esc j2 | 661 | 295 | PGF_DOUBLE_SPACE -- Double space paragraphs |
| SpaceBetweenParas | Space Between... | Esc jw | 662 | 296 | PGF_SPACE_BETWEEN -- Space Between dialog |
| CustomLineSpacingParas | Custom... | Esc ju | 663 | 297 | PGF_LINE_SPACE -- Line Space dialog |
| SetLineSpaceFixed | Set Line Spacing Fixed | Esc jx | 647 | 287 | PGF_LINEFIX -- Fixed line spacing |
| SetLineSpaceFloating | Set Line Spacing Floating | Esc jo | 648 | 288 | PGF_LINEFLOAT -- Floating line spacing |
| UnifyParas | Unify Paragraphs | Esc jU | 649 | 289 | PGF_UNIFY -- Make all pgfs with current |
| RepeatLastParaCommand | Repeat Last Paragraph Command | Esc jj, F4 | 646 | 286 | PGF_BAM -- Set to pgf dialog values, no dialog |
| HyphenationOn | Hyphenation On | Esc jh | 638 | 27E | PGF_HYPHENON -- Turn hyphenation on |
| HyphenationOff | Hyphenation Off | Esc jn | 639 | 27F | PGF_HYPHENOFF -- Turn hyphenation off |
| ParaTopOfPage | Start Para At Top Of Page | Esc jP | 650 | 28A | PGF_PAGETOP -- Start at top of page |
| ParaTopOfColumn | Start Para At Top Of Column | Esc jC, Shift+F11 | 651 | 28B | PGF_COLTOP -- Start at top of column |
| ParaTopOfLeftPage | Start Para At Top Of Left Page | Esc jL | 652 | 28C | PGF_LEFTTOP -- Start at top of left page |
| ParaTopOfRightPage | Start Para At Top Of Right Page | Esc jR | 653 | 28D | PGF_RIGHTTOP -- Start at top of right page |
| ParaAnywhere | Start Para Anywhere | Esc jA, Shift+F12 | 654 | 28E | PGF_ANYPLACE -- Start anywhere |
| ParaPlacementNormal | Set Para Placement Normal | Esc jpn | 4041 | FC9 | PGF_KBD_SIDEBODY -- Pgf placement normal |
| ParaPlacementRunIn | Set Para Placement Run-in | Esc jpr | 4045 | FCD | PGF_KBD_RUN_IN -- Pgf placement run-in |
| ParaPlacementSidehead | Set Para Placement Sidehead | Esc jps | 4044 | FCC | PGF_KBD_SIDEHEAD_TOP -- Align Tops |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|---------------------------|-----------------------------------|--------------------|--------|--------|-----------------------------------------------------|
| ToggleSideheadsOnOff | Toggle Room For Side Heads On/Off | Esc jpS | 825 | 339 | KBD_TEXTCOLPRO -- Toggle Sideheads On/Off |
| ParaPlacementFullStraddle | Set Para Placement Full Straddle | Esc jpT | 4046 | FCE | PGF_KBD_FULLSTRADDLE -- Pgf placement full straddle |
| ParaPlacementBodyStraddle | Set Para Placement Body Straddle | Esc jpt | 4047 | FCF | PGF_KBD_BODYSTRADDLE -- Pgf placement body straddle |
| ParaNewFormat | New Format... | Esc opn, Insert F9 | 665 | 299 | PGF_NEW_FORMAT -- New Pgf Format dialog |
| ParaUpdateFormat | Update All... | Esc opu, Insert F4 | 664 | 298 | PGF_UPDATE_ALL -- Update Pgf Format dialog |

Pen Pattern

| | | | | | |
|---------------------|-------------------------------|--------|-----|-----|-------------------------------------|
| SetFirstPenPattern | Set First Pen Pattern (black) | Esc 0p | 944 | 3B0 | KBD_PEN0 -- Set to "first" pen pat |
| SetLastPenPattern | Set Last Pen Pattern (none) | Esc 9p | 945 | 3B1 | KBD_PEN1 -- Set to last pen pattern |
| IncrementPenPattern | Increment Pen Pattern | Esc +p | 946 | 3B2 | KBD_INCPEN -- Increment pen pattern |
| DecrementPenPattern | Decrement Pen Pattern | Esc -p | 947 | 3B3 | KBD_DECPEN -- Decrement pen pattern |

Special Stuff

| | | | | | |
|-----------------------|--------------------------------------|---------------------------|------|-----|----------------------------------------------------------|
| QuickVariables | Quick Variable | Esc qv, Ctrl+0 | 3906 | F42 | KBD_VARQUICK -- Variable quick key |
| QuickConditionalIn | Quick Conditional Text In | Esc qC, Ctrl+4 | 3908 | F44 | KBD_CONDINQUICK -- Conditional text "In" quick key |
| QuickConditionalNotIn | Quick Conditional Text NotIn | Esc qD, Ctrl+5, Insert F7 | 3909 | F45 | KBD_CONDNOTINQUICK -- Conditional text "NotIn" quick key |
| QuickConditionalUn | Quick Conditional Text Unconditional | Esc qU, Ctrl+6, Insert F2 | 3910 | F46 | KBD_UNCOND -- Conditional Text "Unconditional" key |
| ShowOneCondTextTag | Show One Conditional Text Tag | Esc qS, Insert F8 | 3911 | F47 | KBD_CONDVISONLYQUICK -- Show One Conditional Text Tag |
| InsertNewMarker | Insert New Marker | Esc mk | 854 | 356 | KBD_NEWMARKER -- Insert new marker |
| InsertNewHypertext | Insert New Hypertext | Esc mh | 862 | 35E | KBD_NEWHYPERTEXT -- Insert new hypertext |
| QuickStyles | Quick Style | Esc qo | 2995 | BB3 | KBD_STYLEQUICK |

Spelling

| | | | | | |
|------------------|---------------------------------|---------|-----|-----|----------------------------------------------|
| CheckWord | Spellcheck Current Selection | Esc ls | 960 | 3C0 | KBD_CHECKSEL -- check selection |
| CheckDocument | Spellcheck Document | Esc le | 961 | 3C1 | KBD_CHECKDOC -- check entire doc |
| CheckPage | Spellcheck Page | Esc lp | 971 | 3CB | KBD_CHECKPAGE -- check page |
| CorrectWord | Correct Word | Esc lcw | 962 | 3C2 | KBD_CORRECT -- correct word |
| LearnWord | Learn Word | Esc lap | 963 | 3C3 | KBD_ADDUSRDICTIONARY -- add to personal dict |
| AddWordToDocDict | Add Word To Document Dictionary | Esc lad | 964 | 3C4 | KBD_ADDDOCDICTIONARY -- add to document dict |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|--------------------------|--------------------------------------|----------|--------|--------|---------------------------------------------|
| AddToAutoCorrect | Add To Auto Corrections | Esc lac | 965 | 3C5 | KBD_ADDAUTOCORR -- add to auto corrections |
| UnlearnWord | Unlearn Word | Esc lxp | 966 | 3C6 | KBD_DELUSRDICT -- del from personal dict |
| DeleteWordFromDocDict | Delete Word From Document Dictionary | Esc lxd | 967 | 3C7 | KBD_DELDOCDICT -- del from document dict |
| ClearAutoCorrections | Clear Auto Corrections | Esc lca | 968 | 3C8 | KBD_CLEARAUTO -- clear auto corrections |
| ChangeDictionaries | Change Dictionaries... | Esc lcd | 969 | 3C9 | KBD_CHANGEDICT -- change dictionaries |
| SpellCheckerOptions | Spelling Checker Options... | Esc lO | 972 | 3CC | KBD_SPOPTIONS -- spell check options |
| BatchSpellCheck | Batch Spell Check... | Esc lb | 974 | 3CE | KBD_CHECKBATCH -- batch spell check |
| MarkAllPgfsForRechecking | Mark All Paragraphs For Rechecking | Esc lr | 970 | 3CA | KBD_SPELLRESET -- reset checked pgfs |
| ShowWordsHyphenation | Show Word's Hyphenation | Esc l- | 973 | 3CD | KBD_HYPHENATE -- hyphenate word |
| ReformatDocument | Reformat Document | Esc lR | 975 | 3CF | KBD_REFORMATDOC -- reformat entire document |

AutoSpellCheck

| | | | | | |
|-------------------------|-------------------|---------|------|-----|------------------------------------------------------------|
| !ASCSHOWCORRECTIONLIST | Correct Word | | 2453 | 995 | KBD_ASC_CORRECT -- Correct word |
| ASCLearnWord | Learn Word | | 2454 | 996 | KBD_ASC_ADDUSRDICT -- Add word to user dictionary |
| ASCAAddWordToDocDict | Allow in Document | | 2455 | 997 | KBD_ASC_ADDDOCDICT -- Add word to doc dictionary |
| ASCEnableAutoSpellCheck | Auto Spell Check | Esc aus | 2457 | 999 | KBD_ASC_ENABLE_AUTO_SPELL_CHECK -- Enable auto spell check |

Tools

| | | | | | |
|---------------------|-----------------------|------------------|------|-----|---------------------------------------|
| SmartSelectionTool | Smart Selection Tool | Esc 1s | 3872 | F20 | KBD_ALLSELECT -- smart selection |
| ObjectSelectionTool | Object Selection Tool | Esc 1o | 3873 | F21 | KBD_OBJSELECT -- object selection |
| Line | Line | Esc 1l | 928 | 3A0 | KBD_LINETOOL |
| Rectangle | Rectangle | Esc 1r | 929 | 3A1 | KBD_RECTTOOL |
| RoundedRectangle | Rounded Rectangle | Esc 1R | 933 | 3A5 | KBD_ROUNDRECT |
| Polygon | Polygon | Esc 1pg | 930 | 3A2 | KBD_POLYGTOOL |
| Polyline | Polyline | Esc 1pl | 931 | 3A3 | KBD_POLYLTOOL |
| Arc | Arc | Esc 1a | 932 | 3A4 | KBD_ARCTOOL |
| Ellipse | Ellipse | Esc 1e | 934 | 3A6 | KBD_OVALTOOL -- (ellipse) |
| Textline | Text Line | Esc 1tl | 935 | 3A7 | KBD_TEXTLTOOL |
| TextFrame | Text Frame | Esc 1tf, Esc 1tc | 936 | 3A8 | KBD_TEXTRTOOL |
| Freehand | Freehand | Esc 1f | 937 | 3A9 | KBD_FREETOOL |
| Frame | Frame | Esc 1m | 938 | 3AA | KBD_FRAMETOOL |
| SelectLastUsedTool | Select Last Used Tool | Esc 11 | 939 | 3AB | KBD_LASTTOOL -- select last-used tool |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|--------------|---------------|----------|--------|--------|------------------------------|
|--------------|---------------|----------|--------|--------|------------------------------|

Dashed Lines Commands

| | | | | | |
|-----------------------------|--------------------------------|---------|------|-----|--------------------------------------------------|
| SetPatternSolid | Set Pattern Solid | Esc 1ds | 1026 | 402 | KBD_SETSOLID -- set solid line |
| SetPatternDashed | Set Pattern Dashed | Esc 1dd | 1027 | 403 | KBD_SETDASH -- set dashed line |
| SelectFirstDashedPattern | Select First Dashed Pattern | Esc 0d | 1028 | 404 | KBD_DASH0 -- select first dashed pattern |
| SelectLastDashedPattern | Select Last Dashed Pattern | Esc 9d | 1029 | 405 | KBD_DASH1 -- select last dashed pattern |
| SelectNextDashedPattern | Select Next Dashed Pattern | Esc +d | 1030 | 406 | KBD_INCDASH -- select next dashed pattern |
| SelectPreviousDashedPattern | Select Previous Dashed Pattern | Esc -d | 1031 | 407 | KBD_DECDASH -- select previous dashed pattern |
| DashedOptions | Dashed Options | Esc 1di | 1032 | 408 | KBD_DASHOPTION -- bring up dashed options dialog |

More View Commands

| | | | | | |
|-----------------------------|-----------------------------------|-------------------|------|-----|-----------------------------------------------------|
| ConditionVisibility | Show/Hide Conditional Text... | Esc vC, Ctrl+F5 | 871 | 367 | KBD_CONDVISIBILITY |
| ToggleCondUseFormatOverride | Conditional Text Format Overrides | Esc vO, Insert F6 | 872 | 368 | KBD_CONDTOGGLEOVERR |
| ToggleGraphicsDisplay | Graphics | Esc vv, Insert F5 | 870 | 366 | KBD_TOGGLEDRAW -- Toggle draw/don't draw preference |
| ViewBordersOn | Show Borders | Esc Vbs | 1009 | 3F1 | KBD_SHOW_BORDERS |
| ViewHotspotIndicatorsOn | Show Hotspot Indicators | Esc VHs | 1289 | 509 | KBD_SHOW_HOTSPOTINDICATORS |
| ViewTextSymbolsOn | Show Text Symbols | Esc Vts | 1010 | 3F2 | KBD_SHOW_SYMBOLS |
| ViewRulersOn | Show Rulers | Esc Vrs | 1011 | 3F3 | KBD_SHOW_RULERS |
| ViewGridLinesOn | Show Grid Lines | Esc Vgs | 1012 | 3F4 | KBD_SHOW_GRID |
| ViewPublisherBoundariesOn | Show Publisher Boundaries | Esc Vls | 1013 | 3F5 | KBD_SHOW_LINK_BOUNDARIES |
| ViewElementBoundariesOn | Show Element Boundaries | Esc VEs | 1014 | 3F6 | KBD_SHOW_ELEM_BORDER |
| ViewElementTagsOn | Show Element Boundaries (as Tags) | Esc VTs | 1015 | 3F7 | KBD_SHOW_ELEM_TAGS |
| ViewGraphicsOn | Show Graphics | Esc Vvs | 1016 | 3F8 | KBD_SHOW_GRAPHICS |
| ViewConditionIndicatorsOn | Show Conditional Text Indicators | Esc VOs | 1017 | 3F9 | KBD_SHOW_COND_IND |
| ViewBordersOff | Hide Borders | Esc Vbh | 1265 | 4F1 | KBD_HIDE_BORDERS |
| ViewHotspotIndicatorsOff | Hide Hotspot Indicators | Esc VHh | 1290 | 50A | KBD_HIDE_HOTSPOTINDICATORS |
| ViewTextSymbolsOff | Hide Text Symbols | Esc Vth | 1266 | 4F2 | KBD_HIDE_SYMBOLS |
| ViewRulersOff | Hide Rulers | Esc Vrh | 1267 | 4F3 | KBD_HIDE_RULERS |
| ViewGridLinesOff | Hide Grid Lines | Esc Vgh | 1268 | 4F4 | KBD_HIDE_GRID |
| ViewPublisherBoundariesOff | Hide Publisher Boundaries | Esc Vlh | 1269 | 4F5 | KBD_HIDE_LINK_BOUNDARIES |
| ViewElementBoundariesOff | Hide Element Boundaries | Esc VEh | 1270 | 4F6 | KBD_HIDE_ELEM_BORDER |
| ViewGraphicsOff | Hide Graphics | Esc Vvh | 1272 | 4F8 | KBD_HIDE_GRAPHICS |
| ViewConditionIndicatorsOff | Hide Conditional Text Indicators | Esc VOh | 1273 | 4F9 | KBD_HIDE_COND_IND |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|-------------------------|-------------------|----------|--------|--------|------------------------------|
| View Separations | | | | | |
| ViewSeparation1 | View Separation 1 | Esc v1 | 877 | 36D | KBD_VIEWSEP1 |
| ViewSeparation2 | View Separation 2 | Esc v2 | 878 | 36E | KBD_VIEWSEP2 |
| ViewSeparation3 | View Separation 3 | Esc v3 | 879 | 36F | KBD_VIEWSEP3 |
| ViewSeparation4 | View Separation 4 | Esc v4 | 893 | 37D | KBD_VIEWSEP4 |
| ViewSeparation5 | View Separation 5 | Esc v5 | 894 | 37E | KBD_VIEWSEP5 |
| ViewSeparation6 | View Separation 6 | Esc v6 | 926 | 39E | KBD_VIEWSEP6 |

Window menu

| | | | | | |
|--------------------------|---------------------------|----------------------------------|------|-----|----------------------------------------------------------------------------|
| ZoomIn | Larger | Esc zi, Ctrl+F2 | 3888 | F30 | KBD_ZOOMIN -- zoom in |
| ZoomOut | Smaller | Esc zo, Ctrl+F3 | 3889 | F31 | KBD_ZOOMOUT -- zoom out |
| ZoomFitPageInWindow | Fit Page in Window | Esc zp, Insert F1, Insert Return | 3890 | F32 | KBD_ZOOM_FIT_PAGE -- zoom fit page in window |
| ZoomFitWindowToPage | Fit Window to Page | Esc zw | 3891 | F33 | KBD_ZOOM_FIT_WINDOW -- zoom fit window to page |
| ZoomFitWindowToTextFrame | Fit Window to Text Frame | Esc zf | 3903 | F3F | KBD_ZOOM_FIT_TEXTFRAME -- zoom fit window to textframe |
| ZoomTo100 | Default | Esc zz, Ctrl+F1, Insert \ | 3893 | F35 | KBD_ZOOM100 -- zoom to 100% |
| ZoomSet | Set Zoom Percentages | Esc zs | 3900 | F3C | KBD_ZOOM_SET -- set zoom percentages |
| ToggleZoomAutofit | Toggle Autofit After Zoom | Esc zaf | 3866 | F1A | KBD_ZOOM_AUTOFIT_AFTER_ZOOM -- toggle to enable/disable autofit after zoom |

Table Commands

| | | | | | |
|---------------------|----------------------|---------------------|------|-----|-------------------------------------------|
| MoveIPOutOfTable | Move IP Out Of Table | Esc tl, Insert PgUp | 4032 | FC0 | KBD_TABLE_EXIT_IP -- Move IP out of table |
| EditRulingStyle | Edit Ruling Style | Esc te | 3980 | F8C | KBD_TABLE_RULES -- Edit Ruling Style |
| CharTabForTableCell | Tab For Table Cell | Esc Tab | 547 | 223 | KBD_TABLE_TAB -- Tab for table cells |

Table Dialog Shortcuts

| | | | | | |
|-------------------|----------------------|-----------------|------|-----|-----------------------------------------------|
| UnifyTableFormats | Unify Table Formats | Esc tut | 3984 | F90 | KBD_TBL_DLG_UNIFY_TF -- Unify Table Formats |
| AddRowsAbove | Add Rows Above | Esc tRa | 3986 | F92 | KBD_TBL_DLG_ADD_ABOVE -- Add table rows above |
| AddRowsBelow | Add Rows Below | Esc tRb, Ctrl+j | 3987 | F93 | KBD_TBL_DLG_ADD_BELOW -- Add table rows below |
| AddColumnsToLeft | Add Columns To Left | Esc tcl | 3988 | F94 | KBD_TBL_DLG_ADD_LEFT -- Add columns to left |
| AddColumnsToRight | Add Columns To Right | Esc tcr | 3989 | F95 | KBD_TBL_DLG_ADD_RIGHT -- Add columns to right |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|----------------------------|---------------------------|-----------------|---------------|---------------|-------------------------------------------------------------------------------|
| ClearLeavingCellsEmpty | Clear Leaving Cells Empty | Esc tce | 3990 | F96 | KBD_TBL_DLG_CLEAR_EMPTY -- Clear leaving cells empty |
| ClearRemovingCells | Clear Removing Cells | Esc tcx | 3991 | F97 | KBD_TBL_DLG_CLEAR_X -- Clear removing cells |
| RemoveRow | Delete Row | Esc TRD | 4033 | FC1 | KBD_TBL_DLG_REMOVE_ROW -- Delete table row |
| RemoveCol | Delete Column | Esc TCD | 4034 | FC2 | KBD_TBL_DLG_REMOVE_COL -- Delete table column |
| TablePasteReplaceSelection | Paste Replacing Selection | Esc tpr | 3992 | F98 | KBD_TBL_DLG_PASTE_REPL -- Paste replacing selection |
| TablePasteBefore | Paste Before | Esc tpb | 3993 | F99 | KBD_TBL_DLG_PASTE_BEFORE -- Paste table before |
| TablePasteAfter | Paste After | Esc tpa | 3994 | F9A | KBD_TBL_DLG_PASTE_AFTER -- Paste table after |
| TableShrinkWrapColWidth | Shrink Wrap Column Width | Esc tw | 4048 | FD0 | KBD_TBL_DLG_SHRINKWRAP -- Shrink wrap column width to selected cells contents |

Keyboard Table Selection

| | | | | | |
|-----------------------|--------------------------|---------|------|-----|-----------------------------------------------------------|
| SelectCell | Select Cell | Esc the | 4000 | FA0 | KBD_TBLSEL_CELL -- Select the current cell, then next |
| SelectRow | Select Row | Esc thr | 4001 | FA1 | KBD_TBLSEL_ROW -- Select the current row, then next |
| SelectColumn | Select Column | Esc thc | 4002 | FA2 | KBD_TBLSEL_COL -- Select the current col, then next |
| SelectTable | Select Table | Esc tht | 4003 | FA3 | KBD_TBLSEL_TABLE -- Select the current table |
| SelectTextInCell | Select Text In Cell | Esc tha | 4004 | FA4 | KBD_TBLSEL_CELLTEXT -- Select all text in the cell |
| SelectColumnBodyCells | Select Column Body Cells | Esc thb | 4005 | FA5 | KBD_TBLSEL_COLBODY -- Select all body cells in the column |

Keyboard Table IP Navigation

| | | | | | |
|-----------------------------|-----------------------------------|-------------------------|------|-----|-------------------------------------------------------------|
| MoveIPToTopLeftSelectedCell | Move IP To Top Left Selected Cell | Esc tms, Esc th0 | 4016 | FB0 | KBD_TBLIP_TOPLEFT -- IP to top left cell of table selection |
| MoveIPToCellAtRight | Move IP To Cell At Right | Esc tmr | 4017 | FB1 | KBD_TBLIP_RIGHT -- IP to cell on right |
| MoveIPToCellAtLeft | Move IP To Cell At Left | Esc tml | 4018 | FB2 | KBD_TBLIP_LEFT -- IP to cell on left |
| MoveIPToCellAbove | Move IP To Cell Above | Esc tmu, Insert Up | 4019 | FB3 | KBD_TBLIP_ABOVE -- IP to cell above |
| MoveIPUpAndSelectText | Move IP Up And Select Text | Esc tmua, Alt+Ctrl+PgUp | 4019 | FB3 | KBD_TBLIP_ABOVE -- IP to cell above |
| MoveIPToCellBelow | Move IP To Cell Below | Esc tmd, Insert Down | 4020 | FB4 | KBD_TBLIP_BELOW -- IP to cell below |
| MoveIPDownAndSelectText | Move IP Down And Select Text | Esc tmda, Alt+Ctrl+PgDn | 4020 | FB4 | KBD_TBLIP_BELOW -- IP to cell below |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|-----------------------|---------------------------|-----------------------|---------------|---------------|-------------------------------------------------------------|
| MoveIPToLeftmostCell | Move IP To Leftmost Cell | Esc tma | 4021 | FB5 | KBD_TBLIP_LEFTMOST -- IP to left most cell in current row |
| MoveIPToRightmostCell | Move IP To Rightmost Cell | Esc tme | 4022 | FB6 | KBD_TBLIP_RIGHTMOST -- IP to right most cell in current row |
| MoveIPToNextCell | Move IP To Next Cell | Esc tmn, Insert Right | 4023 | FB7 | KBD_TBLIP_NEXT -- IP to next logical cell |
| MoveIPToPreviousCell | Move IP To Previous Cell | Esc tmp, Insert Left | 4024 | FB8 | KBD_TBLIP_PREV -- IP to next previous cell |
| MoveIPToColumnTop | Move IP To Column Top | Esc tmt, Insert Home | 4025 | FB9 | KBD_TBLIP_TOP -- IP to top cell in current column |
| MoveIPToColumnBottom | Move IP To Column Bottom | Esc tmb, Insert End | 4026 | FBA | KBD_TBLIP_BOTTOM -- IP to bottom cell in current column |
| MoveIPToTopLeftCell | Move IP To Top Left Cell | Esc tmT | 4025 | FB9 | KBD_TBLIP_TOP -- IP to top cell in current column |

Focus

| | | | | | |
|---------------------------|-------------------------------|-------------------|------|-----|--------------------------------------------------|
| FocusInDocument | Focus In Document | Esc Fid, Shift+F7 | 1568 | 620 | FOCUS_INPUT_DOC -- Current document |
| FocusInFind | Focus In Find | Esc Fif | 1569 | 621 | FOCUS_INPUT_SEARCH -- Find |
| FocusInMarker | Focus In Marker | Esc Fim | 1570 | 622 | FOCUS_INPUT_MARKER -- Marker |
| FocusInSpelling | Focus In Spelling | Esc Fis | 1571 | 623 | FOCUS_INPUT_SPELL -- Spelling |
| FocusInHypertext | Focus In Hypertext | Esc Fih | 1572 | 624 | FOCUS_INPUT_HYPertext -- HyperText |
| FocusInParagraphDesigner | Focus In Paragraph Designer | Esc Fip | 1574 | 626 | FOCUS_INPUT_PGFFMT -- Paragraph format |
| FocusInCharacterDesigner | Focus In Character Designer | Esc Fic | 1575 | 627 | FOCUS_INPUT_FONTFMT -- Character format |
| FocusInConditionalText | Focus In Conditional Text | Esc Fio | 1577 | 629 | FOCUS_INPUT_COND -- Conditional text |
| FocusInRulingAndShading | Focus In Ruling And Shading | Esc Fir | 1579 | 62B | FOCUS_INPUT_CUSTRS -- Custom ruling and shading |
| FocusInTableDesigner | Focus In Table Designer | Esc Fit | 1580 | 62C | FOCUS_INPUT_TBLFMT -- Table format |
| FocusInStructureView | Focus In Structure View | Esc Fiv | 1581 | 62D | FOCUS_INPUT_STRWIN -- Structure window |
| FocusInValidationWindow | Focus In Validation Window | Esc Fiw | 1582 | 62E | FOCUS_INPUT_VALIDATION -- Validation Kit |
| FocusInAttributeEditor | Focus In Attribute Editor | Esc Fia | 1583 | 62F | FOCUS_INPUT_ATTREDITOR -- Attribute editor kit |
| FocusInShowElementContext | Focus In Show Element Context | Esc Fie | 2610 | A32 | FOCUS_INPUT_ELEM_CTX -- Show Element Context kit |

Close Modeless Dialogs

| | | | | | |
|-------------|--------------|--------|------|-----|----------------------------|
| CloseFind | Close Find | Esc Cf | 1665 | 681 | KBD_CLOSE_SEARCH -- Search |
| CloseMarker | Close Marker | Esc Cm | 1666 | 682 | KBD_CLOSE_MARKER -- Marker |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------------|------------------------------|-----------------|---------------|---------------|-------------------------------------------------|
| CloseSpelling | Close Spelling | Esc Cs | 1667 | 683 | KBD_CLOSE_SPELL -- Spelling |
| CloseParagraphDesigner | Close Paragraph Designer | Esc Cp | 1668 | 684 | KBD_CLOSE_PGFFMT -- Paragraph format |
| CloseCharacterDesigner | Close Character Designer | Esc Cc | 1669 | 685 | KBD_CLOSE_FONTFMT -- Character format |
| CloseConditionalText | Close Conditional Text | Esc Co | 1670 | 686 | KBD_CLOSE_COND -- Conditional text |
| CloseRulingAndShading | Close Ruling And Shading | Esc Cr | 1671 | 687 | KBD_CLOSE_CUSTRS -- Custom ruling and shading |
| CloseTableDesigner | Close Table Designer | Esc Ct | 1672 | 688 | KBD_CLOSE_TBLFMT -- Table format |
| CloseStructureView | Close Structure View | Esc Cv | 1673 | 689 | KBD_CLOSE_STRWIN -- Structure window |
| CloseValidationWindow | Close Validation Window | Esc Cw | 1674 | 68A | KBD_CLOSE_VALIDATION -- Validation Kit |
| CloseAttributeEditor | Close Attribute Editor | Esc Ca | 1675 | 68B | KBD_CLOSE_ATTREDITOR -- Attribute editor kit |
| CloseElementContextWindow | Close Element Context Window | Esc Cx | 1676 | 68C | KBD_CLOSE_ELEM_CTX -- Close Element Context kit |
| CloseHypertext | Close Hypertext | Esc Ch | 1677 | 68D | KBD_CLOSE_HYPertext -- Close Hypertext kit |

Special Palette Commands

| | | | | | |
|-------------------------|-------------------------|--|------|-----|-----------------------------|
| ClosePalette | Close Top Palette | | 3360 | D20 | KBD_CLOSE_TOP_PALETTE |
| CloseParagraphCatalog | Close Paragraph Catalog | | 3361 | D21 | KBD_CLOSE_PARAGRAPH_CATALOG |
| CloseCharacterCatalog | Close Character Catalog | | 3362 | D22 | KBD_CLOSE_CHARACTER_CATALOG |
| CloseToolsPalette | Close Tools Palette | | 3363 | D23 | KBD_CLOSE_TOOLS_PALETTE |
| CloseEquationsPalette | Close Equations Palette | | 3364 | D24 | KBD_CLOSE_EQUATIONS_PALETTE |
| CloseElementCatalog | Close Element Catalog | | 3366 | D26 | KBD_CLOSE_ELEMENT_CATALOG |
| CloseBookElementCatalog | Close Element Catalog | | 3366 | D26 | KBD_CLOSE_ELEMENT_CATALOG |

FrameMaker-Structured commands

File Commands

| | | | | | |
|--------------------|------------------------|---------|------|-----|--------------------------------------------------|
| ImportElementDefns | Element Definitions... | Esc fie | 3998 | F9E | KBD_USEELTDEFSFROM -- Import Element Definitions |
|--------------------|------------------------|---------|------|-----|--------------------------------------------------|

Element Commands

| | | | | | |
|------------------------|------------------------------|---------|------|-----|------------------------------------------------|
| !ElementMergeFirst | Merge | Esc Em | 4051 | FD3 | KBD_ELEM_MERGE_1ST -- Merge |
| !ElementSplit | Split | Esc Es | 4053 | FD5 | KBD_ELEM_SPLIT -- Split |
| !ElementUnwrap | Unwrap | Esc Eu | 4054 | FD6 | KBD_ELEM_UNWRAP -- Unwrap |
| InlineAttrEditor | Show Inline Attribute Editor | Esc iae | 667 | 29B | KBD_INLINE_ATTREDTR -- inline attribute editor |
| !EditElementAttributes | Edit Attributes... | Esc EA | 4076 | FEC | KBD_ATTRIBUTE_EDIT -- Edit Attributes |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|-------------------------|-----------------------------|----------|--------|--------|-----------------------------------------------|
| !AttrConfigFileMaker | Launch Config File Maker... | Esc CFM | 4090 | FFA | KBD_ATTR_CONFIG_FILE_MAKER -- Edit Attributes |
| !ElementNamespaces | Namespaces... | Esc EN | 4088 | FF8 | KBD_NAMESPACES -- Namespaces |
| ElementCatalog | Element Catalog... | Esc EC | 3880 | F28 | KBD_ELEMENTWIN -- element catalog window |
| !SetAvailableElements | Set Available Elements... | Esc EOC | 4055 | FD7 | KBD_ELEM_CAT_OPTS -- Set available elements |
| ElementInsertionOptions | New Element Options... | Esc EOI | 4079 | FEF | KBD_FB_EDIT_PREFS -- New Element Options |
| !Validation | Validate... | Esc Ev | 4064 | FE0 | KBD_VALIDATION -- Validate |

View Commands

| | | | | | |
|-----------------------|------------------------------|------------------|------|-----|---------------------------------------------|
| ViewElementBoundaries | Element Boundaries | Esc vE | 4050 | FD2 | KBD_ELEM_BORDER -- Element borders |
| ViewElementTags | Element Boundaries (as Tags) | Esc vT | 4061 | FDD | KBD_ELEM_TAGS -- Element boundaries as Tags |
| ViewBannerText | Element Banner Text | Esc bt | 311 | 137 | KBD_BANNER_TEXT -- View Banner Text |
| SetAttrDisplay | Attribute Display Options... | Esc vA | 4078 | FEE | KBD_ATTR_DISP_OPTS -- Attribute Display |
| ShowElementContext | Show Element Context... | Esc fTE, Esc fDE | 2609 | A31 | KBD_SHOW_ELEM_CTX -- Show element context |

Commands for the makersgml API clients

| | | | | | |
|------------------------|-------------------------------------------|------------------|----------|--------|--|
| ECMNewEDD | New EDD | Esc fTN, Esc fDN | | | |
| ECMExportEDD | Export Element Catalog as EDD | Esc fTX, Esc fDX | | | |
| ECMNextElementPosition | | Esc fEL | | | |
| ECMUpdateOldEDD | Update EDD to Current Version | Esc fEU | | | |
| SGInitRuleTable | Generate Conversion Table... | Esc fTG, Esc fDG | | | |
| SGSaveEdd2Css | Generate CSS2... | Esc fTH, Esc fDH | | | |
| SGStructureCurrentDoc | Structure Current Document... | Esc ftC | | | |
| SGStructureCurrentBook | Structure Current Book... | Esc ftB | | | |
| SGStructureDocuments | Structure Documents... | Esc ftD | | | |
| SCOpenDTD | Open DTD... | Esc fTO, Esc fDO | | | |
| SCUpdateDTD | Import DTD... | Esc fTM, Esc fDM | | | |
| SCSaveDTD | Save as DTD... | Esc fTS, Esc fDS | | | |
| SCOpenSchema | Open Schema... | Esc fTY, Esc fDY | 14683632 | E00DF0 | |
| SCImportSchema | Import Schema... | Esc fTZ, Esc fDZ | 14749168 | E10DF0 | |
| SCImportCSS | Import CSS Styles... | Esc ftJ, Esc fDJ | | | |
| SCImportDocs | Convert Structured Documents... | Esc fts | | | |
| SCExportDocs | Convert Documents to Structured Format... | Esc ftd | | | |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|--------------------|-------------------------------------------|------------------|--------|--------|------------------------------|
| AssignIdToElements | Assign unique ID to elements | Esc ide | 3862 | F16 | KBD_ASSIGN_ELEMENT_ID |
| SCOpenApp | Edit Application Definitions | Esc fTA, Esc fDA | | | |
| SCOpenGlobalApp | Edit Global Application Definitions | Esc fTB, Esc fDB | | | |
| SCReadApp | Read Application Definitions | Esc fTR, Esc fDR | | | |
| SCReadAppFromDisk | Read Application Definitions From File... | Esc fDr | | | |
| SCNewRules | New Read/Write Rules | Esc fTW, Esc fDW | | | |
| SCCheckRules | Check Read/Write Rules... | Esc fTC, Esc fDC | | | |
| SCParseDoc | Parse Structured Document... | Esc fTP, Esc fDP | | | |
| SCSetApp | Set Structured Application... | Esc fA | | | |
| SCDocLink | | Esc fTL, Esc fDL | | | |
| SCStructAppWiz | Structured Application Designer... | Esc SAD | | | |
| SCUpdateStructApp | Update Application Definition File... | Esc fUS | | | |

Special Commands

| | | | | | |
|---------------|----------------------------|---------|------|-----|-------------------------------------------------------|
| RemoveStruct | Remove Structure from Flow | Esc ssf | 2608 | A30 | KBD_STRIP_FLOWSTRUCTURE -- Remove structure from flow |
| NormalizeTags | Create and Apply Formats | Esc ftf | 2611 | A33 | KBD_NORMALIZE_TAGS -- Catalogize pgf and char formats |

Non-menu Structure Commands

Element Catalog View Options

| | | | | | |
|----------------------------------|------------------------------------------|---------|------|-----|--------------------------------------------------------------------------|
| ListStrictValid | List Valid Elements Working Start to End | Esc elv | 4056 | FD8 | KBD_SETELCATSTRICT -- List valid elements working from start to end |
| ListLooseValid | List Valid Elements in Any Order | Esc elu | 4057 | FD9 | KBD_SETELCATLOOSE -- List valid elements any order |
| ListValidChildren | List Elements Allowed Anywhere in Parent | Esc elc | 4058 | FDA | KBD_SETELCATCHILD -- List elements allowed anywhere in parent |
| ListFreqUsedElements | List Frequently Used Elements | Esc elf | 4087 | FF7 | KBD_SETELCATFREQ -- List frequently used elements |
| ListAllElements | List All Elements | Esc ela | 4059 | FDB | KBD_SETELCATALL -- List all elements |
| InclusionElementGrouping | Toggle Inclusion Grouping | Esc eli | 4081 | FF1 | KBD_TOGGLE_INCLUSION -- Toggle inclusion grouping |
| ToggleElementCollapse | Toggle Element Collapse | Esc Ex | 4082 | FF2 | KBD_TOGGLE_COLLAPSE -- Toggle element collapse |
| ToggleElementCollapseAllSiblings | Toggle Element Collapse All Siblings | Esc EX | 4083 | FF3 | KBD_TOGGLE_COLLAPSE_ALL -- Toggle collapse all siblings |
| ToggleElementCollapseAllChildren | Toggle Element Collapse All Children | Esc Er | 2573 | A0D | KBD_TOGGLE_COLLAPSE_CHILDREN -- Toggle collapse all children recursively |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|--------------------------|-------------------------|----------|--------|--------|-------------------------------------------------------|
| PromoteElement | Promote Element | Esc EP | 4062 | FDE | KBD_ELEM_PROMOTE -- Promote element |
| DemoteElement | Demote Element | Esc ED | 4063 | FD4 | KBD_ELEM_DEMOTE -- Demote element |
| TransposeWithPrevElement | Transpose With Previous | Esc ET | 4084 | FF4 | KBD_ELEM_TRANSPOSE_PREV -- Transpose with previous |
| TransposeWithNextElement | Transpose With Next | Esc Et | 4085 | FF5 | KBD_ELEM_TRANSPOSE_NEXT -- Transpose with next |
| ElementMergeLast | Merge Into Last | Esc EM | 4052 | FD4 | KBD_ELEM_MERGE_LAST -- Merge into last |

Structure IP Navigation

| | | | | | |
|----------------------|--------------------------|------------------------|-----|-----|--------------------------------------------------------------------------------|
| MoveIPNextElement | Move To Next Element | Esc sD, Alt+Ctrl+Down | 325 | 145 | CSR_NEXT_ELEMENT -- Next element/ snippet start or end (gobbled) |
| MoveIPPrevElement | Move To Previous Element | Esc sU, Alt+Ctrl+Up | 326 | 146 | CSR_PREV_ELEMENT -- Previous element/ snippet start or end (gobbled) |
| MoveIPIntoNextChild | Move Into Next Child | Esc sN, Alt+Ctrl+Right | 333 | 14D | CSR_INT0_CHILD -- Into child (gobbled) |
| MoveIPBeforeElement | Move To Before Element | Esc sB, Alt+Ctrl+Left | 331 | 14B | CSR_BEFORE_ELEMENT -- Before beginning of element (gobbled) |
| MoveIPStartOfElement | Move To Start Of Element | Esc sS | 329 | 149 | CSR_BOE -- Beginning of element (gobbled) |
| MoveIPEndOfElement | Move To End Of Element | Esc sE | 330 | 14A | CSR_EOE -- End of element (gobbled) |
| ToggleLeftAnchor | | Esc Sva | 991 | 3DF | KBD_STRWIN_LEFTANCHOR -- toggle structure window left anchor when scrolling |

Structure Selection Commands

| | | | | | |
|-----------------------|-------------------------|---------------------------------|------|-----|-----------------------------------------------------------|
| SelectElement | Select Element | Esc hE | 585 | 249 | HIGH_ELEMENT -- Highlight next element |
| SelectPreviousElement | Select Previous Element | Esc hP, Alt+Ctrl+Shift+Up | 1056 | 420 | HIGH_ELEMENT_PREV -- Move active end back 1 element |
| SelectNextElement | Select Next Element | Esc hN, Alt+Ctrl+Shift+Down | 1057 | 421 | HIGH_ELEMENT_NEXT -- Move active end forward 1 element |
| SelectSiblings | Select Siblings | Esc hS | 1058 | 422 | HIGH_SIBLINGS -- Extend to all of parent's contents |
| SelectParent | Select Parent | Esc heP, Alt+Ctrl+Shift+Left | 1059 | 423 | HIGH_PARENT -- Extend to all of parent |

Validation Commands

| | | | | | |
|-----------------------|-------------------------|---------|------|-----|----------------------------------------------|
| ValidateElement | Validate Element | Esc ve | 4065 | FE1 | KBD_VAL_ELEM -- Validate element |
| ValidateFlow | Validate Flow | Esc vf | 4066 | FE2 | KBD_VAL_FLOW -- Validate flow |
| ValidateDocument | Validate Document | Esc vd | 4067 | FE3 | KBD_VAL_DOC -- Validate document |
| IgnoreMissingElements | Ignore Missing Elements | Esc vie | 4068 | FE4 | KBD_VAL_IGNORE -- Ignore missing elements |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|-----------------------------|--------------------------------|----------|--------|--------|--------------------------------------------------|
| IgnoreMissingAttributes | Ignore Missing Attributes | Esc via | 4086 | FF6 | KBD_VAL_IGNORE_ATTR -- Ignore missing attributes |
| StartValidating | Start Validating | Esc vn | 4069 | FE5 | KBD_VAL_START -- Start validating |
| AllowAsSpecialCase | Allow As Special Case | Esc vae | 4070 | FE6 | KBD_VAL_ALLOW -- Allow as special case |
| ClearSpecialValidationCases | Clear Special Validation Cases | Esc vce | 4071 | FE7 | KBD_VAL_CLEAR -- Clear special validation cases |

Structure Commands

| | | | | | |
|-----------------------|------------------------------------------|----------------|------|-----|---------------------------------------------------------------|
| InsertElement | Element | Esc Ei, Ctrl+1 | 3912 | F48 | KBD_INSERTQUICK -- insert element quick key |
| InsertElementInMenu | Insert Element | Esc Ei | 3912 | F48 | KBD_INSERTQUICK -- insert element quick key |
| WrapElement | Wrap Element | Esc Ew, Ctrl+2 | 3913 | F49 | KBD_WRAPQUICK -- wrap element quick key |
| ChangeElement | Change Element | Esc Ec, Ctrl+3 | 3916 | F4C | KBD_CHANGEQUICK -- change element quick key |
| EditAttributeQuick | Quick Attr Edit | Ctrl+7 | 3917 | F4D | KBD_ATTREDITQUICK -- attribute edit quick key |
| RepeatElemCommand | Repeat Last Element Command | Esc ee, F10 | 4060 | FDC | ELEM_BAM -- Repeat last insert/wrap/change |
| StructureView | Structure View... | Esc EV | 4049 | FD1 | KBD_STRWIN -- Structure View |
| ToggleStructAndDocWin | Toggle Between Structure and Doc Windows | Esc sd | 4089 | FF9 | KBD_TOGGLE_STRUCT_AND_DOCWIN -- Toggle struct and doc windows |
| PreviewFBA | Preview Filter by Attribute | Esc UP | 2838 | B16 | KBD_PREVIEWFBA |

DRE (Dialog Editing) commands for FDK developers

| | | | | | |
|----------------------|--------------------------|--------------------|------|-----|--------------------------------------------------------|
| TestAsModalDialog | Test As Modal Dialog | Esc dt | 3953 | F71 | KBD_TEST_MODAL -- Test document as modal dialog |
| TestAsModelessDialog | Test As Modeless Dialog | Esc dT | 3954 | F72 | KBD_TEST_MODELESS -- Test document as modeless dialog |
| TestPrintDialog | Print Dialog Resource... | Esc dp | 3957 | F75 | KBD_TEST_PRINTDBRE -- print dialog resource test |
| CaptureLiveDialog | Capture Live Dialog | Alt+Ctrl+p, Esc dc | 3960 | F78 | KBD_CAPTURE_LIVE_DIALOG -- capture (print) live dialog |
| SetStuffItem | Set Stuff Item | Esc df | 3955 | F73 | KBD_STUFF_ITEM -- Set up stuff item |
| ShowMacDialog | Show Mac Dialog | Esc dm | 3964 | F7C | KBD_DRE_MODE_M -- make Mac the current view |
| ShowWindowsDialog | Show Windows Dialog | Esc dw | 3963 | F7B | KBD_DRE_MODE_W -- make Windows the current view |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|----------------------|------------------------|----------|--------|--------|-------------------------------------------|
| ShowXDialog | Show X/Motif Dialog | Esc dx | 3962 | F7A | KBD_DRE_MODE_X -- make X the current view |
| RemovePlatformDialog | Remove Platform Dialog | Esc dr | 3961 | F79 | KBD_RM_MODE -- Remove platform dialog |

PDFSize Client commands

| | | | | | |
|----------------|------------|---------|----------|--------|--|
| PDFSizeOptions | Options... | Esc odo | 14487024 | DD0DF0 | |
|----------------|------------|---------|----------|--------|--|

Notes Client commands

| | | | | | |
|-----------------------|--------------------------|---------|------|-----|---------------------------------------------------|
| SaveNotesAndBookmarks | Save Notes and Bookmarks | | | | |
| NewMark | New Bookmark... | | | | |
| NewNote | New Note... | | | | |
| Bookmarks | Bookmarks... | | | | |
| Notes | Notes... | | | | |
| TableCatalog | Table Catalog... | Esc tcc | 4027 | FBB | KBD_TABLEWIN -- table catalog window |
| !ShowTableTags | | | 4030 | FBE | TBL_APPLY_TAG -- Set table tag from menu |
| LineNumProps | Line Numbers... | Esc ln | 1651 | 673 | KBD_LINENUMPRO -- Line number properties |
| ToggleLineNumbers | Line Numbers | Esc Tln | 1652 | 674 | KBD_LINENUMTOGGLE -- Toggle line numbering ON/OFF |

Table Sort Client command

| | | | | | |
|-----------|---------|--------|----------|---------|--|
| TableSort | Sort... | Esc ts | 22285808 | 1540DF0 | |
|-----------|---------|--------|----------|---------|--|

Adobe Online commands

| | | | | | |
|----------------------------|-----------------------------------------------------------|---------|----------|--------|-----------------------------------------------------|
| ThirdPartyPluginAddons | Third-party Plugins/Add-ons... | | 1021 | 3FD | KBD_THIRDPARTYPLUGINADDONS |
| TrainingConsultingPartners | Training/Consulting partners... | | 1022 | 3FE | KBD_TRAININGCONSULTINGPARTNERS |
| FAQ | Frequently asked questions... | | 998 | 3E6 | KBD_EDIT_MATHML_EQUATION -- Create New MML equation |
| ApplicationPackGuide | Application Pack Guide... | | 999 | 3E7 | |
| MekonExtension | Enhanced 3rd party extension for S1000D/ATA from Mekon... | | 1000 | 3E8 | KBD_BOOKMOVEFILEUP |
| AdobeOnline | FrameMaker Online... | Esc www | 3097 | C19 | WEB_GOTOADOBE -- access web services |
| SamplesCmd | Samples... | Esc qs | 14618096 | DF0DF0 | |
| ManualsCmd | Manuals... | Esc qm | | | |
| TourCmd | Tour... | Esc qt | | | |
| AdobeOnlinePreferences | Adobe Online... | | 3098 | C1A | WEB_PREFERENCES |
| AdobeOnlineSupport | Support... | | 3099 | C1B | WEB_TOPISSUES |
| AMTRegistration | Manage My Account... | | 2405 | 965 | AMT_REGISRATION |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------|------------------------------|-----------------|---------------|---------------|------------------------------------------------|
| AMTDeactivate | Sign Out... (klaus@daube.ch) | | 2407 | 967 | AMT_DEACTIVATION |
| AMTUpdates | Updates... | | 2408 | 968 | AMT_UPDATES |
| EditVariable | Edit Variable | Esc usv | 2572 | A0C | KBD_EDITVARIABLE -- Edit Variable pod directly |
| OpenCMSRepository | Open Repository... | Esc oRp | 2049 | 801 | KBD_OPEN_REPOSITORY -- Repository related |
| CMSConnectionMgr | Connection Manager... | Esc ocm | 2050 | 802 | KBD_CMS_CONNECTION_MGR -- Repository related |
| NewXMLUI | XML... | Esc fX | | | |
| UploadActiveDoc | Upload Active Document... | Esc uad | 2053 | 805 | KBD_CMS_UPLOAD_DOC_OR_BOOK |
| UploadActiveBook | Upload Active Book... | Esc uab | 2053 | 805 | KBD_CMS_UPLOAD_DOC_OR_BOOK |
| UploadActiveDitaMap | Upload Active DitaMap... | Esc uab | 2053 | 805 | KBD_CMS_UPLOAD_DOC_OR_BOOK |
| StyleCatalog | Object Style Catalog | Esc ge | 2993 | BB1 | KBD_STYLE_CATALOG |
| StyleDesigner | Object Style Designer | Esc gi, Ctrl+y | 2994 | BB2 | KBD_STYLE_DESIGNER |
| OpenAllMRUFiles | Open All Recent Files | Esc rc | 3107 | C23 | OPEN_MRU_FILES -- Open all recent files |
| RestoreSession | Restore Last Session | Esc rs | 3863 | F17 | KBD_RESTORE_SESSION |

XV Commands

| | | | | | |
|-----------------|---------------|--------------|--|--|--|
| XmlSave | Save | Ctrl+s | | | |
| XmlSaveAs | Save As... | Esc fa | | | |
| XmlQuit | Quit | Ctrl+w | | | |
| XmlUndo | Undo | Ctrl+z | | | |
| XmlRedo | Redo | Ctrl+Shift+z | | | |
| XmlCut | Cut | Ctrl+x | | | |
| XmlCopy | Copy | Ctrl+c | | | |
| XmlPaste | Paste | Ctrl+v | | | |
| XmlClear | Clear | Esc eb | | | |
| XmlFindChange | Find/Change | Ctrl+f | | | |
| XmlFindNext | Find Next | Ctrl+Shift+f | | | |
| XmlFindPrevious | Find Previous | | | | |
| XmlGoToLine | Go to Line... | Ctrl+g | | | |
| XmlZoomIn | Zoom in | Esc zi | | | |
| XmlZoomOut | Zoom out | Esc zo | | | |
| XmlLineNumbers | Line Numbers | Esc Tln | | | |
| XmlBreadcrumbs | Breadcrumbs | Esc vr | | | |
| XmlTagMarkers | Tag Markers | | | | |
| XmlXPath | XPath | Esc xpp | | | |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|--------------------------|---------------------------|----------|--------|--------|------------------------------|
| XPathToolBar | XPath Toolbar | Esc xpt | | | |
| XmlErrors | Errors | | | | |
| XmlTreeOutline | Tree | | | | |
| XmlStructureView | StructureView | Esc EV | | | |
| XSLTManageTransformation | Manage Transformations... | Esc xm | | | |
| XSLTAdvanceRun | Advanced Run... | Esc xar | | | |
| XSLTRun | Run... | Esc xr | | | |
| XmlPrettyPrinting | Pretty Printing | | | | |

open file enhancement commands

| | | | | | |
|---------------------------|---------------------------------------------|----------------------|------|-----|------------------------------------------------------------------------------|
| ShowFileListUI | Open Files... | Esc SFL | 2625 | A41 | KBD_SHOWFILELISTPOD -- Open file enhancements - fcodes for file list view UI |
| ShowCMSSearchUI | CMS Search... | | 3995 | F9B | KBD_COPYCELLFMT -- obsolete ? |
| OpenDropBox | Open... | Esc Do | 2630 | A46 | |
| Upload | Save to Dropbox folder... | Esc Ud | 2626 | A42 | |
| UploadAll | Save to Dropbox folder with Dependencies... | Esc Uwd | 2627 | A43 | |
| SaveLocally | Save locally... | Esc Sl | 2628 | A44 | |
| SaveAllLocally | Save locally with Dependencies... | Esc Mf | 2629 | A45 | |
| Share | Share... | Esc Ds | 2631 | A47 | |
| Explore | Explore... | Esc De | 2632 | A48 | |
| ExpandToStructView | Locate in Structure view | Esc EE, Ctrl+Shift+I | 2640 | A50 | |
| OpenContainingFolder | Open Containing Folder | | 3437 | D6D | KBD_OPENCONTAININGFOLDER |
| OpenContainingFolderDITA | Open Containing Folder | | 3678 | E5E | |
| ChildElementsExpand | All Child Elements | | 2641 | A51 | |
| SiblingElementsExpand | All Sibling Elements | | 2642 | A52 | |
| ChildAttributesExpand | All Child Attributes | | 2643 | A53 | |
| SiblingAttributesExpand | All Sibling Attributes | | 2644 | A54 | |
| ChildElementsCollapse | All Child Elements | | 2645 | A55 | |
| SiblingElementsCollapse | All Sibling Elements | | 2646 | A56 | |
| ChildAttributesCollapse | All Child Attributes | | 2647 | A57 | |
| SiblingAttributesCollapse | All Sibling Attributes | | 2648 | A58 | |
| WordImport | Word Finder | Esc wi | 2848 | B20 | |
| ShowConsole | Console... | Esc cP | 1511 | 5E7 | KBD_VIEW_CONSOLE |
| ImportImage | Image... | Esc fii | 1514 | 5EA | KBD_IMAGE_IMPORT -- !fii - Import Image |
| ImportAudio | Audio... | Esc fia | 1521 | 5F1 | KBD_AUDIO_IMPORT -- Import Audio |
| ImportVideo | Video... | Esc fiv | 1522 | 5F2 | KBD_VIDEO_IMPORT -- Import Video |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|-------------------|-----------------|----------|--------|--------|-----------------------------------------------|
| ImportOnlineVideo | Online Video... | Esc fij | 1523 | 5F3 | KBD_ONLINEVIDEO_IMPORT -- Import Online Video |

Reference Frame Commands

| | | | | | |
|----------------------|---------------------------|--------|------|-----|----------------------------------------|
| RenameReferenceFrame | Rename Reference Frame... | Esc rF | 3899 | F3B | KBD_RENAMEFRAME -- not bound currently |
|----------------------|---------------------------|--------|------|-----|----------------------------------------|

Workspace Commands

| | | | | | |
|---------------|----------------|--------|------|-----|--------------------|
| SaveWorkspace | Save Workspace | Esc ws | 1520 | 5F0 | KBD_SAVE_WORKSPACE |
|---------------|----------------|--------|------|-----|--------------------|

Math – Equations menu

| | | | | | |
|----------------------------|---------------------------|----------------------|------|------|--------------------------------------|
| SmallEquation | Small Equation | Esc ms | 3920 | F50 | KBD_SMEQN -- Small equation |
| MediumEquation | Medium Equation | Esc mm | 3921 | F51 | KBD_MEDEQN -- Medium equation |
| LargeEquation | Large Equation | Esc ml | 3922 | F52 | KBD_LGEQN -- Large equation |
| ShrinkwrapEquation | Shrinkwrap Equation | Esc mp, Insert F12 | 3923 | F53 | KBD_PUTINLINE -- Shrinkwrap |
| UnwrapEquation | Unwrap Equation | Esc me, Insert F11 | 3924 | F54 | KBD_ANTIPUTINLINE -- Expand (unwrap) |
| EquationSizes | Equation Sizes... | Esc pe | 822 | 336 | KBD_EQUATION -- Equation Sizes |
| EquationFonts | Equation Fonts... | Esc mf | 1795 | 703 | |
| MathInsertElement | Insert Math Element... | Esc mi | 1794 | 702 | |
| MathAddDefinitionToCatalog | Add Definition To Catalog | Esc mc | 1792 | 700 | |
| MathUpdateDefinition | Update Definition | Esc mU | 1793 | 701 | |
| MathRemoveParentheses | Remove Parentheses | Esc mrp | 8220 | 201C | |
| MathToggleFormat | Toggle Format | Esc mT, Ctrl+Shift+t | 6404 | 1904 | |
| MathNewOperand | New Operand | Esc mn, Ctrl+Shift+n | 6402 | 1902 | |
| MathInsertString | Insert String | ', " | 4100 | 1004 | |

Math – Greek Letters

| | | | | | |
|-------------|---------|------------|------|------|--|
| Mathalpha | alpha | Alt+Ctrl+a | 4864 | 1300 | |
| Mathbeta | beta | Alt+Ctrl+b | 4865 | 1301 | |
| Mathchi | chi | Alt+Ctrl+c | 4866 | 1302 | |
| Mathdelta | delta | Ctrl+g d | 4867 | 1303 | |
| MathDelta | Delta | Ctrl+g D | 4868 | 1304 | |
| Mathepsilon | epsilon | Alt+Ctrl+e | 4869 | 1305 | |
| Mathphi | phi | Alt+Ctrl+f | 4870 | 1306 | |
| Mathvarphi | varphi | Alt+Ctrl+j | 4871 | 1307 | |
| MathPhi | Phi | Alt+Ctrl+F | 4872 | 1308 | |
| Mathgamma | gamma | Alt+Ctrl+g | 4873 | 1309 | |
| MathGamma | Gamma | Alt+Ctrl+G | 4874 | 130A | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------|----------------------|-----------------|---------------|---------------|-----------------------------------------|
| Matheta | eta | Alt+Ctrl+h | 4875 | 130B | |
| Mathiota | iota | Alt+Ctrl+i | 4876 | 130C | |
| Mathkappa | kappa | Alt+Ctrl+k | 4877 | 130D | |
| Mathcpartial | cpartial | Alt+Ctrl+7 | 4910 | 132E | |
| Mathlambda | lambda | Alt+Ctrl+l | 4878 | 130E | |
| MathLambda | Lambda | Alt+Ctrl+L | 4879 | 130F | |
| Mathmu | mu | Alt+Ctrl+m | 4880 | 1310 | |
| Mathnu | nu | Alt+Ctrl+n | 4881 | 1311 | |
| Mathpi | pi | Alt+Ctrl+p | 4882 | 1312 | |
| MathPi | Pi | Alt+Ctrl+P | 4883 | 1313 | |
| Maththeta | theta | Alt+Ctrl+q | 4884 | 1314 | |
| Mathvartheta | vartheta | Alt+Ctrl+J | 4885 | 1315 | |
| MathTheta | Theta | Alt+Ctrl+Q | 4886 | 1316 | |
| Mathrho | rho | Alt+Ctrl+r | 4887 | 1317 | |
| Mathsigma | sigma | Alt+Ctrl+s | 4888 | 1318 | |
| Mathvarsigma | varsigma | Alt+Ctrl+E | 4889 | 1319 | |
| MathSigma | Sigma | Alt+Ctrl+S | 4890 | 131A | |
| Mathtau | tau | Alt+Ctrl+t | 4891 | 131B | |
| Mathupsilon | upsilon | Alt+Ctrl+u | 4892 | 131C | |
| MathUpsilon | Upsilon | Alt+Ctrl+U | 4893 | 131D | |
| Mathomega | omega | Alt+Ctrl+o | 4894 | 131E | |
| Mathvarpi | varpi | Alt+Ctrl+l | 4895 | 131F | |
| MathOmega | Omega | Alt+Ctrl+O | 4896 | 1320 | |
| Mathxi | xi | Alt+Ctrl+x | 4897 | 1321 | |
| MathXi | Xi | Alt+Ctrl+X | 4898 | 1322 | |
| Mathpsi | psi | Alt+Ctrl+y | 4899 | 1323 | |
| MathPsi | Psi | Alt+Ctrl+Y | 4900 | 1324 | |
| Mathzeta | zeta | Alt+Ctrl+z | 4901 | 1325 | |

Math – Diacritical Marks

| | | | | | |
|--------------|----------|------------|------|------|--|
| MathPrime | Prime | ` | 5379 | 1503 | |
| MathTilde | Tilde | ~ | 5377 | 1501 | |
| Mathbar | bar | Ctrl+g - | 5378 | 1502 | |
| MathHat | Hat | Ctrl+g ^ | 5380 | 1504 | |
| MathVector | Vector | Alt+Ctrl+V | 5381 | 1505 | |
| MathSubTilde | SubTilde | Ctrl+g ~ | 5382 | 1506 | |
| MathSubBox | SubBox | Ctrl+g _ | 5383 | 1507 | |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|--------------|---------------|--------------|--------|--------|------------------------------|
| MathArrow | Arrow | Ctrl+g Right | 5385 | 1509 | |
| MathArc | Arc | Ctrl+g @ | 5386 | 150A | |

Math – Unusual Symbols

| | | | | | |
|--------------|----------|----------------|------|------|--|
| Mathinfty | infty | Alt+Ctrl+1 | 4902 | 1326 | |
| Mathbot | bot | Alt+Ctrl+2 | 4903 | 1327 | |
| Mathldots | ldots | Ctrl+g . | 4904 | 1328 | |
| Mathaleph | aleph | Alt+Ctrl+3 | 4905 | 1329 | |
| Mathlm | lm | Alt+Ctrl+4 | 4906 | 132A | |
| MathRe | Re | Ctrl+Return \$ | 4907 | 132B | |
| Mathwp | wp | Alt+Ctrl+5 | 4908 | 132C | |
| Mathemptyset | emptyset | Alt+Ctrl+0 | 4909 | 132D | |
| Mathnabla | nabla | Alt+Ctrl+6 | 4911 | 132F | |
| Mathprime | prime | Alt+Ctrl+' | 4912 | 1330 | |
| Mathpprime | pprime | Ctrl+Return " | 4913 | 1331 | |
| Mathdegree | degree | Ctrl+Return) | 4914 | 1332 | |

Math – template - N-ary

| | | | | | |
|-----------------|--------------|-----------------------|------|------|--|
| MathEqual | Equal | = | 6401 | 1901 | |
| MathForceEquals | Force Equals | Esc m=, Ctrl+Return = | 4110 | 100E | |
| MathPlus | Plus | Shift++, + | 4109 | 100D | |
| MathMult | Mult | * | 4107 | 100B | |
| MathToThe | ToThe | ^ | 4221 | 107D | |
| MathEquiv | Equiv | Ctrl+q : | 4128 | 1020 | |
| MathApprox | Approx | Ctrl+q ; | 4130 | 1022 | |
| MathPropTo | PropTo | Ctrl+q 5 | 4129 | 1021 | |
| MathCDot | CDot | Ctrl+Return . | 4147 | 1033 | |
| MathNotsubset | Notsubset | Ctrl+q K | 4141 | 102D | |
| MathNi | Ni | Ctrl+' | 4146 | 1032 | |
| MathJotDot | JotDot | Ctrl+j | 4112 | 1010 | |
| MathOTimes | OTimes | Ctrl+q D | 4113 | 1011 | |
| MathOPlus | OPlus | Ctrl+q E | 4114 | 1012 | |
| MathNotEqual | NotEqual | Ctrl+q = | 4121 | 1019 | |
| MathCong | Cong | @ | 4131 | 1023 | |
| MathSim | Sim | Ctrl+Return ~ | 4132 | 1024 | |
| MathWedge | Wedge | Ctrl+q Y | 4144 | 1030 | |
| MathVee | Vee | Ctrl+q Z | 4145 | 1031 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------|----------------------|---------------------------------|---------------|---------------|-----------------------------------------|
| MathIn | In | Ctrl+q N | 4142 | 102E | |
| MathSubset | Subset | Ctrl+q L | 4139 | 102B | |
| MathSuperset | Superset | Ctrl+q I | 4137 | 1029 | |
| MathLeq | Leq | Ctrl+g < | 4123 | 101B | |
| MathGeq | Geq | Ctrl+g > | 4125 | 101D | |
| MathLessThan | LessThan | < | 4122 | 101A | |
| MathGreaterThan | GreaterThan | > | 4124 | 101C | |
| MathLeftArrow | LeftArrow | Ctrl+q | 4115 | 1013 | |
| MathRightArrow | RightArrow | Ctrl+q . | 4116 | 1014 | |
| MathLRArrow | LRArrow | Ctrl+q + | 4117 | 1015 | |
| MathComma | Comma | | 4111 | 100F | |
| MathParallel | Parallel | Ctrl+Return p | 4134 | 1026 | |
| MathPerp | Perp | Ctrl+Return r | 4133 | 1025 | |
| MathCap | Cap | Ctrl+Return i | 4135 | 1027 | |
| MathCup | Cup | Ctrl+Return u | 4136 | 1028 | |
| MathNotIn | NotIn | Ctrl+q O | 4143 | 102F | |
| MathSubsetEq | SubsetEq | Ctrl+q J | 4140 | 102C | |
| MathSupersetEq | SupersetEq | Ctrl+q M | 4138 | 102A | |
| MathIi | Ii | Ctrl+Return Ctrl+<, Ctrl+q I | 4127 | 101F | |
| Mathgg | gg | Ctrl+Return Ctrl+>, Ctrl+q g | 4126 | 101E | |
| MathLeftArrow2 | LeftArrow2 | Ctrl+q \ | 4118 | 1016 | |
| MathRightArrow2 | RightArrow2 | Ctrl+q ^ | 4119 | 1017 | |
| MathLRArrow2 | LRArrow2 | Ctrl+q [| 4120 | 1018 | |

Math – template - multi-format

| | | | | | |
|-----------------------------|----------------------------|---------------|------|------|--|
| MathParentheses | Parentheses | (| 4213 | 1075 | |
| MathSquareBrackets | Square Brackets | [| 4213 | 1075 | |
| MathBraces | Braces | { | 4213 | 1075 | |
| MathLParen | LParen | Ctrl+Return (| 4209 | 1071 | |
| MathLeftParenSquareBracket | Left Paren Square Bracket | Ctrl+Return [| 4209 | 1071 | |
| MathLeftParenBrace | Left Paren Brace | Ctrl+Return { | 4209 | 1071 | |
| MathRParen | RParen |) | 4210 | 1072 | |
| MathRightParenSquareBracket | Right Paren Square Bracket |] | 4210 | 1072 | |
| MathRightParenBrace | Right Paren Brace | } | 4210 | 1072 | |
| MathOver | Over | / | 4220 | 107C | |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|--------------|---------------|---------------|--------|--------|------------------------------|
| MathDivide | Divide | Ctrl+Return / | 4231 | 1087 | |
| MathFract | Fract | Alt+Ctrl+ / | 4232 | 1088 | |

Math – template - Large

| | | | | | |
|------------------|--------------|----------------|------|------|--|
| MathInt | Int | Ctrl+Tab | 4205 | 106D | |
| MathOInt | OInt | Ctrl+Shift+Tab | 4206 | 106E | |
| MathSum | Sum | Ctrl+Shift+s | 4203 | 106B | |
| MathProd | Prod | Ctrl+Shift+p | 4204 | 106C | |
| MathBigCap | BigCap | Ctrl+Return I | 4208 | 1070 | |
| MathBigCup | BigCup | Ctrl+Return U | 4207 | 106F | |
| MathOpTotal | OpTotal | Ctrl+g t | 4201 | 1069 | |
| MathOpPartial | OpPartial | Ctrl+g p | 4202 | 106A | |
| MathSqrt | Sqrt | Ctrl+r | 4181 | 1055 | |
| Matho_TOTAL | o_TOTAL | Ctrl+g T | 6153 | 1809 | |
| Matho_PARTIAL | o_PARTIAL | Ctrl+g P | 6154 | 180A | |
| MathSubstitution | Substitution | | 4148 | 1034 | |

Math – template - binary

| | | | | | |
|------------|--------|------------------------|------|------|--|
| MathMinus | Minus | - | 4154 | 103A | |
| Mathbket | bket | Ctrl+Return B | 4227 | 1083 | |
| MathInprod | Inprod | Ctrl+Return N | 4228 | 1084 | |
| MathChoice | Choice | Ctrl+Return h | 4224 | 1080 | |
| MathList | List | Esc mhl, Ctrl+Return ; | 4106 | 100A | |
| MathATop | ATop | Esc mvl, Ctrl+a | 4105 | 1009 | |
| MathLim | Lim | Ctrl+Shift+l | 4223 | 107F | |
| MathBullet | Bullet | Ctrl+8 | 4229 | 1085 | |
| Mathcmut | cmut | Ctrl+Return C | 4225 | 1081 | |
| Mathsn | sn | Ctrl+Shift+e | 4222 | 107E | |
| MathCross | Cross | Ctrl+Return * | 4230 | 1086 | |
| Mathacmut | acmut | Ctrl+Return A | 4226 | 1082 | |

Math – Indices

| | | | | | |
|---------------------|-----------------|---------------|------|------|--|
| MathPre-Superscript | Pre-Superscript | Ctrl+Return ^ | 6311 | 18A7 | |
| MathSuperscript | Superscript | Ctrl+Shift+ | 6309 | 18A5 | |
| MathPre-Subscript | Pre-Subscript | Ctrl+Return _ | 6312 | 18A8 | |
| MathSubscript | Subscript | Ctrl+Shift+ | 6310 | 18A6 | |
| Matho_ADDINDEX | o_ADDINDEX | Ctrl+g n | 6308 | 18A4 | |

Math – Functions

| | | | | | |
|--------------|----------|--------|------|------|--|
| MathFunction | Function | Ctrl+f | 4108 | 100C | |
|--------------|----------|--------|------|------|--|

Math – Unaries

| | | | | | |
|---------------|-----------|-----------------------------------|------|------|--|
| Matho_NEGATE | o_NEGATE | Ctrl+- | 6400 | 1900 | |
| MathUEqual | UEqual | Ctrl+g = | 4189 | 105D | |
| MathForAll | ForAll | Ctrl+Return a | 4193 | 1061 | |
| MathExists | Exists | Ctrl+Return e | 4194 | 1062 | |
| MathTherefore | Therefore | Ctrl+Return t | 4192 | 1060 | |
| MathNeg | Neg | Ctrl+Return n | 4191 | 105F | |
| MathBox | Box | Ctrl+Return x | 4186 | 105A | |
| MathUComma | UComma | Ctrl+Return | 4199 | 1067 | |
| MathSemicolon | Semicolon | ; | 4200 | 1068 | |
| MathDangle | Dangle | Ctrl+Return < | 4216 | 1078 | |
| MathPm | Pm | Ctrl+q 1 | 4152 | 1038 | |
| MathAngle | Angle | Ctrl+q P | 4190 | 105E | |
| MathVar | Var | Alt+Ctrl+d | 4196 | 1064 | |
| MathDiff | Diff | Ctrl+d | 4195 | 1063 | |
| MathGrad | Grad | Ctrl+q Q | 4182 | 1056 | |
| MathDiv | Div | Ctrl+Return v | 4183 | 1057 | |
| MathBoxDot | BoxDot | Ctrl+Return o | 4187 | 105B | |
| MathAbs | Abs | Ctrl+g | 4214 | 1076 | |
| MathCeil | Ceil | Ctrl+q i | 4234 | 108A | |
| MathBra | Bra | Ctrl+Return b | 4217 | 1079 | |
| MathFactorial | Factorial | ! | 4149 | 1035 | |
| MathDagger | Dagger | Ctrl+Return d | 4150 | 1036 | |
| MathMp | Mp | Ctrl+Return 1 | 4153 | 1039 | |
| MathChange | Change | Ctrl+Return Ctrl+d, Alt+Ctrl+D | 4198 | 1066 | |
| MathPartial | Partial | Ctrl+Shift+d | 4197 | 1065 | |
| MathCurl | Curl | Ctrl+Return c | 4184 | 1058 | |
| MathLap | Lap | Ctrl+Return l | 4185 | 1059 | |
| MathBox2 | Box2 | Ctrl+Return 2 | 4188 | 105C | |
| MathNorm | Norm | Ctrl+Return | 4215 | 1077 | |
| MathFloor | Floor | Ctrl+q k | 4233 | 1089 | |
| MathKet | Ket | Ctrl+Return k | 4218 | 107A | |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|---------------|---------------|---------------|--------|--------|------------------------------|
| MathAst | Ast | Ctrl+Return s | 4151 | 1037 | |
| MathDownBrace | DownBrace | Ctrl+Return D | 4212 | 1074 | |
| MathUpBrace | UpBrace | Ctrl+Return P | 4211 | 1073 | |
| MathOverline | Overline | _ | 4219 | 107B | |

Math – Matrices

| | | | | | |
|---------------------|------------------|-----------------------------------|------|------|--|
| MathCreate1x1matrix | Create matrix | Esc xm, Ctrl+g Ctrl+x | 4104 | 1008 | |
| MathAddRow | Add Row | Esc xr, Alt+Shift+r | 6304 | 18A0 | |
| MathAddColumn | Add Column | Esc xc, Ctrl+Shift+c | 6305 | 18A1 | |
| MathDeleteRow | Delete Row | Ctrl+Return Ctrl+r, Alt+Ctrl+R | 6306 | 18A2 | |
| MathDeleteColumn | Delete Column | Ctrl+Return Ctrl+c, Alt+Ctrl+C | 6307 | 18A3 | |
| MathTransposeMatrix | Transpose Matrix | Esc xt | 8207 | 200F | |
| MathMatrixAlgebra | Matrix Algebra | Esc xa | 8215 | 2017 | |

Math – Computation

| | | | | | |
|------------------------|------------------------|---------|------|------|------------------|
| MathDifferentiate | Differentiate | Esc mvd | 8196 | 2004 | |
| MathDifferentiateOnce | Differentiate Once | Esc mvD | 8197 | 2005 | |
| MathEvaluate | Evaluate | Esc mve | 8219 | 201B | |
| MathFactor | Factor | Esc muf | 8204 | 200C | |
| MathFactorSome | Factor Some | Esc muF | 8205 | 200D | |
| MathIntegrate | Integrate | Esc mvi | 8198 | 2006 | |
| MathDistribute | Distribute | Esc mud | 8209 | 2011 | |
| MathNumberCrunch | Number Crunch | Esc mvn | 8199 | 2007 | |
| MathShowAllDigits | Show All Digits | Esc mv. | 8200 | 2008 | |
| MathLongDivision | Long Division | Esc mdl | 8206 | 200E | |
| MathOrderinSum | Order in Sum | Esc mao | 8216 | 2018 | |
| MathOrderinSumotherway | Order in Sum other way | Esc maO | 8217 | 2019 | |
| MathPulloutoneterm | Pull Out One Term | Esc moe | 8201 | 2009 | |
| MathPullOutAllTerms | Pull out all terms | Esc moE | 8202 | 200A | |
| MathAddFractions | Add Fractions | Esc maa | 8218 | 201A | |
| MathSimplify | Simplify | Esc mos | 8192 | 2000 | TEXTSEL_DRAGGING |
| MathSimplifySome | Simplify Some | Esc moS | 8193 | 2001 | |
| MathMultiplyOut | Multiply Out | Esc mum | 8194 | 2002 | |
| MathMultiplyOutOnce | Multiply Out Once | Esc muM | 8195 | 2003 | |
| MathIsolateTerm | Isolate Term | Esc moi | 8214 | 2016 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|-------------------------|------------------------|-----------------|---------------|---------------|-----------------------------------------|
| MathEnterDefinition | Enter Definition | Esc mre | 8708 | 2204 | |
| MathApplyDefinition | Apply Definition | Esc mra | 8709 | 2205 | |
| MathDesignateDummy | Designate Dummy | Esc mrd | 5384 | 1508 | |
| MathEvalSubstitutions | Eval Substitutions | Esc mvs | 8203 | 200B | |
| MathDistributeOver | Distribute Over = | Esc muD | 8208 | 2010 | |
| MathRemoveDivision | Remove Division | Esc mdd | 8210 | 2012 | |
| MathRemoveDivisionOnce | Remove Division Once | Esc mdD | 8211 | 2013 | |
| MathRemoveNegPowers | Remove Neg Powers | Esc mdn | 8212 | 2014 | |
| MathRemoveNegPowersOnce | Remove Neg Powers Once | Esc mdN | 8213 | 2015 | |

Math – editing/navigation

| | | | | | |
|------------------------|------------------------|--------------------------------------------------|------|------|--|
| MathMoveToNextPrompt | Move To Next Prompt | Tab | 5632 | 1600 | |
| MathDelete | Delete | Ctrl+BkSp, Ctrl+u, Delete, BkSp | 5641 | 1609 | |
| MathMoveIPLeft | Move IP Left | Left | 5636 | 1604 | |
| MathMoveLeft | Move Left | Shift+Left, Ctrl+Left | 8451 | 2103 | |
| MathMoveLeftInto | Move Left Into | Ctrl+Return Ctrl+Tab, Ctrl+Shift+Left | 8452 | 2104 | |
| MathMoveLeftAllTheWay | Move Left All The Way | Alt+Ctrl+Left | 8453 | 2105 | |
| MathMoveIPRight | Move IP Right | Right | 5635 | 1603 | |
| MathMoveRight | Move Right | Shift+Right, Ctrl+Right | 8448 | 2100 | |
| MathMoveRightInto | Move Right Into | Ctrl+Return Ctrl+o, Ctrl+Shift+Right | 8449 | 2101 | |
| MathMoveRightAllTheWay | Move Right All The Way | Alt+Ctrl+Right, Ctrl+Return Ctrl+; | 8450 | 2102 | |
| MathPeriod | Period | . | 46 | 2E | |
| MathBackslash | Backslash | \ | 92 | 5C | |
| MathSpace | Space | Space | 32 | 20 | |
| MathMoveIPUp | Move IP Up | Up | 5633 | 1601 | |
| MathMoveUp | Move Up | Shift+Up, Ctrl+Up | 8454 | 2106 | |
| MathMoveIPDown | Move IP Down | Down | 5634 | 1602 | |
| MathMoveDown | Move Down | Shift+Down, Ctrl+Down | 8455 | 2107 | |
| MathSwapLeft | Swap Left | Ctrl+Return Ctrl+Left, Alt+Ctrl+Shift+Left | 8456 | 2108 | |
| MathSwapRight | Swap Right | Ctrl+Return Ctrl+Right, Alt+Ctrl+Shift+Right | 8457 | 2109 | |
| MathRemoveAllKerning | Remove All Kerning | Alt+Home, Alt+End, Alt+Shift+Home, Alt+Shift+End | 5896 | 1708 | |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|-------------------|------------------|----------|--------|--------|------------------------------|
| MathKernUp6pts | Kern Up 6 pts | | 5892 | 1704 | |
| MathKernDown6pts | Kern Down 6 pts | | 5893 | 1705 | |
| MathKernLeft6pts | Kern Left 6 pts | | 5894 | 1706 | |
| MathKernRight6pts | Kern Right 6 pts | | 5895 | 1707 | |

Math – Alignment stuff

| | | | | | |
|---------------------------|----------------------------|---------|------|------|--|
| MathAlignLeft | Align Left | Esc mal | 5952 | 1740 | |
| MathAlignRight | Align Right | Esc mar | 5953 | 1741 | |
| MathAlignCenter | Align Center | Esc mac | 5954 | 1742 | |
| MathAlignEqualR | Align Right of Equals | Esc ma= | 5958 | 1746 | |
| MathAlignEqualL | Align Left of Equals | Esc ma+ | 5959 | 1747 | |
| MathAlignSetManual | Align Set Manual | Esc mas | 5961 | 1749 | |
| MathAlignClearManual | Align Clear Manual | Esc mad | 5962 | 174A | |
| MathAlignTop | Align Top | Esc mat | 5955 | 1743 | |
| MathAlignBottom | Align Bottom | Esc maB | 5956 | 1744 | |
| MathAlignBaseline | Align Baseline | Esc mab | 5957 | 1745 | |
| MathAlignMatrixRowToggle | Align Matrix Row Toggle | Esc mtr | 5968 | 1750 | |
| MathAlignMatrixColToggle | Align Matrix Column Toggle | Esc mtc | 5965 | 174D | |
| MathSetManualLineBreak | Set Manual Line Breaks | Esc mbs | 6020 | 1784 | |
| MathClearManualLineBreaks | Clear Manual Line Breaks | Esc mbc | 6021 | 1785 | |
| MathResetAlignment | Clear Manual Line Breaks | Esc maR | 5906 | 1712 | |

Windows Commands

| | | | | | |
|---------------------|--------------------------------|--------------|------|-----|-------------------------------------------|
| PrintSetup | Print Setup... | Ctrl+Shift+p | 2314 | 90A | KBD_PRINTSETUP |
| SaveAsPdfRev | Send through email... | Esc rv | 2394 | 95A | KBD_SAVEASPDFREVIEW |
| SaveAsPdfUbiquitous | Enable commenting in Reader... | Esc fwu | 2398 | 95E | KBD_SAVEASPDFUBIQU |
| SaveAsPdfShare | Send for shared review... | Esc fws | 2399 | 95F | KBD_SAVEASPDFSHARE |
| InsertObject | Object... | Esc fib | 2323 | 913 | KBD_INSERTOBJECT |
| EditLinks | Links... | Esc ek | 2322 | 912 | KBD_EDITLINKS |
| PodsMarkers | Markers... | Esc vmk | 2410 | 96A | KBD_MARKERSPOD -- Add Marker Type by name |
| PodsXRefs | Cross-References... | Esc vpc | 2411 | 96B | KBD_XREFSPOD -- Cross-References Pod |
| FontPod | Fonts... | Esc vpf | 2406 | 966 | KBD_FONTPOD -- font pod |
| Cascade | Cascade | Shift+F4 | 2307 | 903 | KBD_WIN_CASCADE |
| Tile | Tile | Shift+F5 | 2308 | 904 | KBD_WIN_TILE |
| Consolidate | Consolidate | Shift+F6 | 2054 | 806 | KBD_FMPIP |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------------|--------------------------|-----------------|---------------|---------------|----------------------------------------------------------------|
| UiToggle | Toggle UI Visibility | Ctrl+Shift+F7 | 2055 | 807 | KBD_REFRESH_DITAMAP_RMVIEW -- Ditamap Toolbar command added |
| BookRenameOrDocStylePlain | | F2 | 2304 | 900 | KBD_RENAMEORPLAIN |
| TabLeft | | | 2310 | 906 | KBD_TAB_LEFT |
| TabCenter | | | 2311 | 907 | KBD_TAB_CENTER |
| TabRight | | | 2312 | 908 | KBD_TAB_RIGHT |
| TabDecimal | | | 2313 | 909 | KBD_TAB_DECIMAL |
| PaletteToggleHToV | | | 2317 | 90D | KBD_QACCESS_TOGGLE |
| SelPlain | Plain | | 637 | 27D | TXT_SELPLAIN -- Set chars to plain |
| SelBold | Bold | | 634 | 27A | TXT_SELBOLD -- Set chars to bold |
| SelItalic | Italic | | 635 | 27B | TXT_SELITALIC -- Set chars to italic |
| SelUnderline | Underline | | 636 | 27C | TXT_SELUNDERLINE -- Set chars to underline |
| IncFontSize | Increment Text Size 1 pt | | 287 | 11F | TXT_SELINCSIZE -- Increment text size, sel only |
| DecFontSize | Decrement Text Size 1 pt | | 288 | 120 | TXT_SELDECSIZE -- Decrement text size, sel only |
| SetToLowerCase | Lower Case | | 874 | 36A | KBD_ALLLOWERH -- like ALLLOWER, but keep text selected |
| SetToUpperCase | Upper Case | | 873 | 369 | KBD_ALLCAPH -- like ALLCAP, but keep text selected |
| SetToInitialCap | Initial Capital | | 875 | 36B | KBD_INITCAPH -- like INITCAP, but keep text selected |
| SetToSentenceCap | Sentence Case | | 1061 | 425 | KBD_SENTENCECAP -- like SENTENCECAP, but keep text selected |
| Nudge1ptUp | | | 293 | 125 | KBD_OBJUP -- Move 1 point up (gobbled) |
| Nudge1ptDown | | | 294 | 126 | KBD_OBJDOWN -- Move 1 point down (gobbled) |
| Nudge1ptLeft | | | 295 | 127 | KBD_OBJLEFT -- Move 1 point left (gobbled) |
| Nudge1ptRight | | | 296 | 128 | KBD_OBJRIGHT -- Move 1 point right (gobbled) |
| AlignGfxTop | Top Align | | 297 | 129 | KBD_OBALIGN_TOP -- Top align |
| AlignGfxBottom | Bottom Align | | 299 | 12B | KBD_OBALIGN_BOTTOM -- Bottom align |
| AlignGfxTBCenter | Top-Bottom Center Align | | 298 | 12A | KBD_OBALIGN_MIDDLE -- Top/bottom (middle) align |
| AlignGfxLeft | Left Align | | 301 | 12D | KBD_OBALIGN_LEFT -- Left justify paragraph |
| AlignGfxRight | Right Align | | 302 | 12E | KBD_OBALIGN_RIGHT -- Right justify paragraph |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|---------------------------|--------------------------|---------------------------|--------|--------|--------------------------------------------------------------------------|
| AlignGfxLRCenter | Left-Right Center Align | | 300 | 12C | KBD_OBALIGN_CENTER -- Center paragraph |
| RotateGfxClockwise | Rotate Clockwise | | 905 | 389 | KBD_ROTATE_CW_SMALL -- rotate 15 or 90 clockwise |
| RotateGfxCounterClock | Rotate CounterClockwise | | 906 | 38A | KBD_ROTATE_CCW_SMALL -- rotate 15 or 90 counterclockwise |
| HelpQAB | | | 2318 | 90E | KBD_QAB_HELP |
| WinSlavics | | Ctrl+q p, Insert q | 240 | F0 | |
| ShowNextKit | Show Next | Ctrl+F6 | 2417 | 971 | KBD_SHOWNEXT |
| ShowPrevKit | Show Previous | Ctrl+Shift+F6 | 2418 | 972 | KBD_SHOWPREV |
| ThemeLoad | LoadTheme... | Esc LT | 2420 | 974 | KBD_OWLTHEME_LOAD -- Load Owl Theme |
| ThemeSave | SaveTheme... | Esc ST | 2421 | 975 | KBD_OWLTHEME_SAVE -- Save Owl Theme |
| ToggleScreenMode | Toggle Screen Mode | Alt+Shift+Return, Esc Smt | 2424 | 978 | KBD_SCREENMODE_TOGGLE -- Toogle Screen Mode For a Document |
| SceenModeStandard | Standard Screen Mode | Esc SMs | 2425 | 979 | KBD_SCREENMODE_STANDARD -- Standard Screen Mode |
| ScreenModeFullWithUi | Full Screen Mode with UI | Esc SMu | 2426 | 97A | KBD_SCREENMODE_FULLSCREEN_UI -- Full Screen Mode with UI visible |
| ScreenModeFullScreen | Full Screen Mode | Esc SMf | 2427 | 97B | KBD_SCREENMODE_FULLSCREEN -- Full Screen Mode with only document visible |
| UiPreferences | Interface... | Esc ip | 2432 | 980 | KBD_UI_PREFERENCE -- Ui Preference Dialog |
| UiAlertStringsPreferences | Alert Strings... | Esc asp | 2433 | 981 | KBD_UIALERTSTRINGS_PREF -- Alert Strings Preference Dialog |
| ToolBarShowAll | Show All | Esc TSA | 2441 | 989 | KBD_TOOLBAR_SHOWALL -- Show All the toolbars |
| ToolBarHideAll | Hide All | Esc THA | 2442 | 98A | KBD_TOOLBAR_HIDEALL -- Hide All the toolbars |

Custom / API Client Commands

| | | | | | |
|-------------------|-----------------------------------|--|----------|---------|--|
| ETBVertToolBar | Show Vertical Toolbar | | 16780312 | 1000C18 | |
| ETBfmUgOfflinePdf | Local User guide (PDF) | | 16911384 | 1020C18 | |
| ETBfmUgOfflineChm | Local User guide (CHM) | | 16976920 | 1030C18 | |
| ETBdiagramTpl | Open diagram template | | 17042456 | 1040C18 | |
| ETBiniRef | maker.ini Reference | | 17107992 | 1050C18 | |
| ETBmifRef | MIF Reference | | 17173528 | 1060C18 | |
| ETBmmlRef | MML Reference (FM-7) | | 17239064 | 1070C18 | |
| ETBfmCustomise | Customizing FrameMaker (FM-14...) | | 17304600 | 1080C18 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|--------------------------|-------------------------------------|-----------------|---------------|---------------|-----------------------------------------------------------|
| ETBmakerIniUser | maker.ini in User area | | 17370136 | 1090C18 | |
| ETBmakerIni | maker.ini in \$HOME\$ | | 17435672 | 10A0C18 | |
| ETBfminitbrowse | fminit folder | | 17501208 | 10B0C18 | |
| ETBfmConsole | Console Log File | | 17566744 | 10C0C18 | |
| ETBuserGuide | Enhanced Toolbar User Guide | | 17632280 | 10D0C18 | |
| DDD_site | Open D+DD website for FrameMaker | | 17697816 | 10E0C18 | |
| ETBmsg | About ETB | | 17763352 | 10F0C18 | |
| CharMultiply | Multiplication | Insert x | 195 | C3 | |
| ETBPgfAlignPopup | ETB paragraph alignment... | | 17762580 | 10F0914 | |
| ETBRulerTabsPopup | ETB TAB types... | | 17828116 | 1100914 | |
| ETBPgfActionsPopup | ETB paragraph actions... | | 17893652 | 1110914 | |
| ETBCellAlignPopup | ETB Cell Alignment... | | 17959188 | 1120914 | |
| ETBChangeCasePopup | ETB Change text case... | | 18024724 | 1130914 | |
| ETBAddRowsAbove | Above | | 3986 | F92 | KBD_TBL_DLG_ADD_ABOVE -- Add table rows above |
| ETBAddRowsBelow | Below | | 3987 | F93 | KBD_TBL_DLG_ADD_BELOW -- Add table rows below |
| ETBAddColumnsToLeft | To Left | | 3988 | F94 | KBD_TBL_DLG_ADD_LEFT -- Add columns to left |
| ETBAddColumnsToRight | To Right | | 3989 | F95 | KBD_TBL_DLG_ADD_RIGHT -- Add columns to right |
| ETBSelectCell | Cell | | 4000 | FA0 | KBD_TBLSEL_CELL -- Select the current cell, then next |
| ETBSelectTextInCell | Text In Cell | | 4004 | FA4 | KBD_TBLSEL_CELLTEXT -- Select all text in the cell |
| ETBSelectRow | Row/s | | 4001 | FA1 | KBD_TBLSEL_ROW -- Select the current row, then next |
| ETBSelectColumn | Column/s | | 4002 | FA2 | KBD_TBLSEL_COL -- Select the current col, then next |
| ETBSelectColumnBodyCells | Column Body Cells | | 4005 | FA5 | KBD_TBLSEL_COLBODY -- Select all body cells in the column |
| ETBSelectTable | Table | | 4003 | FA3 | KBD_TBLSEL_TABLE -- Select the current table |
| ETBShrinkwFrame | Shrinkwrap Frame & Position Inline | | 3923 | F53 | KBD_PUTINLINE -- Shrinkwrap |
| ETBEnlargeFrame | Enlarge Frame & Position Below Line | | 3924 | F54 | KBD_ANTIPUTINLINE -- Expand (unwrap) |
| ETBLock | Toggle View-Only/Editable | | 3840 | F00 | KBD_VIEWER -- Toggle view-only document or book |
| ETBnudge | Information about nudging objects | | 17828888 | 1100C18 | |
| ETBSelectLine | Line | Ctrl+F12 | 578 | 242 | HIGH_LINE -- Highlight next line |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------------|------------------------------------|-----------------|---------------|---------------|-------------------------------------------------------|
| ETBSelectSentence | Sentence | Ctrl+F11 | 579 | 243 | HIGH_SENT -- Highlight next sentence |
| ETBSelectParagraph | Paragraph | Ctrl+F10 | 580 | 244 | HIGH_PGF -- Highlight next paragraph |
| ETBSelectLineToBegin | To Beginning of Line | Shift+Home | 1051 | 41B | HIGH_LINE_BEG -- Select line to the beginning |
| ETBSelectLineToEnd | To End of Line | Shift+End | 1052 | 41C | HIGH_LINE_END -- Select line to the end |
| ETBSelectSameCharFormat | Area with Same Char Format | Ctrl+F8 | 1301 | 515 | HIGH_SAMECEB -- Select text with the same char fmt |
| ETBSelectSameCondTags | Area with Same Condition | Ctrl+F7 | 1302 | 516 | HIGH_SAMECOND -- Select text with the same conditions |
| ETBExtendToTopOfColumn | To Top of Column | Shift+PgUp | 1047 | 417 | HIGH_COL_TOP -- Extend to top of column |
| ETBExtendToBottomOfColumn | To Bottom of Column | Shift+PgDn | 1048 | 418 | HIGH_COL_BOT -- Extend to bottom of column |
| ETBExtendToStartOfFlow | To Start of Flow | Ctrl+PgUp | 1049 | 419 | HIGH_FLOW_BEG -- Extend to beginning of flow |
| ETBExtendToEndOfFlow | To End of Flow | Ctrl+PgDn | 1050 | 41A | HIGH_FLOW_END -- Extend to end of flow |
| ETBSelectAll | All in Flow | | 807 | 327 | KBD_SELECTALL |
| ETBTabLeft | Left Tab | | 2310 | 906 | KBD_TAB_LEFT |
| ETBTabCenter | Center Tab | | 2311 | 907 | KBD_TAB_CENTER |
| ETBTabRight | Right Tab | | 2312 | 908 | KBD_TAB_RIGHT |
| ETBTabDecimal | Decimal Tab | | 2313 | 909 | KBD_TAB_DECIMAL |
| ETBParaTopOfPage | Place Pgf at Top of Page | | 650 | 28A | PGF_PAGETOP -- Start at top of page |
| ETBParaTopOfLeftPage | Place Pgf at Top of Left Page | | 652 | 28C | PGF_LEFTTOP -- Start at top of left page |
| ETBParaTopOfRightPage | Place Pgf at Top of Right Page | | 653 | 28D | PGF_RIGHTTOP -- Start at top of right page |
| ETBParaTopOfColumn | Place Pgf at Top of Column | | 651 | 28B | PGF_COLTOP -- Start at top of column |
| ETBParaAnywhere | Place Pgf Anywhere | | 654 | 28E | PGF_ANYPLACE -- Start anywhere |
| ETBMoveIPOutOfTable | Place Cursor After Table Anchor | | 4032 | FC0 | KBD_TABLE_EXIT_IP -- Move IP out of table |
| ETBCutTableRows | Cut table row(s) | | 4001 | FA1 | KBD_TBLSEL_ROW -- Select the current row, then next |
| ETBCutTableCols | Cut table column(s) | | 4002 | FA2 | KBD_TBLSEL_COL -- Select the current col, then next |
| ETBGoToMasterPage | Go to a Specific Master Page... | | 835 | 343 | KBD_MASTERPAGE |
| ETBGoToRefPage | Go to a Specific Reference Page... | | 836 | 344 | KBD_REFPAGE |
| ToolBar_gfx | Graphics Toolbar | | 2447 | 98F | KBD_TOOLBAR_BASE -- ToolBar Selected from Menu |
| tb_qck | Quick Access Bar | Esc vq | 67983 | 1098F | |
| tb_txt_fmt | Text Formatting | Esc Vte | 199055 | 3098F | |
| tb_tbl_fmt | Table Formatting | Esc Vta | 264591 | 4098F | |
| tb_para_fmt | Paragraph Formatting | Esc Vpa | 330127 | 5098F | |
| tb_obj_align | Object Alignment | Esc Voa | 395663 | 6098F | |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|---------------------|-------------------|----------|--------|--------|------------------------------|
| tb_obj_prop | Object Properties | Esc Vop | 461199 | 7098F | |
| tb_tr_ch | Track Text Edits | Esc Ve | 526735 | 8098F | |
| tb_dir | Direction Toolbar | Esc vq | 592271 | 9098F | |
| FM_Switch_To_View_1 | | Esc S1 | 3574 | DF6 | KBD_VIEW_SWITCH |
| FM_Switch_To_View_2 | | Esc S2 | 3574 | DF6 | KBD_VIEW_SWITCH |

Script Commands

| | | | | | |
|----------------------------------|----------------------------------------------------------------------|----------|---------|--------|-----------------------------------------|
| ESLMRUN | Run... | Esc ES | 3568 | DF0 | KBD_API -- Dynamic (API clients/config) |
| ESLMREG | Install... | Esc EI | 69104 | 10DF0 | |
| ESLMDREG | Uninstall... | Esc EU | 134640 | 20DF0 | |
| ESLMSWIN | Script Window... | Esc EW | 200176 | 30DF0 | |
| ESLMOPTS | Options... | Esc EO | 265712 | 40DF0 | |
| ESLMCOMP | Compile... | Esc EC | 331248 | 50DF0 | |
| ESLMRU_1 | H:\Adobe\FM-addons\Fscript_7\SampleScripts\ BodyPagePgfcCount.fsl | Esc EA1 | 396784 | 60DF0 | |
| ESLMACTIVATE | Activate... | Esc EAC | 462320 | 70DF0 | |
| ESLMDEACTIVATE | Deactivate... | Esc EDAC | 527856 | 80DF0 | |
| ESLSSRUN100 | Dummy | | 593392 | 90DF0 | |
| iFrameInfo | [i]-frame Help v1.8.0 | | 790000 | C0DF0 | |
| iFrameTemplateTool* | Report: All Formats (Template Tool) * | | 1052144 | 100DF0 | |
| iFrameTemplateTool | Report: All Formats (Template Tool) | | 1117680 | 110DF0 | |
| iFrameTemplateToolOptions | Report: All Formats (Template Tool) | | 1183216 | 120DF0 | |
| iFrameDocTOC | Insert/Update DocTOC | Esc DT | 1248752 | 130DF0 | |
| iFrameDocTOCOptions | Insert/Update DocTOC | | 1314288 | 140DF0 | |
| iFrameFixLineBreaks | TOC: Fix Line Breaks | | 1379824 | 150DF0 | |
| iFrameGraphScale_SpecifyDefaults | Settings ... | Esc gsd | 1445360 | 160DF0 | |
| iFrameGraphScale_About | ____ GRAPHIC ____ | | 1510896 | 170DF0 | |
| iFrameGraphScale_Grph2Frame | Fit All into Frame | Esc gff | 1576432 | 180DF0 | |
| iFrameGraphScale_Grph2FWidth | Scale to Frame Width | Esc gfw | 1641968 | 190DF0 | |
| iFrameGraphScale_Grph2FHeight | Scale to Frame Height | Esc gfh | 1707504 | 1A0DF0 | |
| iFrameGraphScale_GrphOriginal | Scale - Original Size | Esc gfo | 1773040 | 1B0DF0 | |
| iFrameGraphScale_GrphWidth | Scale - Define Width | Esc grw | 1838576 | 1C0DF0 | |
| iFrameGraphScale_GrphHeight | Scale - Define Height | Esc grh | 1904112 | 1D0DF0 | |
| iFrameGraphScale_GrphCenter | Center | Esc gc | 1969648 | 1E0DF0 | |
| iFrameGraphScale_GrphInfo | Info | Esc gi | 2035184 | 1F0DF0 | |
| iFrameGraphScale_Frame | ____ FRAME ____ | | 2100720 | 200DF0 | |
| iFrameGraphScale_Frame2GrphW | Scale to Graphic Width | Esc gtw | 2166256 | 210DF0 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|--------------------------------|--------------------------------------------|-----------------|---------------|---------------|-----------------------------------------|
| iFrameGraphScale_Frame2GrphH | Scale to Graphic Height | Esc gth | 2231792 | 220DF0 | |
| iFrameGraphScale_Frame2Grph | Adjust to Graphic | Esc gtg | 2297328 | 230DF0 | |
| iFrameGraphScale_Enhanced | _____ GRAPHIC & FRAME _____ | | 2362864 | 240DF0 | |
| iFrameGraphScale_EnhColWidth | Scale to Text Column Width | Esc gec | 2428400 | 250DF0 | |
| iFrameGraphScale_EnhFrmWidth | Scale to Text Frame Width | Esc gef | 2493936 | 260DF0 | |
| iFrameGraphScale_EnhAllWidth | Scale to Text Frame Width (incl. Sidehead) | Esc gea | 2559472 | 270DF0 | |
| iFrameGraphScale_EnhGlobal | Scale Globally ... | | 2690544 | 290DF0 | |
| iFrameMultiCatalog* | Multi Catalog * | Esc mc | 2821616 | 2B0DF0 | |
| iFrameMultiCatalog | Multi Catalog | Esc mc | 2952688 | 2D0DF0 | |
| iFrameMultiCatalogOptions | Multi Catalog | | 3018224 | 2E0DF0 | |
| iFrameTableNavigation | Table Navigation (Toggle) | | 3083760 | 2F0DF0 | |
| iFrameTableNavOptions | Table Navigation: Options ... | | 3149296 | 300DF0 | |
| iFrameCheckOpenFmBackup | Ask When Opening Backup Documents (Toggle) | | 3214832 | 310DF0 | |
| iFrameCheckOpenFmBackupOptions | Ask When Opening Backup Documents (Toggle) | | 3280368 | 320DF0 | |
| iFrameGroupPluginMenus* | Group Plug-in Menus * | | 3345904 | 330DF0 | |
| iFrameGroupPluginMenus | Group Plug-in Menus | | 3476976 | 350DF0 | |
| iFrameGroupPluginMenusOptions | Group Plug-in Menus: Options | | 3542512 | 360DF0 | |
| iFrameMetricsPalette | Metrics Palette ... | Alt+Ctrl+p | 3608048 | 370DF0 | |
| iFrameMetricsPaletteOptions | Metrics Palette ... | | 3673584 | 380DF0 | |
| iFrameShowQuickNewDoc | New Doc (1-Click) (Toggle) | | 3739120 | 390DF0 | |
| iFrameShowQuickNewDocOptions | New Doc (1-Click): Options ... | | 3804656 | 3A0DF0 | |
| iFrameQuickNewDocLandscape | New Document (Landscape) | Ctrl+Shift+n | 3935728 | 3C0DF0 | |
| iFrameRemoveFontMenu | Hide Font Menus (Toggle) | | 4001264 | 3D0DF0 | |
| iFrameRemoveFontMenuOptions | Hide Font Menus (Toggle) | | 4066800 | 3E0DF0 | |
| iFrameCopyGraphicProps* | Graphic Properties: Copy * | | 4132336 | 3F0DF0 | |
| iFrameApplyGraphicProps* | Graphic Properties: Apply * | | 4197872 | 400DF0 | |
| iFrameCopyGraphicProps | Graphic Properties: Copy | | 4263408 | 410DF0 | |
| iFrameCopyGraphicPropsOptions | Graphic Properties: Copy | | 4328944 | 420DF0 | |
| iFrameApplyGraphicProps | Graphic Properties: Apply | | 4394480 | 430DF0 | |
| iFrameApplyGraphicPropsOptions | Graphic Properties: Apply | | 4460016 | 440DF0 | |
| iFrameReplaceColors* | Replace ... * | | 4525552 | 450DF0 | |
| iFrameDeleteUnusedColors* | Delete unused ... * | | 4591088 | 460DF0 | |
| iFrameReplaceColors | Replace Colors ... | | 4656624 | 470DF0 | |
| iFrameReplaceColorsOptions | Replace Colors ... | | 4722160 | 480DF0 | |
| iFrameReportOverrides | Report: Format Overrides ... | | 4787696 | 490DF0 | |
| iFrameReportOverridesOptions | Report: Format Overrides ... | | 4853232 | 4A0DF0 | |
| iFrameSaveFileAsMif* | Save As MIF * | | 4918768 | 4B0DF0 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|-------------------------------------|--------------------------------------------|-----------------|---------------|---------------|-----------------------------------------|
| iFrameSaveAllOpenFilesAsMif* | Save All Open Files As MIF * | | 4984304 | 4C0DF0 | |
| iFrameSaveFileAsMif7* | Save As MIF 7.0 * | | 5049840 | 4D0DF0 | |
| iFrameSaveAllOpenFilesAsMif7* | Save All Open Files As MIF 7.0 * | | 5115376 | 4E0DF0 | |
| iFrameSaveBookAsMif* | Save Book As MIF * | | 5180912 | 4F0DF0 | |
| iFrameSaveAllBookFilesAsMif* | Save All Files in Book As MIF * | | 5246448 | 500DF0 | |
| iFrameSaveBookAsMif7* | Save Book As MIF 7.0 * | | 5311984 | 510DF0 | |
| iFrameSaveAllBookFilesAsMif7* | Save All Files in Book As MIF 7.0 * | | 5377520 | 520DF0 | |
| iFrameSaveAllBooksAsMif* | Save All Books As MIF * | | 5443056 | 530DF0 | |
| iFrameSaveAllBookFilesExAsMif* | Save All Files in All Books As MIF * | | 5508592 | 540DF0 | |
| iFrameSaveAllBooksAsMif7* | Save All Books As MIF 7.0 * | | 5574128 | 550DF0 | |
| iFrameSaveAllBookFilesExAsMif7* | Save All Files in All Books As MIF 7.0 * | | 5639664 | 560DF0 | |
| iFrameConvertMif2FM* | Convert MIF to FM (Folder) ... * | | 5705200 | 570DF0 | |
| iFrameSaveAllOpenFilesAsMif | Convert: Save All Open Files As MIF | | 5770736 | 580DF0 | |
| iFrameSaveAllOpenFilesAsMifOptions | Convert: Save All Open Files As MIF | | 5836272 | 590DF0 | |
| iFrameSaveAllBookFilesAsMif | Convert: Save All Files in Book As MIF | | 5901808 | 5A0DF0 | |
| iFrameSaveAllBookFilesAsMifOptions | Convert: Save All Files in Book As MIF | | 5967344 | 5B0DF0 | |
| iFrameSaveAllOpenFilesAsMif7 | Convert: Save All Open Files As MIF 7.0 | | 6032880 | 5C0DF0 | |
| iFrameSaveAllOpenFilesAsMif7Options | Convert: Save All Open Files As MIF 7.0 | | 6098416 | 5D0DF0 | |
| iFrameSaveAllBookFilesAsMif7 | Convert: Save All Files in Book As MIF 7.0 | | 6163952 | 5E0DF0 | |
| iFrameSaveAllBookFilesAsMif7Options | Convert: Save All Files in Book As MIF 7.0 | | 6229488 | 5F0DF0 | |
| iFrameConvertMif2FM | Convert: MIF to FM (Folder) ... | | 6295024 | 600DF0 | |
| iFrameConvertMif2FMOptions | Convert: MIF to FM (Folder) ... | | 6360560 | 610DF0 | |
| iFrameOWPShowCharInfo* | OWP Char Info ... * | Ctrl+y, Esc ci | 6491632 | 630DF0 | |
| iFrameOWPPalette | OWP Palette ... | Esc op | 6688240 | 660DF0 | |
| iFrameOWPPaletteOptions | OWP Palette ... | | 6753776 | 670DF0 | |
| iFrameOWPShowCharInfo | OWP Char Info ... | Ctrl+y, Esc ci | 6819312 | 680DF0 | |
| iFrameOWPShowCharInfoOptions | OWP Char Info ... | | 6884848 | 690DF0 | |
| iFrameMoveUnusedInsets | Move Unused Graphics/Insets ... | | 6950384 | 6A0DF0 | |
| iFrameMoveUnusedInsetsOptions | Move Unused Graphics/Insets ... | | 7015920 | 6B0DF0 | |
| iFrameGotoPage | Go to Page ... | Ctrl+Shift+g | 7081456 | 6C0DF0 | |
| iFrameGotoPageOptions | Go to Page ... | | 7146992 | 6D0DF0 | |
| iFrameGotoPage* | Go to Page (Book) ... * | Ctrl+Shift+g | 7212528 | 6E0DF0 | |
| iFrameGotoPageBook* | Go to Page ... * | Ctrl+Shift+g | 7278064 | 6F0DF0 | |
| iFrameOpenDocsSilently | Open All Files in Book (silently) | | 7343600 | 700DF0 | |
| iFrameOpenDocsOptions | Open All Files in Book: Options ... | | 7409136 | 710DF0 | |
| iFrameOpenDocsSilently* | Open All Files in Book (silently) * | | 7474672 | 720DF0 | |
| iFrameOpenDocFolder | Open Doc Folder | Ctrl+Shift+e | 7540208 | 730DF0 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|------------------------------------|----------------------------------------|-----------------|---------------|---------------|-----------------------------------------|
| iFrameOpenDocFolderOptions | Open Doc Folder: Options | | 7605744 | 740DF0 | |
| iFrameFMArchive | Pack & Go ... | | 7671280 | 750DF0 | |
| iFrameFMArchiveOptions | Pack & Go ... | | 7736816 | 760DF0 | |
| iFrameSortPgfSections | Sort Paragraph Sections ... | | 7802352 | 770DF0 | |
| iFrameSortPgfSectionsOptions | Sort Paragraph Sections ... | | 7867888 | 780DF0 | |
| iFrameSortTableRows | Sort Table Rows ... | | 7933424 | 790DF0 | |
| iFrameSortTableRowsOptions | Sort Table Rows ... | | 7998960 | 7A0DF0 | |
| iFrameSortTableRows* | Sort Rows ... * | | 8064496 | 7B0DF0 | |
| iFrameCollectBookFormats | Collect Book Formats ... | | 8130032 | 7C0DF0 | |
| iFrameCollectBookFormatsOptions | Collect Book Formats ... | | 8195568 | 7D0DF0 | |
| iFrameImportVariableData | Import Variable Data (XLS/MDB) ... | | 8261104 | 7E0DF0 | |
| iFrameImportVariableDataOptions | Import Variable Data (XLS/MDB) ... | | 8326640 | 7F0DF0 | |
| iFrameInsertConditionNames | Insert Condition Tags | | 8392176 | 800DF0 | |
| iFrameInsertConditionNamesOptions | Insert Condition Tags | | 8457712 | 810DF0 | |
| iFrameReportAllColors | Report: Colors | | 8523248 | 820DF0 | |
| iFrameReportAllColorsOptions | Report: Colors | | 8588784 | 830DF0 | |
| iFrameReportElementDefs | Report: Element Definitions | | 8654320 | 840DF0 | |
| iFrameReportElementDefsOptions | Report: Element Definitions | | 8719856 | 850DF0 | |
| iFrameReportFormats | Report: Paragraph and Char Formats | | 8785392 | 860DF0 | |
| iFrameReportFormatsOptions | Report: Paragraph and Char Formats | | 8850928 | 870DF0 | |
| iFrameCreateVariableList | Report: Variable Definitions ... | | 8916464 | 880DF0 | |
| iFrameCreateVariableListOptions | Report: Variable Definitions ... | | 8982000 | 890DF0 | |
| iFrameTransferVariables | Transfer Variable Definitions ... | | 9047536 | 8A0DF0 | |
| iFrameTransferVariablesOptions | Transfer Variable Definitions: Options | | 9113072 | 8B0DF0 | |
| iFrameAlignSideHeads | Align Side Heads | | 9178608 | 8C0DF0 | |
| iFrameAlignSideHeadsOptions | Align Side Heads | | 9244144 | 8D0DF0 | |
| iFrameComparePgfFmts | Compare Paragraph Formats ... | | 9309680 | 8E0DF0 | |
| iFrameComparePgfFmtsOptions | Compare Paragraph Formats ... | | 9375216 | 8F0DF0 | |
| iFrameCharFormatgingsToTags | Convert Character Formatgings to Tags | | 9440752 | 900DF0 | |
| iFrameCharFormatgingsToTagsOptions | Convert Character Formatgings to Tags | | 9506288 | 910DF0 | |
| iFrameCountTableRows | Count Table Rows | | 9571824 | 920DF0 | |
| iFrameCountTableRowsOptions | Count Table Rows | | 9637360 | 930DF0 | |
| iFrameBookOfTextInsets | Create Book of Text Insets | | 9702896 | 940DF0 | |
| iFrameBookOfTextInsetsOptions | Create Book of Text Insets | | 9768432 | 950DF0 | |
| iFrameGetTemplateVersion | Get Template Version | | 9833968 | 960DF0 | |
| iFrameGetTemplateVersionOptions | Get Template Version | | 9899504 | 970DF0 | |
| iFrameInsertLineCounter | Insert Line Counter | | 9965040 | 980DF0 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|------------------------------------|------------------------------------------|-----------------|---------------|---------------|-----------------------------------------|
| iFrameInsertLineCounterOptions | Insert Line Counter | | 10030576 | 990DF0 | |
| iFrameOpenFScriptIni | Open Configuration File fscript.ini | | 10096112 | 9A0DF0 | |
| iFrameOpenFScriptIniLocal | Open Local fscript.ini | | 10161648 | 9B0DF0 | |
| iFrameOpenMakerIni | Open Configuration File maker.ini | | 10227184 | 9C0DF0 | |
| iFrameOpenMakerIniLocal | Open Local maker.ini | | 10292720 | 9D0DF0 | |
| iFrameOpenFMConsole | Open FM Console | | 10358256 | 9E0DF0 | |
| iFrameOpenFMConsoleOptions | Open FM Console | | 10423792 | 9F0DF0 | |
| iFrameRefreshDisplay | Refresh Display | Ctrl+I | 10489328 | A00DF0 | |
| iFrameRefreshDisplayOptions | Refresh Display | | 10554864 | A10DF0 | |
| iFrameRemoveCharTags | Remove Char Tags ... | | 10620400 | A20DF0 | |
| iFrameRemoveCharTagsOptions | Remove Char Tags ... | | 10685936 | A30DF0 | |
| iFrameReportCommands | Report: FM Commands | | 10751472 | A40DF0 | |
| iFrameReportCommandsOptions | Report: FM Commands | | 10817008 | A50DF0 | |
| iFrameReportPgfOverrides | Report: Paragraph Format Overrides | | 10882544 | A60DF0 | |
| iFrameReportPgfOverridesOptions | Report: Paragraph Format Overrides | | 10948080 | A70DF0 | |
| iFrameSearchDocInBook | Search Document in Book ... | | 11013616 | A80DF0 | |
| iFrameSearchDocInBookOptions | Search Document in Book: Options ... | | 11079152 | A90DF0 | |
| iFrameSelectAnchor | Select Anchor | Esc sa | 11144688 | AA0DF0 | |
| iFrameSelectAnchorOptions | Select Anchor | | 11210224 | AB0DF0 | |
| iFrameSetDocPosition | Set Document Window Position | | 11275760 | AC0DF0 | |
| iFrameSetDocPositionOptions | Set Document Window Position: Options | | 11341296 | AD0DF0 | |
| iFrameTileBookWindows | Tile Book Windows | Ctrl+Shift+b | 11406832 | AE0DF0 | |
| iFrameTileBookWindowsOptions | Tile Book Windows: Options | | 11472368 | AF0DF0 | |
| iFrameSetRunaroundToNone | Turn Text Runaround Off for All Graphics | | 11537904 | B00DF0 | |
| iFrameSetRunaroundToNoneOptions | Turn Text Runaround Off for All Graphics | | 11603440 | B10DF0 | |
| iFrameDeleteEmptyTextLines | Delete Empty Textlines ... | | 11668976 | B20DF0 | |
| iFrameDeleteEmptyTextLinesOptions | Delete Empty Textlines ... | | 11734512 | B30DF0 | |
| iFrameRemoveConditions | Remove Conditions ... | | 11800048 | B40DF0 | |
| iFrameRemoveConditionsOptions | Remove Conditions ... | | 11865584 | B50DF0 | |
| iFrameRemoveUnusedFmts | Remove Unused Formats ... | | 11931120 | B60DF0 | |
| iFrameRemoveUnusedFmtsOptions | Remove Unused Formats ... | | 11996656 | B70DF0 | |
| iFrameCheckConditionFormats | Report: Condition Formats | | 12062192 | B80DF0 | |
| iFrameCheckConditionFormatsOptions | Report: Condition Formats | | 12127728 | B90DF0 | |
| iFrameReportFontUsage | Report: Font Usage | | 12193264 | BA0DF0 | |
| iFrameReportFontUsageOptions | Report: Font Usage | | 12258800 | BB0DF0 | |
| iFrameMasterPageUsage | Report: Master Page Usage ... | | 12324336 | BC0DF0 | |
| iFrameMasterPageUsageOptions | Report: Master Page Usage ... | | 12389872 | BD0DF0 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|-------------------------------------|---------------------------------------------|-----------------|---------------|---------------|-----------------------------------------|
| iFramePaginationAndNumbering | Report: Pagination and Numbering | | 12455408 | BE0DF0 | |
| iFramePaginationAndNumberingOptions | Report: Pagination and Numbering | | 12520944 | BF0DF0 | |
| iFrameReportReferencedInsets | Report: Referenced Graphics/Insets ... | | 12586480 | C00DF0 | |
| iFrameReportReferencedInsetsOptions | Report: Referenced Graphics/Insets ... | | 12652016 | C10DF0 | |
| iFrameReportTables | Report: Tables | | 12717552 | C20DF0 | |
| iFrameReportTablesOptions | Report: Tables | | 12783088 | C30DF0 | |
| iFrameReportUFrames | Report: Unanchored Frames | | 12848624 | C40DF0 | |
| iFrameReportUFramesOptions | Report: Unanchored Frames | | 12914160 | C50DF0 | |
| iFramePgfOverrides | Show Paragraph Format Overrides | | 12979696 | C60DF0 | |
| iFramePgfOverridesOptions | Show Paragraph Format Overrides: Options | | 13045232 | C70DF0 | |
| iFrameChangeIndexSortOrder | Change Index Sort Order ... | | 13110768 | C80DF0 | |
| iFrameChangeIndexSortOrderOptions | Change Index Sort Order ... | | 13176304 | C90DF0 | |
| iFrameUpdateXRefsEx | Cross-Ref Update (Extended) | | 13241840 | CA0DF0 | |
| iFrameUpdateXRefsExOptions | Cross-Ref Update (Extended): Options | | 13307376 | CB0DF0 | |
| iFrameFindTextOverflow | Find Text Overflow | Esc to | 13372912 | CC0DF0 | |
| iFrameFindTextOverflowOptions | Find Text Overflow | | 13438448 | CD0DF0 | |
| iFrameStatistics | FM Statistics ... | | 13503984 | CE0DF0 | |
| iFrameStatisticsOptions | FM Statistics ... | | 13569520 | CF0DF0 | |
| iFrameMoveMarkerForTrans | Move Markers for Translation ... | | 13635056 | D00DF0 | |
| iFrameMoveMarkerForTransOptions | Move Markers for Translation ... | | 13700592 | D10DF0 | |
| iFrameRemoveAllConditions | Remove All Conditions ... | | 13766128 | D20DF0 | |
| iFrameRemoveAllConditionsOptions | Remove All Conditions ... | | 13831664 | D30DF0 | |
| iFrameRenameBookComps | Rename Book Components ... | | 13897200 | D40DF0 | |
| iFrameRenameBookCompsOptions | Rename Book Components ... | | 13962736 | D50DF0 | |
| iFrameCreateCharList | Report: CharList | | 14028272 | D60DF0 | |
| iFrameCreateCharListOptions | Report: CharList | | 14093808 | D70DF0 | |
| MIF_WASH_BOOKMenu | Book MIF Wash | Esc MW | 17370608 | 1090DF0 | |
| OPEN_BOOKMenu | Open all Book Components(Suppress Warnings) | Esc OA | 17436144 | 10A0DF0 | |
| BookWordCountMenu | Book Word Count | | 14290416 | DA0DF0 | |
| BookErrLog | Book Error Log | | 14355952 | DB0DF0 | |
| DitamapErrLog | Ditamap Error Log | | 14421488 | DC0DF0 | |
| PDFSizeFile | Optimize File... | | 14552560 | DE0DF0 | |
| background color | Background Color | | 14814704 | E20DF0 | |
| lightning1 | Lights From File | | 14880240 | E30DF0 | |
| lightning2 | No Lights | | 14945776 | E40DF0 | |
| lightning3 | White Lights | | 15011312 | E50DF0 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|----------------------------------|----------------------------------|-----------------|---------------|---------------|-----------------------------------------|
| lightning4 | Day Lights | | 15076848 | E60DF0 | |
| lightning5 | Bright Lights | | 15142384 | E70DF0 | |
| lightning6 | Primary Color Lights | | 15207920 | E80DF0 | |
| lightning7 | Night Lights | | 15273456 | E90DF0 | |
| lightning8 | Blue Lights | | 15338992 | EA0DF0 | |
| lightning9 | Red Lights | | 15404528 | EB0DF0 | |
| lightning10 | Cube Lights | | 15470064 | EC0DF0 | |
| lightning11 | CAD Optimized Lights | | 15535600 | ED0DF0 | |
| lightning12 | Headlamp | | 15601136 | EE0DF0 | |
| Existing Views | Show Existing Views | | 15666672 | EF0DF0 | |
| Bounding Box | Bounding Box | | 15732208 | F00DF0 | |
| Transparent Bounding Box | Transparent Bounding Box | | 15797744 | F10DF0 | |
| Transparent Bounding Box Outline | Transparent Bounding Box Outline | | 15863280 | F20DF0 | |
| Vertices | Vertices | | 15928816 | F30DF0 | |
| Shaded Vertices | Shaded Vertices | | 15994352 | F40DF0 | |
| Wireframe | Wireframe | | 16059888 | F50DF0 | |
| Shaded Wireframe | Shaded Wireframe | | 16125424 | F60DF0 | |
| Solid | Solid | | 16190960 | F70DF0 | |
| Transparent | Transparent | | 16256496 | F80DF0 | |
| Solid Wireframe | Solid Wireframe | | 16322032 | F90DF0 | |
| Transparent Wireframe | Transparent Wireframe | | 16387568 | FA0DF0 | |
| Illustration | Illustration | | 16453104 | FB0DF0 | |
| Solid Outline | Solid Outline | | 16518640 | FC0DF0 | |
| Shaded Illustration | Shaded Illustration | | 16584176 | FD0DF0 | |
| Hidden Wireframe | Hidden Wireframe | | 16649712 | FE0DF0 | |
| Set javascript file | Select JavaScript... | | 16715248 | FF0DF0 | |
| Link to text | Link to text... | | 16780784 | 1000DF0 | |
| u3d properties | Properties... | | 16846320 | 1010DF0 | |
| ImportPDFComments | PDF Comments... | Esc pdf | 16911856 | 1020DF0 | |
| ReviewMenuImportPDFComments | From Review PDF | | 16977392 | 1030DF0 | |
| UnlInput_Cmd | Hex Input... | | 17042928 | 1040DF0 | |
| CharPalette_Cmd | Character Palette... | | 17108464 | 1050DF0 | |
| NewQrcodeCmd | Generate QR Code... | Esc QN | 17239536 | 1070DF0 | |
| EditQrcodeCmd | Edit QR Code... | Esc QE | 17305072 | 1080DF0 | |
| TPUBforFMDoc | Publish | Esc ph | 17501680 | 10B0DF0 | |
| TPUBforBook | Publish | Esc ph | 17567216 | 10C0DF0 | |
| TPUBforDitaMap | Publish | Esc ph | 17632752 | 10D0DF0 | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|----------------------------------|------------------------------------------|-----------------|---------------|---------------|-----------------------------------------|
| AEMReviewforFMDoc | Review Comments... | Esc ram | 17763824 | 10F0DF0 | |
| AEMReviewforDitaMap | Review Comments... | Esc ram | 17960432 | 1120DF0 | |
| ScriptOpen | Run | Esc so | 18025968 | 1130DF0 | |
| ScriptCatalog | Catalog | Esc sx | 18091504 | 1140DF0 | |
| ScriptNew | New Script.. | | 18157040 | 1150DF0 | |
| SiD_InitializePlugin | Initialise Plugin | | 18222576 | 1160DF0 | |
| Split Document | Split Current Document | | 18288112 | 1170DF0 | |
| UpdateMathML | Update MathML Equations | Esc Uae | 18353648 | 1180DF0 | |
| ETB_Info | FM Information | | 18419184 | 1190DF0 | |
| ETB_InsertSymbol | Insert special symbol [ETB] | | 18484720 | 11A0DF0 | |
| ETB_EditingDisplay | Document Editing Display [ETB] | Esc qqe | 18550256 | 11B0DF0 | |
| ETB_PrintingDisplay | Document Printing Display [ETB] | Esc qqp | 18615792 | 11C0DF0 | |
| ETB_ToSentenceCap | Sentence caps [ETB] | | 18681328 | 11D0DF0 | |
| ETB_Refresh | Re-gain screen display [ETB] | | 18746864 | 11E0DF0 | |
| ETB_DocSaveOld | Save document as old version ... | Esc qso | 18812400 | 11F0DF0 | |
| ETB_DocNav | Document Navigation ETB | Esc qdn | 18877936 | 1200DF0 | |
| ETB_InfoB | FM Information | | 18943472 | 1210DF0 | |
| ETB_BookSaveOld | Save book as old version | Esc qso | 19009008 | 1220DF0 | |
| FMcalc_Docu | Documentation | Esc qmd | 19402224 | 1280DF0 | |
| FMcalc_DocAll | (Re-) Calculate in document | Esc qcd | 19140080 | 1240DF0 | |
| FMcalc_CMarker | Handle #calc Markers... | Esc qmc | 19205616 | 1250DF0 | |
| FMcalc_SMarker | Handle #series Markers... | Esc qms | 19271152 | 1260DF0 | |
| FMcalc_Settings | Document Settings... | Esc qmz | 19336688 | 1270DF0 | |
| FMcalc_BookAll | (Re-) Calculate in book | Esc qcb | 19467760 | 1290DF0 | |
| FMnotes_Docu | Documentation | Esc qnd | 19533296 | 12A0DF0 | |
| FMnotes_EnhFootnotes | Enhance Footnotes | Esc qnf | 19598832 | 12B0DF0 | |
| FMnotes_CnvFootnotes | Convert to Endnotes | Esc qne | 19664368 | 12C0DF0 | |
| FMnotes_InsEndnote | Insert Endnote | Esc qni | 19729904 | 12D0DF0 | |
| FMnotes_BackToInsPt | Back to Insert Point | Esc qnb | 19795440 | 12E0DF0 | |
| FMnotes_InsSidenote | Insert Sidenote | Esc qns | 19860976 | 12F0DF0 | |
| ImportFormatsSpecial | Import Formats Special... | | 19926512 | 1300DF0 | |
| WriteParagraphFormatSamplesCmd | Write Paragraph Format Samples | | 19992048 | 1310DF0 | |
| MakeParagraphFormatsByExampleCmd | Make/Update Paragraph Formats By Example | | 20057584 | 1320DF0 | |
| RemovePgfOverridesCmd | Remove Paragraph Format Overrides | | 20123120 | 1330DF0 | |
| DeleteUnusedPgfFmtsCmd | Delete Unused Paragraph Formats | | 20188656 | 1340DF0 | |
| TemplateToolsHelpCmd | TemplateTools Help... | | 20254192 | 1350DF0 | |

| Command Name | Command Label | Shortcut | FC Dec | FC Hex | FDK Name & Comments fcodes.h |
|------------------------------|----------------------------------|----------|----------|---------|------------------------------|
| ScriptHistory0 | 1. FMfindRepl.jsx | | 20319728 | 1360DF0 | |
| ScriptHistory1 | 2. ListCommands-16.jsx | | 20385264 | 1370DF0 | |
| ScriptHistory2 | 3. Archive-v2.jsx | | 20450800 | 1380DF0 | |
| ScriptHistory3 | 4. InsertVariable.jsx | | 20516336 | 1390DF0 | |
| ScriptHistory4 | 5. Test_Arc2.jsx | | 20581872 | 13A0DF0 | |
| ShowReviewPanel | Show Review Panel | | 20647408 | 13B0DF0 | |
| ADOBE_XLIFF_CMD_EXPORT_XLIFF | Export to XLIFF 1.2 | | 20712944 | 13C0DF0 | |
| ADOBE_XLIFF_CMD_IMPORT_XLIFF | Import XLIFF | | 20778480 | 13D0DF0 | |
| LaunchCaptivateCmd | Adobe Captivate | Esc CD | 20844016 | 13E0DF0 | |
| InsertMovieDemo | Adobe Captivate Demo | Esc SF | 20909552 | 13F0DF0 | |
| EditDemoCmd | Adobe Captivate | Esc ST | 20975088 | 1400DF0 | |
| IllustratorLaunch | Illustrator | Esc li | 21040624 | 1410DF0 | |
| IllustratorEdit | Illustrator | Esc il | 21106160 | 1420DF0 | |
| ApplyMasterPages | Apply Master Pages... | Esc MP | 21237232 | 1440DF0 | |
| ApplyMasterPagesBook | Apply Master Pages... | Esc MP | 21302768 | 1450DF0 | |
| Package | Package... | Esc Flp | 21368304 | 1460DF0 | |
| photoshopLaunch | Photoshop | Esc fl | 21433840 | 1470DF0 | |
| photoshopEdit | Photoshop | Esc gl | 21499376 | 1480DF0 | |
| Item_DropdownCaptionTag | Drop Down Caption | | 21564912 | 1490DF0 | |
| Item_DropdownBodyTag | Drop Down Body | | 21630448 | 14A0DF0 | |
| Item_ExpandingCaptionTag | Expanding Text Caption | | 21695984 | 14B0DF0 | |
| Item_ExpandingBodyTag | Expanding Text Body | | 21761520 | 14C0DF0 | |
| Item_InsertCSHMarker | Apply CSH Marker | | 21827056 | 14D0DF0 | |
| Item_InsertIndexMarker | Apply Index Marker | | 21892592 | 14E0DF0 | |
| Item_InsertPageBreakMarker | Apply Page Break Marker | | 21958128 | 14F0DF0 | |
| Item_InsertNoPageBreakMarker | Apply No Page Break Marker | | 22023664 | 1500DF0 | |
| Item_RemovePageBreakMarker | Remove All Page Break Markers | | 22089200 | 1510DF0 | |
| roboScreenCaptureLaunch | RoboScreenCapture | Esc fl | 22154736 | 1520DF0 | |
| roboScreenCaptureEdit | RoboScreenCapture | Esc gl | 22220272 | 1530DF0 | |
| iFrameFreeSep | _____ Free Scripts _____ | | 23334384 | 1640DF0 | |
| iFrameCandidatesSep | _____ [i]-frame Candidates _____ | | 23203312 | 1620DF0 | |
| tb_etb_qck | ETB Quick Access | | 657807 | A098F | |
| tb_etb_char | ETB Character bar | | 723343 | B098F | |
| tb_etb_para | ETB Paragraph bar | | 788879 | C098F | |
| tb_etb_tbl | ETB Tables Bar | | 854415 | D098F | |
| tb_etb_obj_align | ETB Align Objects | | 919951 | E098F | |

| <i>Command Name</i> | <i>Command Label</i> | <i>Shortcut</i> | <i>FC Dec</i> | <i>FC Hex</i> | <i>FDK Name & Comments fcodes.h</i> |
|---------------------|-----------------------|-----------------|---------------|---------------|-----------------------------------------|
| tb_etb_obj_prop | ETB Object Properties | | 985487 | F098F | |
| tb_etb_display | ETB Display functions | | 1051023 | 10098F | |
| tb_etb_extra | ETB Extra functions | | 1116559 | 11098F | |
| tb_etb_trackedit | ETB Track Edits | | 1182095 | 12098F | |
| tb_etb_direction | ETB Text Direction | | 1247631 | 13098F | |