

35b

FM ESC sequences

Contents

ESC sequences FM-14	2
ESC sequences FM-13	22
ESC sequences FM-09	41
Special FM commands	46
Commands for FDK dialogue development	46
Commands not used anymore?	46
Private use short cuts	47
D+DD Enhanced Tool Bars	47
D+DD scripts	47
FrameScript	48
itl [iFrame]	48
CleanImport (EZtools)	48
Silicon Prairie	49
Auto-text	49
Paragraph tools	49
Character tools	49
Index tools	49
WestStreet Consulting	49
Weststreet Utilities	49
InsetPlus	49
Archive [Bruce Foster]	50

ESC sequences FM-14

Not listed are escape sequences for non-ASCII characters, such as ESC,c for ç.

Math functions (highlighted in **yellow**) are only valid in <Mode math> that is in the Equation editor.

Functions highlighted in **red** are most likely no more valid (UNIX, Max related).

Function highlighted in **green** are used in FDK dialogue development.

Functions highlighted in **pink** are available only in structured mode.

Short cuts already present in FM-09 are highlighted in **bold**.

Shortcut	Command name	Command label
Esc -d	SelectPreviousDashedPattern	Select Previous Dashed Pattern
Esc -D	CharDiscretionaryHyphen	Discretionary Hyphen
Esc -f	DecrementFillPattern	Decrement Fill Pattern
Esc -h	CharNonBreakHyphen	Non Breaking Hyphen
Esc -p	DecrementPenPattern	Decrement Pen Pattern
Esc -s, Esc c[DecrementTextOnePt	Decrement Text Size 1 pt
Esc -w	DecrementLineWidth	Decrement Line Width
Esc ?v, Esc fI	AboutFrameProduct	About FrameMaker...
Esc [c	CharacterLessStretch	Condense Stretch by 5FrameMakerts
Esc [C	CharacterSpreadSpace	Spread Spacing 20% of em
Esc [D	CharacterSqueezeSpace	Squeeze Spacing 20% of em
Esc [e	CharacterMoreStretch	Expand Stretch by 5FrameMakerts
Esc [n	CharacterNoStretch	Set Stretch to 100%
Esc +d	SelectNextDashedPattern	Select Next Dashed Pattern
Esc +f	IncrementFillPattern	Increment Fill Pattern
Esc +p	IncrementPenPattern	Increment Pen Pattern
Esc +s, Esc c]	IncrementTextOnePt	Increment Text Size 1 pt
Esc +w	IncrementLineWidth	Increment Line Width
Esc 0d	SelectFirstDashedPattern	Select First Dashed Pattern
Esc 0f	SetFirstFillPattern	Set To First Fill Pattern (black)
Esc 0p	SetFirstPenPattern	Set First Pen Pattern (black)
Esc 0w	SetThinLineWidth	Set To Thinnest Line Width
Esc 11	SelectLastUsedTool	Select Last Used Tool
Esc 1a	Arc	Arc
Esc 1dd	SetPatternDashed	Set Pattern Dashed
Esc 1di	DashedOptions	Dashed Options
Esc 1ds	SetPatternSolid	Set Pattern Solid
Esc 1e	Ellipse	Ellipse
Esc 1f	Freehand	Freehand
Esc 1l	Line	Line
Esc 1m	Frame	Frame
Esc 1o	ObjectSelectionTool	Object Selection Tool
Esc 1pg	Polygon	Polygon

Shortcut	Command name	Command label
Esc 1p1	Polyline	Polyline
Esc 1r	Rectangle	Rectangle
Esc 1R	RoundedRectangle	Rounded Rectangle
Esc 1s	SmartSelectionTool	Smart Selection Tool
Esc 1tf, Esc 1tc	TextFrame	Text Frame
Esc 1t1	Textline	Text Line
Esc 9d	SelectLastDashedPattern	Select Last Dashed Pattern
Esc 9f	SetLastFillPattern	Set To Last Fill Pattern (none)
Esc 9p	SetLastPenPattern	Set Last Pen Pattern (none)
Esc 9w	SetThickLineWidth	Set To Thickest Line Width
ESC AA	fileDFM_AssignIdToAllCmd	Assign ID to Elements...
Esc ac	AttributeCond	Filter by Attribute...
ESC AI	fileDFM_AssignIdCmd	Assign ID to Element
Esc asp	UiAlertStringsPreferences	Alert Strings...
Esc aus	ASCEnableAutoSpellCheck	Auto Spell Check
Esc baf	BookAddFolder	Folder...
Esc bag	BookAddGroup	Group...
Esc bcp	ComponentProperties	Properties
Esc bd	BookMoveFileDown	Move Down
Esc be	ExcludeBookComponent	Exclude
ESC BE	kbdBuildXmlForElemCmd	BuildXmlForElem
Esc bf	IPToFirstTextCol	Move IP To First Text Column
Esc b1	MoveComponentLeft	Move Left
Esc bn	IPToNextTextCol	Move IP To Next Text Column
Esc bp	IPToNextParaStart	Move IP To Next Paragraph
Esc br	MoveComponentRight	Move Right
Esc bs	IPToNextSentenceStart	Move IP To Next Sentence
Esc bt	ViewBannerText	Element Banner Text
Esc bu	BookMoveFileUp	Move Up
Esc bw	IPToNextWordStart	Move IP To Next Word
ESC c-	StyleSubscript	Subscript
ESC c+	StyleSuperscript	Superscript
Esc c=	CharacterNormal	Set Characters To Normal
Esc c2	CharacterNumericUnderline	Numeric Underline
Esc Ca	CloseAttributeEditor	Close Attribute Editor
ESC cAC	CollapseAllComponents	Collapse All
ESC cb	StyleBold	Bold
ESC CB	CutBoth	Disconnect Both
ESC cc	CharacterRepeatLast	Repeat Last Font Command
ESC Cc	CloseCharacterDesigner	Close Character Designer
ESC CC	ConnectTextFrames	Connect Text Frames
ESC cd	StyleDoubleUnderline	Double Underline
ESC CD	LaunchCaptiveCmd	Adobe Captivate
Esc Cf	CloseFind	Close Find
Esc CFM	!AttrConfigFileMaker	Launch Config File Maker...
ESC ch	StyleChangeBar	Change Bar

Shortcut	Command name	Command label
Esc Ch	CloseHypertext	Close Hypertext
Esc ci	StyleItalic	Italic
Esc ck	CharacterKerned	Pair Kern
Esc cl	SelectChapterComponents	Chapter Components
Esc cm	StyleSmallCaps	Small Caps
Esc Cm	CloseMarker	Close Marker
Esc CN	CutTail	Disconnect Next
Esc co	StyleOverline	Overline
Esc Co	CloseConditionalText	Close Conditional Text
Esc cp	StylePlain	Plain
Esc cP	ShowConsole	Console...
Esc Cp	CloseParagraphDesigner	Close Paragraph Designer
Esc CP	CutHead	Disconnect Previous
Esc Cr	CloseRulingAndShading	Close Ruling And Shading
Esc cs	StyleStrikethrough	Strikethrough
Esc Cs	CloseSpelling	Close Spelling
Esc CS	SplitTextFrame	Split Text Frame
Esc ct	CharacterTsume	Tsume
Esc Ct	CloseTableDesigner	Close Table Designer
Esc cu	StyleUnderline	Underline
Esc Cv	CloseStructureView	Close Structure View
Esc Cw	CloseValidationWindow	Close Validation Window
Esc Cx	CloseElementContextWindow	Close Element Context Window
Esc dc	CaptureLiveDialog	Capture Live Dialog
Esc De	Explore	Explore...
Esc df	SetStuffItem	Set Stuff Item
Esc dHS	DelinkHotspot	Delink Hotspot
Esc dm	ShowMacDialog	Show Mac Dialog
Esc Dmtoc	DeleteMiniTableOfContents	Delete Mini TOC
Esc Do	OpenDropBox	Open...
ESC DO	fileDFM_OptionsCmd	DITA Options...
ESC DO	resourceManagerDFM_OptionsCmd	DITA Options...
Esc dp	TestPrintDialog	Print Dialog Resource...
Esc dr	RemovePlatformDialog	Remove Platform Dialog
Esc Ds	Share	Share...
ESC DS	fileDFM_SpecializationCmd	DITA Specialization...
ESC DS	resourceManagerDFM_SpecializationCmd	DITA Specialization...
Esc dt	TestAsModalDialog	Test As Modal Dialog
Esc dT	TestAsModelessDialog	Test As Modeless Dialog
Esc dv	DocumentView	Document View...
Esc dw	ShowWindowsDialog	Show Windows Dialog
Esc dx	ShowXDialog	Show X/Motif Dialog
Esc ea	SelectAll	Select All on Page
Esc EA	!EditElementAttributes	Edit Attributes...
Esc eAC	ExpandAllComponents	Expand All
Esc eAE	SelectAllExcludedItems	Excluded Components

Shortcut	Command name	Command label
Esc eAF	SelectAllFMFiles	FrameMaker Files
Esc eAG	SelectAllGeneratedFiles	Generated Files
Esc eAN	SelectAllNonGeneratedFiles	Nongenerated Files
Esc eAX	SelectAllFMXMLAuthorFiles	FrameMakerXMLAuthor Files
Esc eb	Clear	Clear
Esc eb	XmlClear	Clear
Esc ec	Copy	Copy
Esc ec	XmlCopy	Copy
Esc eC	Capitalization	Capitalization
Esc Ec	ChangeElement	Change Element
Esc EC	ElementCatalog	Element Catalog...
Esc ED	DemoteElement	Demote Element
Esc ee	RepeatElemCommand	Repeat Last Element Command
Esc EE	ExpandToStructView	Locate in Structure view
Esc ef	Find/Change	Find/Change...
Esc eF, Esc fin	FindNext	Find Next
Esc eh	History	Undo History
Esc eHS	HotspotProps	Hotspot Properties...
Esc ei	TextInsetProps	Text Inset Properties...
Esc Ei	InsertElement	Element
Esc Ei	InsertElementInMenu	Insert Element
Esc ek	EditLinks	Links...
Esc eLa	ListAllElements	List All Elements
Esc eLc	ListValidChildren	List Elements Allowed Anywhere in Parent
Esc eLf	ListFreqUsedElements	List Frequently Used Elements
Esc eLi	InclusionElementGrouping	Toggle Inclusion Grouping
Esc eLu	ListLooseValid	List Valid Elements in Any Order
Esc eLv	ListStrictValid	List Valid Elements Working Start to End
Esc Em	!ElementMergeFirst	Merge
Esc EM	ElementMergeLast	Merge Into Last
Esc emt	EditMarkerTypes	Edit Marker Types...
Esc en	BookNumbering	Numbering...
Esc EN	!ElementNamespaces	Namespaces...
Esc eNE	SelectAllNonExcludedItems	Nonexcluded Components
Esc EOC	!SetAvailableElements	Set Available Elements...
Esc EOI	ElementInsertionOptions	New Element Options...
Esc ep	Paste	Paste
Esc ep	XmlPaste	Paste
Esc EP	PromoteElement	Promote Element
Esc er	Redo	Redo
Esc er	XmlRedo	Redo
Esc Er	ToggleElementCollapseAllChildren	Toggle Element Collapse All Children
Esc es	SpellingChecker	Spelling Checker...
Esc eS	SuppressReferenceUpdating	Suppress Automatic Reference Updating...
Esc Es	!ElementSplit	Split
Esc et	Thesaurus	Thesaurus...

Shortcut	Command name	Command label
Esc Et	TransposeWithNextElement	Transpose With Next
Esc ET	TransposeWithPrevElement	Transpose With Previous
Esc eu	Undo	Undo
Esc eu	XmlUndo	Undo
Esc Eu	!ElementUnwrap	Unwrap
Esc eU, Esc fg	Update	Update References...
Esc Ev	!Validation	Validate...
Esc EV	StructureView	Structure View...
Esc Ew	WrapElement	Wrap Element
Esc ex	Cut	Cut
Esc ex	XmlCut	Cut
Esc Ex	ToggleElementCollapse	Toggle Element Collapse
Esc EX	ToggleElementCollapseAllSiblings	Toggle Element Collapse All Siblings
Esc eY	YankKillBuffer	Yank Kill Buffer
Esc eya	CopyElemAttrs	Attribute Values
Esc eyc	CopyCharFormat	Character Format
Esc eyd	CopyCondTextSettings	Conditional Text Settings
Esc eyp	CopyPgFormat	Paragraph Format
Esc eyw	CopyTableColumnWidth	Table Column Width
Esc ez	Repeat	Repeat
Esc fa	SaveAs	Save As...
Esc fA	SCSetApp	Set Structured Application...
Esc fb	BookCompare	Compare Books...
Esc fc, Esc fq	Quit	Close
Esc fC, Esc fQ	QuitAll	Close All Open Files
Esc fd	BookSetupFile	Set Up Generated File...
Esc fDr	SCReadAppFromDisk	Read Application Definitions From File...
Esc fe	BookRenameFile	Rename
Esc fEL	ECMNextElementPosition	
Esc fEU	ECMUpdateOldEDD	Update EDD to Current Version
Esc ff	BookAddFile	Files...
Esc fF	PrintComponents	Print Selected Files...
Esc fh	Help	Help Topics...
Esc Fia	FocusInAttributeEditor	Focus In Attribute Editor
Esc fib	InsertObject	Object...
Esc Fic	FocusInCharacterDesigner	Focus In Character Designer
Esc Fid	FocusInDocument	Focus In Document
Esc fie	ImportElementDefns	Element Definitions...
Esc Fie	FocusInShowElementContext	Focus In Show Element Context
Esc fif	ImportFile	File...
Esc Fif	FocusInFind	Focus In Find
Esc Fih	FocusInHypertext	Focus In Hypertext
Esc fii	ImportImage	Image...
Esc fil	DocInfo	File Info...
Esc Fim	FocusInMarker	Focus In Marker
Esc fio	ImportFormats	Formats...

Shortcut	Command name	Command label
Esc Fio	FocusInConditionalText	Focus In Conditional Text
Esc fip	FindPrevious	Find Previous
Esc Fip	FocusInParagraphDesigner	Focus In Paragraph Designer
Esc Fir	FocusInRulingAndShading	Focus In Ruling And Shading
Esc Fis	FocusInSpelling	Focus In Spelling
Esc Fit	FocusInTableDesigner	Focus In Table Designer
Esc Fiv	FocusInStructureView	Focus In Structure View
Esc Fiw	FocusInValidationWindow	Focus In Validation Window
Esc f1	photoshopLaunch	Photoshop
Esc f1	roboScreenCaptureLaunch	RoboScreenCapture
Esc Flk	Lock	Lock/Unlock Document
Esc Flp	Package	Package...
Esc fm	Send	Send...
Esc fM	SendAllOpenFiles	Send All Open Files...
Esc fn	NewDocument	Document...
Esc fN	NewBook	Book
Esc fo	Open	Open...
Esc fO	BookOpenAll	Open All Files in Book
Esc f0	DitamapOpenAll	Open All Files in Ditamap
Esc fp	Print	Print...
Esc fP	Preferences	Preferences...
Esc fr	Revert	Revert to Saved
Esc fs	Save	Save
Esc fS	SaveAll	Save All Open Files
Esc fTA, Esc fDA	SCOpenApp	Edit Application Definitions
Esc ftB	SGStructureCurrentBook	Structure Current Book...
Esc fTB, Esc fDB	SCOpenGlobalApp	Edit Global Application Definitions
Esc ftc	DocCompare	Compare Documents...
Esc ftC	SGStructureCurrentDoc	Structure Current Document...
Esc Ftc	ToggleSaveAsTextMode	Toggle Save As Text Mode
Esc fTC, Esc fDC	SCCheckRules	Check Read/Write Rules...
Esc ftd	SCEExportDocs	Convert Documents to Structured Format...
Esc ftD	SGStructureDocuments	Structure Documents...
Esc fTE, Esc fDE	ShowElementContext	Show Element Context...
Esc ftf	NormalizeTags	Create and Apply Formats
Esc fTG, Esc fDG	SGInitRuleTable	Generate Conversion Table...
Esc fth	MWHTMLSetup	HTML Setup...
Esc fTH, Esc fDH	SGSaveEdd2Ccss	Generate CSS2...
Esc fti	ApiClientInfo	API Client Info...
Esc fTJ, Esc fDJ	SCImportCSS	Import CSS Styles...
Esc ftk	!Macro	Keyboard Macros...
Esc fTL, Esc fDL	SCDocLink	
Esc fTM, Esc fDM	SCUpdateDTD	Import DTD...
Esc fTN, Esc fDN	ECMNewEDD	New EDD
Esc fTO, Esc fDO	SCOpenDTD	Open DTD...
Esc ftp	Capture	Capture...

Shortcut	Command name	Command label
Esc ftP	CaptureInStandardFormat	Capture in Standard Format...
Esc fTP, Esc fDP	SCParseDoc	Parse Structured Document...
Esc ftr	DocReport	Document Reports...
Esc fTR, Esc fDR	SCReadApp	Read Application Definitions
Esc fts	SCImportDocs	Convert Structured Documents...
Esc fTS, Esc fDS	SCSaveDTD	Save as DTD...
Esc fTW, Esc fDW	SCNewRules	New Read/Write Rules
Esc fTX, Esc fDX	ECMExportEDD	Export Element Catalog as EDD
Esc fTY, Esc fDY	SCOpenSchema	Open Schema...
Esc fTZ, Esc fDZ	SCImportSchema	Import Schema...
Esc fUS	SCUpdateStructApp	Update Application Definition File...
Esc fwp	SaveAsPdf	Save As PDF...
Esc fws	SaveAsPdfShare	Send for shared review...
Esc fwu	SaveAsPdfUbiquitous	Enable commenting in Reader...
Esc fwx	SaveAsXml	Save As XML...
Esc fx	DeleteComponent	Delete
Esc fX	NewXMLUI	XML...
Esc g-	RotateCounterclock90	Rotate 90 Degrees Counterclockwise
Esc g+	RotateClockwise90	Rotate 90 Degrees Clockwise
Esc g0	RotateToNatural	Rotate To Natural Orientation
Esc g1	RotateToPrevious	Rotate To Previous Orientation
Esc g9	ResetNatural	Reset Natural Orientation
Esc ga	GraphicsAlign	Align...
Esc gb	GraphicsSendToBack	Send to Back
Esc gc1	GraphicsCreateLink	Create Link to Graphic...
Esc gct	GraphicsCreateLinkTable	Create Link Table to Graphic...
Esc gd	GraphicsDistribute	Distribute...
Esc ge	StyleCatalog	Object Style Catalog
Esc gf	GraphicsBringToFront	Bring to Front
Esc gg	GraphicsGroup	Group
Esc gh	GraphicsFlipLeftRight	Flip Left/Right
Esc gi	StyleDesigner	Object Style Designer
Esc gj	GraphicsJoinCurves	Join
Esc gk	GraphicsKeepTool	Keep Tool
Esc gl	photoshopEdit	Photoshop
Esc gl	roboScreenCaptureEdit	RoboScreenCapture
Esc gm	GraphicsUnsmooth	Unsmooth
Esc gn	GraphicsSetNumSides	Set # Sides...
Esc go	GraphicsObjProps	Object Properties...
Esc gO	GraphicsPickObjProps	Pick up Object Properties
Esc gp	GraphicsSnap	Snap
Esc gq	RunaroundOff	Runaround Off
Esc gr	GraphicsReshape	Reshape
Esc gR	RunaroundProperties	Runaround Properties...
Esc grp	GraphicsRemovePoster	Set Default Poster
Esc gs	GraphicsSmooth	Smooth

Shortcut	Command name	Command label
Esc gsp	GraphicsSetPoster	Set Poster...
Esc gt	GraphicsRotate	Rotate...
Esc gT, Esc 1w	ToolsPalette	Tools...
Esc gu	GraphicsUngroup	Ungroup
Esc gU	AtomizeInset	Atomize Inset
Esc gv	GraphicsFlipUpDown	Flip Up/Down
Esc gw	RunAroundContour	Run Around Contour
Esc gW	RunAroundBoundingBox	Run Around Bounding Box
Esc gx	RotateAgain	Rotate Again
Esc gy	GraphicsGravity	Gravity
Esc gz	GraphicsScale	Scale...
Esc h0	Unhighlight	UnHighlight
Esc hb	SelectShiftLeft	Shift Selection Left
Esc hc	SelectCharacter	Select Character
Esc hC	SelectSameCondTags	Select Same Condition Tags
Esc Hc	SelectNextCharacter	Select Next Character
Esc HC	SelectPreviousCharacter	Select Previous Character
Esc hd	ExtendOneLineDown	Extend One Line Down
Esc hE	SelectElement	Select Element
Esc heP	SelectParent	Select Parent
Esc hf	SelectShiftRight	Shift Selection Right
Esc hF	SelectSameCharFormat	Select Same Character Format
Esc hg	ExtendToStartOfFlow	Extend To Start Of Flow
Esc hl	SelectLine	Select Line
Esc Hl	SelectNextLine	Select Next Line
Esc HL	SelectPreviousLine	Select Previous Line
Esc hm	ExtendToBottomOfColumn	Extend To Bottom Of Column
Esc hn	ExtendToEndOfFlow	Extend To End Of Flow
Esc hN	SelectNextElement	Select Next Element
Esc hot	HotspotMode	Hotspot Mode
Esc hp	SelectParagraph	Select Paragraph
Esc hP	SelectPreviousElement	Select Previous Element
Esc Hp	SelectNextParagraph	Select Next Paragraph
Esc HP	SelectPreviousParagraph	Select Previous Paragraph
Esc hs	SelectSentence	Select Sentence
Esc hS	SelectSiblings	Select Siblings
Esc Hs	SelectNextSentence	Select Next Sentence
Esc HS	SelectPreviousSentence	Select Previous Sentence
Esc ht	ExtendToTopOfColumn	Extend To Top Of Column
ESC HTR	fileDFM_CollapseTRCmd	Hide Content
ESC HTR	resourceManagerDFM_CollapseTRCmd	Hide Content
Esc hu	ExtendOneLineUp	Extend One Line Up
Esc hw	SelectWord	Select Word
Esc Hw	SelectNextWord	Move Active Edge Ahead One Word
Esc HW	SelectPreviousWord	Move Active Edge Back One Word
Esc iae	InlineAttrEditor	Show Inline Attribute Editor

Shortcut	Command name	Command label
ESC IC	fileDFM_RefManagerCmd	Conref...
ESC IC	resourceManagerDFM_RefManagerCmd	Conref...
Esc ide	AssignIdToElements	Assign unique ID to elements
ESC IER	fileDFM_ExternalRefManagerCmd	External Reference...
Esc ii	Stuff	Replace
Esc il	IllustratorEdit	Illustrator
Esc ioa	IndexOfAuthors	Authors...
Esc iom	IndexOfMarkers	Markers...
Esc ior	IndexOfReferences	References...
Esc ios	IndexOfSubjects	Subjects...
Esc ip	UiPreferences	Interface...
ESC IT1	bookDFM_InsertTopicRefCmd	Topicref...
ESC IT1	fileDFM_InsertTopicRefCmd	Topicref...
ESC IT1	resourcemanageDFM_InsertTopicRefCmd	Topicref...
ESC IT2	bookDFM_InsertMapRefCmd	Mapref...
ESC IT2	fileDFM_InsertMapRefCmd	Mapref...
ESC IT2	resourcemanageDFM_InsertMapRefCmd	Mapref...
ESC IT3	bookDFM_InsertTopicSetCmd	Topicset...
ESC IT3	fileDFM_InsertTopicSetCmd	Topicset...
ESC IT3	resourcemanageDFM_InsertTopicSetCmd	Topicset...
ESC IT4	bookDFM_InsertKeyDefCmd	Keydef...
ESC IT4	fileDFM_InsertKeyDefCmd	Keydef...
ESC IT4	resourcemanageDFM_InsertKeyDefCmd	Keydef...
ESC ITS	bookDFM_InsertTopicSetRefCmd	Topicsetref...
ESC ITS	fileDFM_InsertTopicSetRefCmd	Topicsetref...
ESC ITS	resourcemanageDFM_InsertTopicSetRef-Cmd	Topicsetref...
Esc itv	TableVariables	Insert Table Variables...
Esc ix	StandardIndex	Standard Index...
Esc j-, Esc -1	DeclineLeading1pt	Decrement Line Leading 1 pt
Esc j/	OneAndHalfSpaceParas	1.5
Esc j+, Esc +1	IncLineLeading1pt	Increment Line Leading 1 pt
Esc j1	SingleSpaceParas	Single
Esc j2	DoubleSpaceParas	Double
Esc jA	ParaAnywhere	Start Para Anywhere
Esc jB	AlignBottom	Bottom Align
Esc jC	CenterPara	Center
Esc jC	ParaTopOfColumn	Start Para At Top Of Column
Esc jf	FullyJustifyPara	Justify
Esc jh	HyphenationOn	Hyphenation On
Esc jj	RepeatLastParaCommand	Repeat Last Paragraph Command
Esc j1	LeftPara	Left
Esc jL	ParaTopOfLeftPage	Start Para At Top Of Left Page
Esc jm	AlignMiddle	Middle Align
Esc jn	HyphenationOff	Hyphenation Off
Esc jo	SetLineSpaceFloating	Set Line Spacing Floating

Shortcut	Command name	Command label
Esc jP	ParaTopOfPage	Start Para At Top Of Page
Esc jpn	ParaPlacementNormal	Set Para Placement Normal
Esc jpr	ParaPlacementRunIn	Set Para Placement Run-in
Esc jps	ParaPlacementSidehead	Set Para Placement Sidehead
Esc jpS	ToggleSideheadsOnOff	Toggle Room For Side Heads On/Off
Esc jpt	ParaPlacementBodyStraddle	Set Para Placement Body Straddle
Esc jpT	ParaPlacementFullStraddle	Set Para Placement Full Straddle
Esc jr	RightPara	Right
Esc jR	ParaTopOfRightPage	Start Para At Top Of Right Page
Esc jt	AlignTop	Top Align
Esc ju	CustomLineSpacingParas	Custom...
Esc jU	UnifyParas	Unify Paragraphs
Esc jw	SpaceBetweenParas	Space Between...
Esc jx	SetLineSpaceFixed	Set Line Spacing Fixed
Esc ka	DeleteBackToPrevSentenceEnd	Delete Back To Prev Sentence End
Esc kb	DeleteBackToPrevWordStart	Delete Back To Prev Word Start
Esc kf	DeleteForwToNextWordEnd	Delete Forward To Next Word End
Esc KKK	SpecialSymbolsPopup	Symbols
Esc ks	DeleteForwToNextSentenceStart	Delete Forward To Next Sentence Start
Esc l-	ShowWordsHyphenation	Show Word's Hyphenation
Esc lac	AddToAutoCorrect	Add To Auto Corrections
Esc lad	AddWordToDocDict	Add Word To Document Dictionary
Esc lap	LearnWord	Learn Word
Esc lb	BatchSpellCheck	Batch Spell Check...
Esc lca	ClearAutoCorrections	Clear Auto Corrections
Esc lcd	ChangeDictionaries	Change Dictionaries...
Esc lcw	CorrectWord	Correct Word
Esc le	CheckDocument	Spellcheck Document
Esc li	IllustratorLaunch	Illustrator
Esc ln	LineNumProps	Line Numbers...
Esc lO	SpellCheckerOptions	Spelling Checker Options...
Esc lof	ListOfFigures	Figures...
Esc lom	ListOfMarkers	Markers...
Esc loM	ListOfMarkersAlphabetical	Markers (Alphabetical)...
Esc lop	ListOfParagraphs	Paragraphs...
Esc loP	ListOfParagraphsAlphabetical	Paragraphs (Alphabetical)...
Esc lor	ListOfReferences	References...
Esc lot	ListOfTables	Tables...
Esc lp	CheckPage	Spellcheck Page
Esc lr	MarkAllPgfsForRechecking	Mark All Paragraphs For Rechecking
Esc lR	ReformatDocument	Reformat Document
Esc ls	CheckWord	Spellcheck Current Selection
Esc LT	ThemeLoad	LoadTheme...
Esc ltr	DocDirectionLTR	Left-to-Right
Esc lxd	DeleteWordFromDocDict	Delete Word From Document Dictionary
Esc lxp	UnlearnWord	Unlearn Word

Shortcut	Command name	Command label
Esc m=	MathForceEquals	Force Equals
Esc ma+	MathAlignEqualL	Align Left of Equals
Esc ma=	MathAlignEqualR	Align Right of Equals
Esc maa	MathAddFractions	Add Fractions
Esc mab	MathAlignBaseline	Align Baseline
Esc maB	MathAlignBottom	Align Bottom
Esc mac	MathAlignCenter	Align Center
Esc mad	MathAlignClearManual	Align Clear Manual
Esc maL	MathAlignLeft	Align Left
Esc mao	MathOrderinSum	Order in Sum
Esc maO	MathOrderinSumotherway	Order in Sum other way
Esc mar	MathAlignRight	Align Right
Esc maR	MathResetAlignment	Clear Manual Line Breaks
Esc mas	MathAlignSetManual	Align Set Manual
Esc mat	MathAlignTop	Align Top
Esc mbc	MathClearManualLineBreaks	Clear Manual Line Breaks
Esc mbs	MathSetManualLineBreak	Set Manual Line Breaks
Esc mC	ManageCond	Manage Condition
ESC mc	MathAddDefinitionToCatalog	Add Definition To Catalog
Esc md	MoveComponentDown	Move Down
Esc mdd	MathRemoveDivision	Remove Division
Esc mdD	MathRemoveDivisionOnce	Remove Division Once
Esc mdl	MathLongDivision	Long Division
Esc mdn	MathRemoveNegPowers	Remove Neg Powers
Esc mdN	MathRemoveNegPowersOnce	Remove Neg Powers Once
Esc me	UnwrapEquation	Unwrap Equation
Esc mf	EquationFonts	Equation Fonts...
Esc Mf	SaveAllLocally	Save locally with Dependencies...
Esc mh	InsertNewHypertext	Insert New Hypertext
Esc mhL	MathList	List
Esc mi	MathInsertElement	Insert Math Element...
Esc mk	InsertNewMarker	Insert New Marker
ESC MK	bookDFM_ManageKeySpacesCmd	Manage Keyspaces...
ESC MK	fileDFM_ManageKeySpacesCmd	Manage Keyspaces...
ESC MK	resourceManagerDFM_ManageKeySpacesCmd	Manage Keyspaces...
Esc mL	LargeEquation	Large Equation
Esc mm	MediumEquation	Medium Equation
Esc mn	MathNewOperand	New Operand
Esc moe	MathPulloutoneterm	Pull Out One Term
Esc moE	MathPullOutAllTerms	Pull out all terms
Esc moi	MathIsolateTerm	Isolate Term
Esc mos	MathSimplify	Simplify
Esc moS	MathSimplifySome	Simplify Some
Esc mp	ShrinkwrapEquation	Shrinkwrap Equation
Esc MP	ApplyMasterPages	Apply Master Pages...

Shortcut	Command name	Command label
Esc MP	ApplyMasterPagesBook	Apply Master Pages...
Esc mra	MathApplyDefinition	Apply Definition
Esc mrd	MathDesignateDummy	Designate Dummy
Esc mre	MathEnterDefinition	Enter Definition
Esc mrp	MathRemoveParentheses	Remove Parentheses
Esc ms	SmallEquation	Small Equation
Esc mT	MathToggleFormat	Toggle Format
Esc mtc	MathAlignMatrixColToggle	Align Matrix Column Toggle
Esc mtoc	MiniTableOfContents	Update Mini TOC
Esc mtr	MathAlignMatrixRowToggle	Align Matrix Row Toggle
Esc mu	MoveComponentUp	Move Up
Esc mU	MathUpdateDefinition	Update Definition
Esc mud	MathDistribute	Distribute
Esc muD	MathDistributeOver	Distribute Over =
Esc muf	MathFactor	Factor
Esc muF	MathFactorSome	Factor Some
Esc mum	MathMultiplyOut	Multiply Out
Esc muM	MathMultiplyOutOnce	Multiply Out Once
Esc mv.	MathShowAllDigits	Show All Digits
Esc mvd	MathDifferentiate	Differentiate
Esc mvD	MathDifferentiateOnce	Differentiate Once
Esc mve	MathEvaluate	Evaluate
Esc mvi	MathIntegrate	Integrate
Esc mv1	MathATop	ATop
Esc mvn	MathNumberCrunch	Number Crunch
Esc mvs	MathEvalSubstitutions	Eval Substitutions
ESC NM1	bookDFM_NewMapCmd0	<map>
ESC NM1	fileDFM_NewMapCmd0	<map>
ESC NM1	resourceManagerDFM_NewMapCmd0	<map>
ESC NM2	bookDFM_NewMapCmd1	<bookmap>
ESC NM2	fileDFM_NewMapCmd1	<bookmap>
ESC NM2	resourceManagerDFM_NewMapCmd1	<bookmap>
Esc nm1	MathMLEquation	MathML Equation...
Esc ns	NoHyphenWord	No Hyphenation In Word
ESC NT1	bookDFM_NewTopicCmd0	<topic>
ESC NT1	fileDFM_NewTopicCmd0	<topic>
ESC NT1	resourceManagerDFM_NewTopicCmd0	<topic>
ESC NT2	bookDFM_NewTopicCmd1	<task>
ESC NT2	fileDFM_NewTopicCmd1	<task>
ESC NT2	resourceManagerDFM_NewTopicCmd1	<task>
ESC NT3	bookDFM_NewTopicCmd2	<concept>
ESC NT3	fileDFM_NewTopicCmd2	<concept>
ESC NT3	resourceManagerDFM_NewTopicCmd2	<concept>
ESC NT4	bookDFM_NewTopicCmd3	<reference>
ESC NT4	fileDFM_NewTopicCmd3	<reference>
ESC NT4	resourceManagerDFM_NewTopicCmd3	<reference>

Shortcut	Command name	Command label
ESC NT5	bookDFM_NewTopicCmd4	<glossentry>
ESC NT5	fileDFM_NewTopicCmd4	<glossentry>
ESC NT5	resourceManagerDFM_NewTopicCmd4	<glossentry>
ESC NT6	bookDFM_NewTopicCmd5	<glossgroup>
ESC NT6	fileDFM_NewTopicCmd5	<glossgroup>
ESC NT6	resourceManagerDFM_NewTopicCmd5	<glossgroup>
ESC NT7	bookDFM_NewTopicCmd6	<dita>
ESC NT7	fileDFM_NewTopicCmd6	<dita>
ESC NT7	resourceManagerDFM_NewTopicCmd6	<dita>
Esc oa	ToggleFullAbbrevRuler	Full/Abbreviated Ruler
ESC OA	fileDFM_OpenAllToicrefsCmd	Open All Topicrefs...
ESC OA	resourceManagerDFM_OpenAllToicrefsCmd	Open All Topicrefs...
Esc ob	ChangeBars	Change Bars...
Esc occ	CharacterCatalog	Character Catalog...
Esc ocd	CharacterFormatDesigner	Character Designer...
Esc ocf	CustomizeTextFrame	Customize Text Frame...
Esc oc1, Esc ogn	ColumnLayout	Column Layout...
Esc ocm	CMSConnectionMgr	Connection Manager...
Esc oco	CombinedFonts	Combined Fonts...
Esc ocp	CharacterDefaultPgFont	Default ¶ Font
Esc odn	DocumentNumbering	Numbering...
Esc odo	PDFSizeOptions	Options...
Esc odp, Esc oda	AcrobatSetup	PDF Setup...
Esc oe	ExtendObjectSelection	Extend To Next Object
Esc of	FootnoteProperties	Footnote Properties...
Esc oF	SelectFirstObject	Select First Object
Esc oH	OpenHeroic	Heroic Open...
Esc ohc	HeaderFooterInsertPageCount	Insert Page Count
Esc ohd	HeaderFooterInsertCurrentDate	Insert Current Date
Esc oho	HeaderFooterInsertOther	Insert Other...
Esc ohp	HeaderFooterInsertPageNum	Insert Page #
Esc oll	LineLayout	Line Layout...
Esc omp, Esc pm	NewMasterPage	New Master Page...
Esc omr	ReorderMasterPage	Reorder Custom Master Pages...
Esc omu, Esc ogm	MasterPageUsage	Master Page Usage...
Esc on	SelectNextObject	Select Next Object
Esc opc	ParagraphCatalog	Paragraph Catalog...
Esc opd	ParagraphFormatDesigner	Paragraph Designer...
Esc opi	Pagination	Pagination...
Esc opn	ParaNewFormat	New Format...
Esc ops	PageSize	Page Size...
Esc opu	ParaUpdateFormat	Update All...
Esc or	RubiProperties	Rubi Properties...
Esc oRp	OpenCMSRepository	Open Repository...
Esc oS	OpenSilent	Silent Open...

Shortcut	Command name	Command label
Esc oto	TextOptions	Text Options...
Esc oup, Esc pu	UpdateColumnLayout	Update Column Layout...
Esc pdf	ImportPDFComments	PDF Comments...
Esc pe	EquationSizes	Equation Sizes...
Esc pf	GotoFirstPage	First Page
Esc ph	TPUBforBook	Publish
Esc ph	TPUBforDitaMap	Publish
Esc ph	TPUBforFMDoc	Publish
Esc pHS	HotspotsPod	Hotspots...
Esc p1	GotoLastPage	Last Page
Esc pL	PodsLocationCriteria	Pods Location Criteria...
Esc pn	GotoNextPage	Next Page
Esc pN	RenamePage	Rename Master/Ref Page...
Esc po	RotatePage	Rotate Page Counterclockwise
Esc p0	RotatePageClockwise	Rotate Page Clockwise
Esc pp	GotoPreviousPage	Previous Page
Esc prd	ProjectDeleteFile	Delete
Esc pre	ProjectEditFile	Edit
Esc prf	ProjectCreateFolder	Folder...
Esc pr1	ProjectAddLocation	Folder...
Esc prn	NewProject	Project
Esc prr	ProjectRenameFile	Rename
Esc prx	ProjectExploreFile	Explore
Esc pU	RotatePageNormal	Unrotate Page
Esc pz	FreezePagination	Freeze Pagination...
Esc qa	ClipArtCmd	Clip Art...
Esc qc	CharQuickKey	Quick Character
Esc qC	QuickConditionalIn	Quick Conditional Text In
Esc qD	QuickConditionalNotIn	Quick Conditional Text NotIn
Esc QE	EditQrcodeCmd	QR Code...
Esc qm	ManualsCmd	Manuals...
Esc QN	NewQrcodeCmd	QR Code...
Esc qo	QuickStyles	Quick Style
Esc qp	ParaQuickKey	Quick Paragraph
Esc qs	SamplesCmd	Samples...
Esc qS	ShowOneCondTextTag	Show One Conditional Text Tag
Esc qt	TourCmd	Tour...
Esc qU	QuickConditionalUn	Quick Conditional Text Unconditional
Esc qv	QuickVariables	Quick Variable
Esc ra	ReplaceAndFindAgain	Replace and Find Again
Esc ram	AEMReviewforDitaMap	Review Comments...
Esc ram	AEMReviewforFMDoc	Review Comments...
Esc rc	OpenAllMRUFiles	Open All Recent Files
Esc rg	ReplaceAll	Replace All
Esc rm	ResourceManager	Switch to Tree View
Esc ro	ReplaceOnce	Replace

Shortcut	Command name	Command label
Esc rs	RestoreSession	Restore Last Session
Esc rtl	DocDirectionRTL	Right-to-Left
ESC RTR	fileDFM_ExpandTRCmd	Show Content
ESC RTR	resourceManagerDFM_ExpandTRCmd	Show Content
Esc rv	SaveAsPdfRev	Send through email...
Esc rwm	RewrapInlineMath	ReShrinkwrap All Inline Math
Esc rxb	SwapRedBlue	Exchange Red And Blue
Esc S1	FM_Switch_To_View_1	
ESC S2	FM_Switch_To_View_2	
ESC S3	FM_Switch_To_View_3	
Esc sa	AnchoredFrame	Anchored Frame...
Esc SAD	SCStructAppWiz	Structured Application Designer...
Esc sB	MoveIPBeforeElement	Move To Before Element
Esc sc	CrossReference	Cross-Reference...
Esc sC	ConditionalText	Conditional Tags...
Esc Sc	CommandSearch	Command Search
Esc SCR1	ReportCmds_byTag	Report Commands by Tag
Esc SCR2	ReportCmds_byShortcut	Report Commands by Shortcuts
Esc sd	ToggleStructAndDocWin	Toggle Between Structure and Doc Windows
Esc sD	MoveIPNextElement	Move To Next Element
Esc sE	MoveIPEndOfElement	Move To End Of Element
Esc sf	Footnote	Footnote
Esc SF	InsertMovieDemo	Adobe Captivate Demo
Esc SFL	ShowFileListUI	Open Files...
Esc sg, Esc si	Inset	Graphic Inset...
Esc sh	Hypertext	Hypertext...
Esc s1	SelectSectionComponents	Section Components
Esc S1	SaveLocally	Save locally...
Esc sm	Marker	Marker...
Esc SMf	ScreenModeFullScreen	Full Screen Mode
Esc SMs	ScreenModeStandard	Standard Screen Mode
Esc SMu	ScreenModeFullWithUI	Full Screen Mode with UI
Esc sN	MoveIPintoNextChild	Move Into Next Child
Esc so	ScriptOpen	Run
Esc spa	PageAdd	Add Disconnected Pages...
Esc Space 1	CharNumberSpace	Number Space
Esc Space h	CharHardSpace	Hard Space
Esc Space m	CharEmSpace	Em Space
Esc Space n	CharEnSpace	En Space
Esc Space t	CharThinSpace	Thin Space
Esc spb, Esc opb	PageBreak	Page Break...
Esc spd	!PageDelete	Delete Pages...
Esc spo	PreviewOff	Preview Off
ESC spt	PasteWithStructure	Smart Paste
Esc sr	InsertRubi	Rubi
Esc sS	MoveIPStartOfElement	Move To Start Of Element

Shortcut	Command name	Command label
Esc ssf	RemoveStruct	Remove Structure from Flow
Esc ssl	SelectSubSectionComponents	Sub-section Components
Esc ST	EditDemoCmd	Adobe Captivate
Esc ST	ThemeSave	SaveTheme...
Esc sta	AcceptTrackTextEdit	Accept Edit
Esc stA	AcceptAllTrackTextEdit	Accept All
Esc std	TrackTextDisable	Disable
Esc stF	PreviewFinal	Preview Final
Esc stn	ShowNextTrackTextEdit	Show Next
Esc sto	TrackTextEnable	Enable
Esc stO	PreviewOriginal	Preview Original
Esc stp	ShowPrevTrackTextEdit	Show Previous
Esc str	RejectTrackTextEdit	Reject Edit
Esc stR	RejectAllTrackTextEdit	Reject All
Esc stta	AcceptTrackTextEditAndShowNext	Accept Edit and Show Next
Esc sttr	RejectTrackTextEditAndShowNext	Reject Edit and Show Next
Esc sU	MoveIPPrevElement	Move To Previous Element
Esc sv	Variable	Variables...
Esc Sva	ToggleLeftAnchor	
Esc sx	ScriptCatalog	Catalog
Esc ta	TableAddRowsOrColumns	Add Rows or Columns...
Esc Tab	CharTabForTableCell	Tab For Table Cell
Esc tcc	TableCatalog	Table Catalog...
Esc tce	ClearLeavingCellsEmpty	Clear Leaving Cells Empty
Esc tcL	AddColumnsToLeft	Add Columns To Left
Esc tcr	AddColumnsToRight	Add Columns To Right
Esc tcx	ClearRemovingCells	Clear Removing Cells
Esc td	TableFormatDesigner	Table Designer...
Esc te	EditRulingStyle	Edit Ruling Style
Esc tha	SelectTextInCell	Select Text In Cell
Esc THA	ToolBarHideAll	Hide All
Esc thb	SelectColumnBodyCells	Select Column Body Cells
Esc thc	SelectColumn	Select Column
Esc the	SelectCell	Select Cell
Esc thr	SelectRow	Select Row
Esc tht	SelectTable	Select Table
Esc ti	TableInsert	Insert Table...
Esc tI	MoveIPOutOfTable	Move IP Out Of Table
Esc tI	TableStraddle	Straddle
Esc Tln	ToggleLineNumbers	Line Numbers
Esc tma	MoveIPToLeftmostCell	Move IP To Leftmost Cell
Esc tmb	MoveIPToColumnBottom	Move IP To Column Bottom
Esc tmd	MoveIPToCellBelow	Move IP To Cell Below
Esc tmda	MoveIPDownAndSelectText	Move IP Down And Select Text
Esc tme	MoveIPToRightmostCell	Move IP To Rightmost Cell
Esc tmL	MoveIPToCellAtLeft	Move IP To Cell At Left

Shortcut	Command name	Command label
Esc tmn	MoveIPToNextCell	Move IP To Next Cell
Esc tmp	MoveIPToPreviousCell	Move IP To Previous Cell
Esc tmr	MoveIPToCellAtRight	Move IP To Cell At Right
Esc tms, Esc th0	MoveIPToTopLeftSelectedCell	Move IP To Top Left Selected Cell
Esc tmt	MoveIPToColumnTop	Move IP To Column Top
Esc tmT	MoveIPToTopLeftCell	Move IP To Top Left Cell
Esc tmu	MoveIPToCellAbove	Move IP To Cell Above
Esc tmua	MoveIPUpAndSelectText	Move IP Up And Select Text
Esc toc	TableOfContents	Create Standalone TOC...
Esc tpa	TablePasteAfter	Paste After
Esc tpb	TablePasteBefore	Paste Before
Esc tpr	TablePasteReplaceSelection	Paste Replacing Selection
Esc tr	TableRowFormat	Row Format...
Esc Tr	ThesaurusReplace	Replace selection with thesaurus selection
Esc tRa	AddRowsAbove	Add Rows Above
Esc tRb	AddRowsBelow	Add Rows Below
Esc ts	TableSort	Sort...
Esc TSA	ToolBarShowAll	Show All
Esc tut	UnifyTableFormats	Unify Table Formats
Esc tv	TableConvert	Convert to Table...
Esc tw	TableShrinkWrapColWidth	Shrink Wrap Column Width
Esc tx	TableCustRuleAndShade	Custom Ruling & Shading...
Esc tz	TableResizeColumns	Resize Columns...
Esc uab	UploadActiveBook	Upload Active Book...
Esc uab	UploadActiveDitaMap	Upload Active DitaMap...
Esc uad	UploadActiveDoc	Upload Active Document...
Esc Uae	UpdateMathML	Update MathML Equations
Esc Ud	Upload	Save to Dropbox folder...
Esc UP	PreviewFBA	Preview Filter by Attribute
ESC UR	fileDFM_UpdateRefsCmd	Update References...
ESC UR	resourceManagerDFM_UpdateRefsCmd	Update References...
Esc usv	EditVariable	Edit Variable
Esc Uwd	UploadAll	Save to Dropbox folder with Dependencies...
Esc v1	ViewSeparation1	View Separation 1
Esc v2	ViewSeparation2	View Separation 2
Esc v3	ViewSeparation3	View Separation 3
Esc v4	ViewSeparation4	View Separation 4
Esc v5	ViewSeparation5	View Separation 5
Esc v6	ViewSeparation6	View Separation 6
Esc vA	SetAttrDisplay	Attribute Display Options...
Esc vae	AllowAsSpecialCase	Allow As Special Case
Esc vb	ViewBorders	Borders
Esc vB	ViewBodyPages	Body Pages
Esc Vbh	ViewBordersOff	Hide Borders
Esc Vbs	ViewBordersOn	Show Borders
Esc vC	ConditionVisibility	Show/Hide Conditional Text...

Shortcut	Command name	Command label
Esc vcd	ColorDefinitions	Definitions...
Esc vce	ClearSpecialValidationCases	Clear Special Validation Cases
Esc vcv	ColorViews	Views...
Esc vd	ValidateDocument	Validate Document
Esc ve	ValidateElement	Validate Element
Esc vE	ViewElementBoundaries	Element Boundaries
Esc Ve	tb_tr_ch	Track Text Edits
Esc VEh	ViewElementBoundariesOff	Hide Element Boundaries
ESC VEI	tb_element_insert	Quick Element Toolbar
Esc VEs	ViewElementBoundariesOn	Show Element Boundaries
Esc vf	ValidateFlow	Validate Flow
Esc vg	ViewGridLines	Grid Lines
Esc Vgh	ViewGridLinesOff	Hide Grid Lines
Esc Vgs	ViewGridLinesOn	Show Grid Lines
Esc vh	ValidateHypertext	Validate Hypertext...
Esc VHh	ViewHotspotIndicatorsOff	Hide Hotspot Indicators
Esc vHS	ViewHotspotIndicators	Hotspot Indicators
Esc VHS	ViewHotspotIndicatorsOn	Show Hotspot Indicators
Esc via	IgnoreMissingAttributes	Ignore Missing Attributes
Esc vie	IgnoreMissingElements	Ignore Missing Elements
Esc vip	ViewInsets	Insets...
Esc vl	ViewPublisherBoundaries	Publisher Boundaries
Esc Vlh	ViewPublisherBoundariesOff	Hide Publisher Boundaries
Esc Vls	ViewPublisherBoundariesOn	Show Publisher Boundaries
Esc vM	ViewMasterPages	Master Pages
Esc VM	ViewBookFilenames	Filenames
Esc vmc	ViewCompleteMenus	Complete
Esc vmk	PodsMarkers	Markers...
Esc vmm	ViewModifyMenus	Modify...
Esc vmq	ViewQuickMenus	Quick
Esc vmu	ViewCustomMenus	Custom
Esc vn	StartValidating	Start Validating
Esc vN	GotoNextView	Go Back Back
Esc vo	ViewOptions	Options...
Esc vO	ToggleCondUseFormatOverride	Conditional Text Format Overrides
Esc Voa	tb_obj_align	Object Alignment
Esc VOh	ViewConditionIndicatorsOff	Hide Conditional Text Indicators
Esc Vop	tb_obj_prop	Object Properties
Esc VOs	ViewConditionIndicatorsOn	Show Conditional Text Indicators
Esc vp	GotoPage	Go to Page...
Esc vP	GotoPreviousView	Go Back
Esc Vpa	tb_para_fmt	Paragraph Formatting
Esc vpc	PodsXRefs	Cross-References...
Esc vpf	FontPod	Fonts...
Esc vPM	ViewProjectManager	Project Manager
Esc vq	tb_dir	Direction Toolbar

Shortcut	Command name	Command label
Esc vq	tb_qck	Quick Access Bar
Esc vr	ViewRulers	Rulers
Esc vR	ViewReferencePages	Reference Pages
Esc Vrh	ViewRulersOff	Hide Rulers
Esc Vrs	ViewRulersOn	Show Rulers
ESC vs	tb_structured	Structured Access Bar
Esc vsn	GotoNextScreen	Next Screen
Esc vsp	GotoPreviousScreen	Previous Screen
Esc vt	ViewTextSymbols	Text Symbols
Esc vT	ViewElementTags	Element Boundaries (as Tags)
Esc Vta	tb_tbl_fmt	Table Formatting
Esc Vte	tb_txt_fmt	Text Formatting
Esc Vth	ViewTextSymbolsOff	Hide Text Symbols
Esc Vts	ViewTextSymbolsOn	Show Text Symbols
Esc VTs	ViewElementTagsOn	Show Element Boundaries (as Tags)
Esc vv	ToggleGraphicsDisplay	Graphics
Esc Vvh	ViewGraphicsOff	Hide Graphics
Esc Vvs	ViewGraphicsOn	Show Graphics
Esc vW	GotoPreviousViewFitWindowToPage	Go Back & Fit Window to Page
Esc vX	GotoNextViewFitWindowToPage	Go Back Back & Fit Window To Page
Esc VX	ViewBookText	Text
Esc wc	!WindowClose	Close
Esc we	WindowExpose	Expose
Esc wh	WindowHide	Hide
Esc wi	WordImport	Word Finder
Esc wm	WindowMove	Move
Esc wo	!WindowOpen	Open
Esc wr	WindowRedisplay	Refresh
Esc www	AdobeOnline	FrameMaker Online...
Esc xa	MathMatrixAlgebra	Matrix Algebra
Esc xar	XSLTAdvanceRun	Advanced Run...
Esc xc	MathAddColumn	Add Column
Esc xm	MathCreate1x1matrix	Create matrix
Esc xm	XSLTManageTransformation	Manage Transformations...
Esc xpp	XmlXPath	XPath
Esc xpt	XPathToolbar	XPath Toolbar
Esc xr	MathAddRow	Add Row
Esc xr	XSLTRun	Run...
Esc xt	MathTransposeMatrix	Transpose Matrix
Esc zaf	ToggleZoomAutofit	Toggle Autofit After Zoom
Esc zf	ZoomFitWindowToTextFrame	Fit Window to Text Frame
Esc zi	ZoomIn	Larger
Esc zo	ZoomOut	Smaller
Esc zp	ZoomFitPageInWindow	Fit Page in Window
Esc zs	ZoomSet	Set Zoom Percentages

Shortcut	Command name	Command label
Esc zw	ZoomFitWindowToPage	Fit Window to Page
Esc zz	ZoomTo100	Default

ESC sequences FM-13

Not listed are escape sequences for non-ASCII characters, such as ESC,c for ç.

Math functions (highlighted in yellow) are only valid in <Mode math> that is in the Equation editor.

Functions highlighted in red are most likely no more valid (UNIX, Max related).

Function highlighted in green are used in FDK dialogue development.

Functions highlighted in pink are available only in structured mode.

Shortcut	Command name	Command label
Esc -d	SelectPreviousDashedPattern	Select Previous Dashed Pattern
Esc -D	CharDiscretionaryHyphen	Discretionary Hyphen
Esc -f	DecrementFillPattern	Decrement Fill Pattern
Esc -h	CharNonBreakHyphen	Non Breaking Hyphen
Esc -p	DecrementPenPattern	Decrement Pen Pattern
Esc -s, Esc c[DecrementTextOnePt	Decrement Text Size 1 pt
Esc -w	DecrementLineWidth	Decrement Line Width
Esc ?v, Esc fI	AboutFrameProduct	About FrameMaker...
Esc [c	CharacterLessStretch	Condense Stretch by 5FrameMakerts
Esc [C	CharacterSpreadSpace	Spread Spacing 20% of em
Esc [D	CharacterSqueezeSpace	Squeeze Spacing 20% of em
Esc [e	CharacterMoreStretch	Expand Stretch by 5FrameMakerts
Esc [n	CharacterNoStretch	Set Stretch to 100%
Esc +d	SelectNextDashedPattern	Select Next Dashed Pattern
Esc +f	IncrementFillPattern	Increment Fill Pattern
Esc +p	IncrementPenPattern	Increment Pen Pattern
Esc +s, Esc c]	IncrementTextOnePt	Increment Text Size 1 pt
Esc +w	IncrementLineWidth	Increment Line Width
Esc 0d	SelectFirstDashedPattern	Select First Dashed Pattern
Esc 0f	SetFirstFillPattern	Set To First Fill Pattern (black)
Esc 0p	SetFirstPenPattern	Set First Pen Pattern (black)
Esc 0w	SetThinLineWidth	Set To Thinnest Line Width
Esc 1l	SelectLastUsedTool	Select Last Used Tool
Esc 1a	Arc	Arc
Esc 1dd	SetPatternDashed	Set Pattern Dashed
Esc 1di	DashedOptions	Dashed Options
Esc 1ds	SetPatternSolid	Set Pattern Solid
Esc 1e	Ellipse	Ellipse
Esc 1f	Freehand	Freehand
Esc 1l	Line	Line
Esc 1m	Frame	Frame
Esc 1o	ObjectSelectionTool	Object Selection Tool
Esc 1pg	Polygon	Polygon
Esc 1pl	Polyline	Polyline

Shortcut	Command name	Command label
Esc 1r	Rectangle	Rectangle
Esc 1R	RoundedRectangle	Rounded Rectangle
Esc 1s	SmartSelectionTool	Smart Selection Tool
Esc 1tf, Esc 1tc	TextFrame	Text Frame
Esc 1t1	Textline	Text Line
Esc 9d	SelectLastDashedPattern	Select Last Dashed Pattern
Esc 9f	SetLastFillPattern	Set To Last Fill Pattern (none)
Esc 9p	SetLastPenPattern	Set Last Pen Pattern (none)
Esc 9w	SetThickLineWidth	Set To Thickest Line Width
Esc AA	fileDFM_AssignIdToAllCmd	Assign ID to Elements...
Esc AA	resourceManagerDFM_AssignIdToAllCmd	Assign ID to Elements...
Esc ac	AttributeCond	Filter by Attribute...
Esc AI	fileDFM_AssignIdCmd	Assign ID to Element
Esc AI	resourceManagerDFM_AssignIdCmd	Assign ID to Element
Esc asp	UiAlertStringsPreferences	Alert Strings...
Esc aus	ASCEnableAutoSpellCheck	Auto Spell Check
Esc baf	BookAddFolder	Folder...
Esc bag	BookAddGroup	Group...
Esc bcp	ComponentProperties	Properties
Esc bd	BookMoveFileDown	Move Down
Esc be	ExcludeBookComponent	Exclude
Esc BE	kbdBuildXmlForElemCmd	BuildXmlForElem
Esc bf	IPToFirstTextCol	Move IP To First Text Column
Esc bl	MoveComponentLeft	Move Left
Esc bn	IPToNextTextCol	Move IP To Next Text Column
Esc bp	IPToNextParaStart	Move IP To Next Paragraph
Esc br	MoveComponentRight	Move Right
Esc bs	IPToNextSentenceStart	Move IP To Next Sentence
Esc bt	ViewBannerText	Element Banner Text
Esc bu	BookMoveFileUp	Move Up
Esc bw	IPToNextWordStart	Move IP To Next Word
Esc c-	StyleSubscript	Subscript
Esc c+	StyleSuperscript	Superscript
Esc c=	CharacterNormal	Set Characters To Normal
Esc c2	CharacterNumericUnderline	Numeric Underline
Esc Ca	CloseAttributeEditor	Close Attribute Editor
Esc cAC	CollapseAllComponents	Collapse All
Esc cb	StyleBold	Bold
Esc CB	CutBoth	Disconnect Both
Esc cc	CharacterRepeatLast	Repeat Last Font Command
Esc Cc	CloseCharacterDesigner	Close Character Designer
Esc CC	ConnectTextFrames	Connect Text Frames
Esc cd	StyleDoubleUnderline	Double Underline
Esc CD	LaunchCaptiveCmd	Adobe Captivate
Esc Cf	CloseFind	Close Find
Esc CFM	!AttrConfigFileMaker	Launch Config File Maker...

Shortcut	Command name	Command label
Esc ch	StyleChangeBar	Change Bar
Esc Ch	CloseHypertext	Close Hypertext
Esc ci	StyleItalic	Italic
Esc ck	CharacterKerned	Pair Kern
Esc c1	SelectChapterComponents	Chapter Components
Esc cm	StyleSmallCaps	Small Caps
Esc Cm	CloseMarker	Close Marker
Esc CN	CutTail	Disconnect Next
Esc co	StyleOverline	Overline
Esc Co	CloseConditionalText	Close Conditional Text
Esc cp	StylePlain	Plain
Esc Cp	CloseParagraphDesigner	Close Paragraph Designer
Esc CP	CutHead	Disconnect Previous
Esc Cr	CloseRulingAndShading	Close Ruling And Shading
Esc cs	StyleStrikethrough	Strikethrough
Esc Cs	CloseSpelling	Close Spelling
Esc CS	SplitTextFrame	Split Text Frame
Esc ct	CharacterTsume	Tsume
Esc Ct	CloseTableDesigner	Close Table Designer
Esc cu	StyleUnderline	Underline
Esc Cv	CloseStructureView	Close Structure View
Esc Cw	CloseValidationWindow	Close Validation Window
Esc Cx	CloseElementContextWindow	Close Element Context Window
Esc dc	CaptureLiveDialog	Capture Live Dialog
Esc De	Explore	Explore...
Esc df	SetStuffItem	Set Stuff Item
Esc dHS	DelinkHotspot	Delink Hotspot
Esc dm	ShowMacDialog	Show Mac Dialog
Esc Dmtoc	DeleteMiniTableOfContents	Delete Mini TOC
Esc Do	OpenDropBox	Open...
Esc DO	fileDFM_OptionsCmd	DITA Options...
Esc dp	TestPrintDialog	Print Dialog Resource...
Esc dr	RemovePlatformDialog	Remove Platform Dialog
Esc Ds	Share	Share...
Esc DS	fileDFM_SpecializationCmd	DITA Specialization...
Esc DS	resourceManagerDFM_SpecializationCmd	DITA Specialization...
Esc dt	TestAsModalDialog	Test As Modal Dialog
Esc dT	TestAsModelessDialog	Test As Modeless Dialog
Esc dv	DocumentView	Document View...
Esc dw	ShowWindowsDialog	Show Windows Dialog
Esc dx	ShowXDialog	Show X/Motif Dialog
Esc ea	SelectAll	Select All on Page
Esc EA	!EditElementAttributes	Edit Attributes...
Esc eAC	ExpandAllComponents	Expand All
Esc eAE	SelectAllExcludedItems	Excluded Components
Esc eAF	SelectAllFMFiles	FrameMaker Files

Shortcut	Command name	Command label
Esc eAG	SelectAllGeneratedFiles	Generated Files
Esc eAN	SelectAllNonGeneratedFiles	Nongenerated Files
Esc eAX	SelectAllFMXMLAuthorFiles	FrameMakerXMLAuthor Files
Esc eb	Clear	Clear
Esc eb	XmlClear	Clear
Esc ec	Copy	Copy
Esc ec	XmlCopy	Copy
Esc eC	Capitalization	Capitalization
Esc Ec	ChangeElement	Change Element
Esc EC	ElementCatalog	Element Catalog...
Esc ED	DemoteElement	Demote Element
Esc ee	RepeatElemCommand	Repeat Last Element Command
Esc EE	ExpandToStructView	Locate in Structure view
Esc ef	Find/Change	Find/Change...
Esc eF, Esc fin	FindNext	Find Next
Esc eh	History	History
Esc eHS	HotspotProps	Hotspot Properties...
Esc ei	TextInsetProps	Text Inset Properties...
Esc Ei	InsertElement	Insert Element
Esc ek	EditLinks	Links...
Esc eLa	ListAllElements	List All Elements
Esc eLc	ListValidChildren	List Elements Allowed Anywhere in Parent
Esc eLf	ListFreqUsedElements	List Frequently Used Elements
Esc eLi	InclusionElementGrouping	Toggle Inclusion Grouping
Esc eLu	ListLooseValid	List Valid Elements in Any Order
Esc eLv	ListStrictValid	List Valid Elements Working Start to End
Esc Em	!ElementMergeFirst	Merge
Esc EM	ElementMergeLast	Merge Into Last
Esc emt	EditMarkerTypes	Edit Marker Types...
Esc en	BookNumbering	Numbering...
Esc EN	!ElementNamespaces	Namespaces...
Esc eNE	SelectAllNonExcludedItems	Nonexcluded Components
Esc EOC	!SetAvailableElements	Set Available Elements...
Esc EOI	ElementInsertionOptions	New Element Options...
Esc ep	Paste	Paste
Esc ep	XmlPaste	Paste
Esc EP	PromoteElement	Promote Element
Esc er	Redo	Redo
Esc er	XmlRedo	Redo
Esc Er	ToggleElementCollapseAllChildren	Toggle Element Collapse All Children
Esc es	SpellingChecker	Spelling Checker...
Esc eS	SuppressReferenceUpdating	Suppress Automatic Reference Updating...
Esc Es	!ElementSplit	Split
Esc et	Thesaurus	Thesaurus...
Esc Et	TransposeWithNextElement	Transpose With Next
Esc ET	TransposeWithPrevElement	Transpose With Previous

Shortcut	Command name	Command label
Esc eu	Undo	Undo
Esc eu	XmlUndo	Undo
Esc Eu	!ElementUnwrap	Unwrap
Esc eU, Esc fg	Update	Update References...
Esc Ev	!Validation	Validate...
Esc EV	StructureView	Structure View...
Esc Ew	WrapElement	Wrap Element
Esc ex	Cut	Cut
Esc ex	XmlCut	Cut
Esc Ex	ToggleElementCollapse	Toggle Element Collapse
Esc EX	ToggleElementCollapseAllSiblings	Toggle Element Collapse All Siblings
Esc eY	YankKillBuffer	Yank Kill Buffer
Esc eya	CopyElemAttr	Attribute Values
Esc eyc	CopyCharFormat	Character Format
Esc eyd	CopyCondTextSettings	Conditional Text Settings
Esc eyp	CopyPgFormat	Paragraph Format
Esc eyw	CopyTableColumnWidth	Table Column Width
Esc ez	Repeat	Repeat
Esc fa	SaveAs	Save As...
Esc fA	SCSetApp	Set Structured Application...
Esc fb	BookCompare	Compare Books...
Esc fc, Esc fq	Quit	Close
Esc fC, Esc fQ	QuitAll	Close All Open Files
Esc fd	BookSetupFile	Set Up Generated File...
Esc fdi	FMdictBInfo	Dictionary information
Esc fdi	FMdictDInfo	Dictionary information
Esc fDr	SCReadAppFromDisk	Read Application Definitions From File...
Esc fe	BookRenameFile	Rename
Esc fEL	ECMNextElementPosition	
Esc fEU	ECMUpdateOldEDD	Update EDD to Current Version
Esc ff	BookAddFile	Files...
Esc fF	PrintComponents	Print Selected Files...
Esc fh	Help	Help Topics...
Esc Fia	FocusInAttributeEditor	Focus In Attribute Editor
Esc fib	InsertObject	Object...
Esc Fic	FocusInCharacterDesigner	Focus In Character Designer
Esc Fid	FocusInDocument	Focus In Document
Esc fie	ImportElementDefns	Element Definitions...
Esc Fie	FocusInShowElementContext	Focus In Show Element Context
Esc fif	ImportFile	File...
Esc Fif	FocusInFind	Focus In Find
Esc Fih	FocusInHypertext	Focus In Hypertext
Esc fil	DocInfo	File Info...
Esc Fim	FocusInMarker	Focus In Marker
Esc fio	ImportFormats	Formats...
Esc Fio	FocusInConditionalText	Focus In Conditional Text

Shortcut	Command name	Command label
Esc fip	FindPrevious	Find Previous
Esc Fip	FocusInParagraphDesigner	Focus In Paragraph Designer
Esc Fir	FocusInRulingAndShading	Focus In Ruling And Shading
Esc Fis	FocusInSpelling	Focus In Spelling
Esc Fit	FocusInTableDesigner	Focus In Table Designer
Esc Fiv	FocusInStructureView	Focus In Structure View
Esc Fiw	FocusInValidationWindow	Focus In Validation Window
Esc fl	photoshopLaunch	Photoshop
Esc fl	roboScreenCaptureLaunch	RoboScreenCapture
Esc Flk	Lock	Lock/Unlock Document
Esc Flp	Package	Package...
Esc fm	Send	Send...
Esc fM	SendAllOpenFiles	Send All Open Files...
Esc fn	NewDocument	Document...
Esc fN	NewBook	Book
Esc fo	Open	Open...
Esc fO	BookOpenAll	Open All Files in Book
Esc fO	DitamapOpenAll	Open All Files in Ditamap
Esc fp	Print	Print...
Esc fP	Preferences	Preferences...
Esc fr	Revert	Revert to Saved
Esc fs	Save	Save
Esc fS	SaveAll	Save All Open Files
Esc fTA, Esc fDA	SCOpenApp	Edit Application Definitions
Esc ftB	SGStructureCurrentBook	Structure Current Book...
Esc fTB, Esc fDB	SCOpenGlobalApp	Edit Global Application Definitions
Esc ftc	DocCompare	Compare Documents...
Esc ftC	SGStructureCurrentDoc	Structure Current Document...
Esc Ftc	ToggleSaveAsTextMode	Toggle Save As Text Mode
Esc fTC, Esc fDC	SCCheckRules	Check Read/Write Rules...
Esc ftd	SCExportDocs	Convert Documents to Structured Format...
Esc ftD	SGStructureDocuments	Structure Documents...
Esc fTE, Esc fDE	ShowElementContext	Show Element Context...
Esc ftf	NormalizeTags	Create and Apply Formats
Esc fTG, Esc fDG	SGInitRuleTable	Generate Conversion Table...
Esc fth	MWHTMLSetup	HTML Setup...
Esc fTH, Esc fDH	SGSaveEdd2Css	Generate CSS2...
Esc fti	ApiClientInfo	API Client Info...
Esc fTJ, Esc fDJ	SCImportCSS	Import CSS Styles...
Esc ftk	!Macro	Keyboard Macros...
Esc fTL, Esc fDL	SCDocLink	
Esc fTM, Esc fDM	SCUpdateDTD	Import DTD...
Esc fTN, Esc fDN	ECMNewEDD	New EDD
Esc fTO, Esc fDO	SCOpenDTD	Open DTD...
Esc ftp	Capture	Capture...
Esc ftP	CaptureInStandardFormat	Capture in Standard Format...

Shortcut	Command name	Command label
Esc ftp, Esc FDP	SCParseDoc	Parse Structured Document...
Esc ftr	DocReport	Document Reports...
Esc fTR, Esc fDR	SCReadApp	Read Application Definitions
Esc fts	SCImportDocs	Convert Structured Documents...
Esc fTS, Esc fDS	SCSaveDTD	Save as DTD...
Esc fTW, Esc fDW	SCNewRules	New Read/Write Rules
Esc fTX, Esc fDX	ECMExportEDD	Export Element Catalog as EDD
Esc fTY, Esc fDY	SCOpenSchema	Open Schema...
Esc fTZ, Esc fDZ	SCImportSchema	Import Schema...
Esc fUS	SCUpdateStructApp	Update Application Definition File...
Esc fwp	SaveAsPdf	Save As PDF...
Esc fws	SaveAsPdfShare	Share on Acrobat.com...
Esc fwu	SaveAsPdfUbiquitous	Enable commenting in Reader...
Esc fwx	SaveAsXml	Save As XML...
Esc fx	DeleteComponent	Delete
Esc fX	NewXMLUI	XML...
Esc g-	RotateCounterclock90	Rotate 90 Degrees Counterclockwise
Esc g+	RotateClockwise90	Rotate 90 Degrees Clockwise
Esc g0	RotateToNatural	Rotate To Natural Orientation
Esc g1	RotateToPrevious	Rotate To Previous Orientation
Esc g9	ResetNatural	Reset Natural Orientation
Esc ga	GraphicsAlign	Align...
Esc gb	GraphicsSendToBack	Send to Back
Esc gc1	GraphicsCreateLink	Create Link to Graphic...
Esc gct	GraphicsCreateLinkTable	Create Link Table to Graphic...
Esc gd	GraphicsDistribute	Distribute...
Esc ge	StyleCatalog	Object Style Catalog
Esc gf	GraphicsBringToFront	Bring to Front
Esc gg	GraphicsGroup	Group
Esc gh	GraphicsFlipLeftRight	Flip Left/Right
Esc gi	StyleDesigner	Object Style Designer
Esc gj	GraphicsJoinCurves	Join
Esc gk	GraphicsKeepTool	Keep Tool
Esc gl	photoshopEdit	Photoshop
Esc gl	roboScreenCaptureEdit	RoboScreenCapture
Esc gm	GraphicsUnsmooth	Unsmooth
Esc gn	GraphicsSetNumSides	Set # Sides...
Esc go	GraphicsObjProps	Object Properties...
Esc gO	GraphicsPickObjProps	Pick up Object Properties
Esc gp	GraphicsSnap	Snap
Esc gq	RunaroundOff	Runaround Off
Esc gr	GraphicsReshape	Reshape
Esc gR	RunaroundProperties	Runaround Properties...
Esc grp	GraphicsRemovePoster	Set Default Poster
Esc gs	GraphicsSmooth	Smooth
Esc gsp	GraphicsSetPoster	Set Poster...

Shortcut	Command name	Command label
Esc gt	GraphicsRotate	Rotate...
Esc gT, Esc 1w	ToolsPalette	Tools...
Esc gu	GraphicsUngroup	Ungroup
Esc gU	AtomizeInset	Atomize Inset
Esc gv	GraphicsFlipUpDown	Flip Up/Down
Esc gw	RunAroundContour	Run Around Contour
Esc gW	RunAroundBoundingBox	Run Around Bounding Box
Esc gx	RotateAgain	Rotate Again
Esc gy	GraphicsGravity	Gravity
Esc gz	GraphicsScale	Scale...
Esc h0	Unhighlight	UnHighlight
Esc hb	SelectShiftLeft	Shift Selection Left
Esc hc	SelectCharacter	Select Character
Esc hC	SelectSameCondTags	Select Same Condition Tags
Esc Hc	SelectNextCharacter	Select Next Character
Esc HC	SelectPreviousCharacter	Select Previous Character
Esc hd	ExtendOneLineDown	Extend One Line Down
Esc hE	SelectElement	Select Element
Esc heP	SelectParent	Select Parent
Esc hf	SelectShiftRight	Shift Selection Right
Esc hF	SelectSameCharFormat	Select Same Character Format
Esc hg	ExtendToStartOfFlow	Extend To Start Of Flow
Esc hI	SelectLine	Select Line
Esc HI	SelectNextLine	Select Next Line
Esc HL	SelectPreviousLine	Select Previous Line
Esc hm	ExtendToBottomOfColumn	Extend To Bottom Of Column
Esc hn	ExtendToEndOfFlow	Extend To End Of Flow
Esc hN	SelectNextElement	Select Next Element
Esc hot	HotspotMode	Hotspot Mode
Esc hp	SelectParagraph	Select Paragraph
Esc hP	SelectPreviousElement	Select Previous Element
Esc Hp	SelectNextParagraph	Select Next Paragraph
Esc HP	SelectPreviousParagraph	Select Previous Paragraph
Esc hs	SelectSentence	Select Sentence
Esc hS	SelectSiblings	Select Siblings
Esc Hs	SelectNextSentence	Select Next Sentence
Esc HS	SelectPreviousSentence	Select Previous Sentence
Esc ht	ExtendToTopOfColumn	Extend To Top Of Column
Esc HTR	fileDFM_CollapseTRCmd	Hide Content
Esc HTR	resourceManagerDFM_CollapseTRCmd	Hide Content
Esc hu	ExtendOneLineUp	Extend One Line Up
Esc hw	SelectWord	Select Word
Esc Hw	SelectNextWord	Move Active Edge Ahead One Word
Esc HW	SelectPreviousWord	Move Active Edge Back One Word
Esc iae	InlineAttrEditor	Show Inline Attribute Editor
Esc IC	fileDFM_RefManagerCmd	Insert Conref...

Shortcut	Command name	Command label
Esc IC	resourceManagerDFM_RefManagerCmd	Insert Conref...
Esc ide	AssignIdToElements	Assign unique ID to elements
Esc ii	Stuff	Replace
Esc il	IllustratorEdit	Illustrator
Esc ioa	IndexOfAuthors	Authors...
Esc iom	IndexOfMarkers	Markers...
Esc ior	IndexOfReferences	References...
Esc ios	IndexOfSubjects	Subjects...
Esc ip	UiPreferences	Interface...
Esc IT	bookDFM_InsertKeyDefCmd	Keydef...
Esc IT	bookDFM_InsertMapRefCmd	Mapref...
Esc IT	bookDFM_InsertTopicRefCmd	Topicref...
Esc IT	bookDFM_InsertTopicSetCmd	Topicset...
Esc IT	fileDFM_InsertKeyDefCmd	Keydef...
Esc IT	fileDFM_InsertMapRefCmd	Mapref...
Esc IT	fileDFM_InsertTopicRefCmd	Topicref...
Esc IT	fileDFM_InsertTopicSetCmd	Topicset...
Esc IT	resourcemanageDFM_InsertKeyDefCmd	Keydef...
Esc IT	resourcemanageDFM_InsertMapRefCmd	Mapref...
Esc IT	resourcemanageDFM_InsertTopicRefCmd	Topicref...
Esc IT	resourcemanageDFM_InsertTopicSetCmd	Topicset...
Esc ITS	bookDFM_InsertTopicSetRefCmd	Topicsetref...
Esc ITS	fileDFM_InsertTopicSetRefCmd	Topicsetref...
Esc ITS	resourcemanageDFM_InsertTopicSetRef- Cmd	Topicsetref...
Esc itv	TableVariables	Insert Table Variables...
Esc ix	StandardIndex	Standard Index...
Esc j-, Esc -1	DeclineLeading1pt	Decrement Line Leading 1 pt
Esc j/	OneAndHalfSpaceParas	1.5
Esc j+, Esc +1	IncLineLeading1pt	Increment Line Leading 1 pt
Esc j1	SingleSpaceParas	Single
Esc j2	DoubleSpaceParas	Double
Esc jA	ParaAnywhere	Start Para Anywhere
Esc jb	AlignBottom	Bottom Align
Esc jc	CenterPara	Center
Esc jC	ParaTopOfColumn	Start Para At Top Of Column
Esc jf	FullyJustifyPara	Justify
Esc jh	HyphenationOn	Hyphenation On
Esc jj	RepeatLastParaCommand	Repeat Last Paragraph Command
Esc jl	LeftPara	Left
Esc jL	ParaTopOfLeftPage	Start Para At Top Of Left Page
Esc jm	AlignMiddle	Middle Align
Esc jn	HyphenationOff	Hyphenation Off
Esc jo	SetLineSpaceFloating	Set Line Spacing Floating
Esc jP	ParaTopOfPage	Start Para At Top Of Page
Esc jpn	ParaPlacementNormal	Set Para Placement Normal

Shortcut	Command name	Command label
Esc jpr	ParaPlacementRunIn	Set Para Placement Run-in
Esc jps	ParaPlacementSidehead	Set Para Placement Sidehead
Esc jpS	ToggleSideheadsOnOff	Toggle Room For Side Heads On/Off
Esc jpt	ParaPlacementBodyStraddle	Set Para Placement Body Straddle
Esc jpT	ParaPlacementFullStraddle	Set Para Placement Full Straddle
Esc jr	RightPara	Right
Esc jR	ParaTopOfRightPage	Start Para At Top Of Right Page
Esc jt	AlignTop	Top Align
Esc ju	CustomLineSpacingParas	Custom...
Esc jU	UnifyParas	Unify Paragraphs
Esc jw	SpaceBetweenParas	Space Between...
Esc jx	SetLineSpaceFixed	Set Line Spacing Fixed
Esc ka	DeleteBackToPrevSentenceEnd	Delete Back To Prev Sentence End
Esc kb	DeleteBackToPrevWordStart	Delete Back To Prev Word Start
Esc kf	DeleteForwToNextWordEnd	Delete Forward To Next Word End
Esc ks	DeleteForwToNextSentenceStart	Delete Forward To Next Sentence Start
Esc l-	ShowWordsHyphenation	Show Word's Hyphenation
Esc lac	AddToAutoCorrect	Add To Auto Corrections
Esc lad	AddWordToDocDict	Add Word To Document Dictionary
Esc lap	LearnWord	Learn Word
Esc lb	BatchSpellCheck	Batch Spell Check...
Esc lca	ClearAutoCorrections	Clear Auto Corrections
Esc lcd	ChangeDictionaries	Change Dictionaries...
Esc lcw	CorrectWord	Correct Word
Esc le	CheckDocument	Spellcheck Document
Esc li	IllustratorLaunch	Illustrator
Esc ln	LineNumProps	Line Numbers...
Esc lO	SpellCheckerOptions	Spelling Checker Options...
Esc lof	ListOfFigures	Figures...
Esc lom	ListOfMarkers	Markers...
Esc loM	ListOfMarkersAlphabetical	Markers (Alphabetical)...
Esc lop	ListOfParagraphs	Paragraphs...
Esc loP	ListOfParagraphsAlphabetical	Paragraphs (Alphabetical)...
Esc lor	ListOfReferences	References...
Esc lot	ListOfTables	Tables...
Esc lp	CheckPage	Spellcheck Page
Esc lr	MarkAllPgfsForRechecking	Mark All Paragraphs For Rechecking
Esc lR	ReformatDocument	Reformat Document
Esc ls	CheckWord	Spellcheck Current Selection
Esc LT	ThemeLoad	LoadTheme...
Esc ltr	DocDirectionLTR	Left-to-Right
Esc lxd	DeleteWordFromDocDict	Delete Word From Document Dictionary
Esc lxp	UnlearnWord	Unlearn Word
Esc m=	MathForceEquals	Force Equals
Esc ma+	MathAlignEqualL	Align Left of Equals
Esc ma=	MathAlignEqualR	Align Right of Equals

Shortcut	Command name	Command label
Esc maa	MathAddFractions	Add Fractions
Esc mab	MathAlignBaseline	Align Baseline
Esc maB	MathAlignBottom	Align Bottom
Esc mac	MathAlignCenter	Align Center
Esc mad	MathAlignClearManual	Align Clear Manual
Esc maL	MathAlignLeft	Align Left
Esc mao	MathOrderinSum	Order in Sum
Esc maO	MathOrderinSumotherway	Order in Sum other way
Esc mar	MathAlignRight	Align Right
Esc maR	MathResetAlignment	Clear Manual Line Breaks
Esc mas	MathAlignSetManual	Align Set Manual
Esc mat	MathAlignTop	Align Top
Esc mbc	MathClearManualLineBreaks	Clear Manual Line Breaks
Esc mbs	MathSetManualLineBreak	Set Manual Line Breaks
Esc mc	MathAddDefinitionToCatalog	Add Definition To Catalog
Esc mC	ManageCond	Manage Condition
Esc md	MoveComponentDown	Move Down
Esc mdd	MathRemoveDivision	Remove Division
Esc mdD	MathRemoveDivisionOnce	Remove Division Once
Esc mdL	MathLongDivision	Long Division
Esc mdn	MathRemoveNegPowers	Remove Neg Powers
Esc mdN	MathRemoveNegPowersOnce	Remove Neg Powers Once
Esc me	UnwrapEquation	Unwrap Equation
Esc mf	EquationFonts	Equation Fonts...
Esc Mf	SaveAllLocally	Save locally with Dependencies...
Esc mh	InsertNewHypertext	Insert New Hypertext
Esc mhL	MathList	List
Esc mi	MathInsertElement	Insert Math Element...
Esc mk	InsertNewMarker	Insert New Marker
Esc MK	bookDFM_ManageKeySpacesCmd	Manage Keyspaces...
Esc MK	fileDFM_ManageKeySpacesCmd	Manage Keyspaces...
Esc MK	resourceManagerDFM_ManageKeySpacesCmd	Manage Keyspaces...
Esc mL	LargeEquation	Large Equation
Esc mm	MediumEquation	Medium Equation
Esc mn	MathNewOperand	New Operand
Esc moe	MathPulloutoneterm	Pull Out One Term
Esc moE	MathPullOutAllTerms	Pull out all terms
Esc moi	MathIsolateTerm	Isolate Term
Esc mos	MathSimplify	Simplify
Esc moS	MathSimplifySome	Simplify Some
Esc mp	ShrinkwrapEquation	Shrinkwrap Equation
Esc MP	ApplyMasterPages	Apply Master Pages...
Esc MP	ApplyMasterPagesBook	Apply Master Pages...
Esc mra	MathApplyDefinition	Apply Definition
Esc mrd	MathDesignateDummy	Designate Dummy

Shortcut	Command name	Command label
Esc mre	MathEnterDefinition	Enter Definition
Esc mrp	MathRemoveParentheses	Remove Parentheses
Esc ms	SmallEquation	Small Equation
Esc mT	MathToggleFormat	Toggle Format
Esc mtc	MathAlignMatrixColToggle	Align Matrix Column Toggle
Esc mtoc	MiniTableOfContents	Create Mini TOC...
Esc mtr	MathAlignMatrixRowToggle	Align Matrix Row Toggle
Esc mu	MoveComponentUp	Move Up
Esc mU	MathUpdateDefinition	Update Definition
Esc mud	MathDistribute	Distribute
Esc muD	MathDistributeOver	Distribute Over =
Esc muf	MathFactor	Factor
Esc muF	MathFactorSome	Factor Some
Esc mum	MathMultiplyOut	Multiply Out
Esc muM	MathMultiplyOutOnce	Multiply Out Once
Esc mv.	MathShowAllDigits	Show All Digits
Esc mvd	MathDifferentiate	Differentiate
Esc mvD	MathDifferentiateOnce	Differentiate Once
Esc mve	MathEvaluate	Evaluate
Esc mvi	MathIntegrate	Integrate
Esc mv1	MathATop	ATop
Esc mvn	MathNumberCrunch	Number Crunch
Esc mvs	MathEvalSubstitutions	Eval Substitutions
Esc NM1	bookDFM_NewMapCmd0	New <map>...
Esc NM1	fileDFM_NewMapCmd0	New <map>...
Esc NM1	resourceManagerDFM_NewMapCmd0	New <map>...
Esc NM2	bookDFM_NewMapCmd1	New <bookmap>...
Esc NM2	fileDFM_NewMapCmd1	New <bookmap>...
Esc NM2	resourceManagerDFM_NewMapCmd1	New <bookmap>...
Esc nm1	MathMLEquation	MathML Equation...
Esc ns	NoHyphenWord	No Hyphenation In Word
Esc NT1	bookDFM_NewTopicCmd0	New <topic>...
Esc NT1	fileDFM_NewTopicCmd0	New <topic>...
Esc NT1	resourceManagerDFM_NewTopicCmd0	New <topic>...
Esc NT2	bookDFM_NewTopicCmd1	New <task>...
Esc NT2	fileDFM_NewTopicCmd1	New <task>...
Esc NT2	resourceManagerDFM_NewTopicCmd1	New <task>...
Esc NT3	bookDFM_NewTopicCmd2	New <concept>...
Esc NT3	fileDFM_NewTopicCmd2	New <concept>...
Esc NT3	resourceManagerDFM_NewTopicCmd2	New <concept>...
Esc NT4	bookDFM_NewTopicCmd3	New <reference>...
Esc NT4	fileDFM_NewTopicCmd3	New <reference>...
Esc NT4	resourceManagerDFM_NewTopicCmd3	New <reference>...
Esc NT5	bookDFM_NewTopicCmd4	New <glossentry>...
Esc NT5	fileDFM_NewTopicCmd4	New <glossentry>...
Esc NT5	resourceManagerDFM_NewTopicCmd4	New <glossentry>...

Shortcut	Command name	Command label
Esc NT6	bookDFM_NewTopicCmd5	New <glossgroup>...
Esc NT6	fileDFM_NewTopicCmd5	New <glossgroup>...
Esc NT6	resourceManagerDFM_NewTopicCmd5	New <glossgroup>...
Esc NT7	bookDFM_NewTopicCmd6	New <dita>...
Esc NT7	fileDFM_NewTopicCmd6	New <dita>...
Esc NT7	resourceManagerDFM_NewTopicCmd6	New <dita>...
Esc oa	ToggleFullAbbrevRuler	Full/Abbreviated Ruler
Esc OA	fileDFM_OpenAllToicrefsCmd	Open All Topicrefs...
Esc OA	resourceManagerDFM_OpenAllToicrefsCmd	Open All Topicrefs...
Esc ob	ChangeBars	Change Bars...
Esc occ	CharacterCatalog	Catalog...
Esc ocd	CharacterFormatDesigner	Designer...
Esc ocf	CustomizeTextFrame	Customize Text Frame...
Esc oc1, Esc ogn	ColumnLayout	Column Layout...
Esc ocm	CMSConnectionMgr	Connection Manager...
Esc oco	CombinedFonts	Combined Fonts...
Esc ocp	CharacterDefaultPgFont	Default ¶ Font
Esc odn	DocumentNumbering	Numbering...
Esc odo	PDFSizeOptions	Options...
Esc odp, Esc oda	AcrobatSetup	PDF Setup...
Esc oe	ExtendObjectSelection	Extend To Next Object
Esc of	FootnoteProperties	Footnote Properties...
Esc oF	SelectFirstObject	Select First Object
Esc oH	OpenHeroic	Heroic Open...
Esc ohc	HeaderFooterInsertPageCount	Insert Page Count
Esc ohd	HeaderFooterInsertCurrentDate	Insert Current Date
Esc oho	HeaderFooterInsertOther	Insert Other...
Esc ohp	HeaderFooterInsertPageNum	Insert Page #
Esc o11	LineLayout	Line Layout...
Esc omp, Esc pm	NewMasterPage	New Master Page...
Esc omr	ReorderMasterPage	Reorder Custom Master Pages...
Esc omu, Esc ogm	MasterPageUsage	Master Page Usage...
Esc on	SelectNextObject	Select Next Object
Esc opc	ParagraphCatalog	Catalog...
Esc opd	ParagraphFormatDesigner	Designer...
Esc opi	Pagination	Pagination...
Esc opn	ParaNewFormat	New Format...
Esc ops	PageSize	Page Size...
Esc opu	ParaUpdateFormat	Update All...
Esc or	RubiProperties	Rubi Properties...
Esc oRp	OpenCMSRepository	Open Repository...
Esc oS	OpenSilent	Silent Open...
Esc oto	TextOptions	Text Options...
Esc oup, Esc pu	UpdateColumnLayout	Update Column Layout...
Esc pdf	ImportPDFComments	PDF Comments...

Shortcut	Command name	Command label
Esc pe	EquationSizes	Equation Sizes...
Esc pf	GotoFirstPage	First Page
Esc ph	TPUBforBook	Publish
Esc ph	TPUBforDitaMap	Publish
Esc ph	TPUBforFMDoc	Publish
Esc pHS	HotspotsPod	Hotspots...
Esc pl	GotoLastPage	Last Page
Esc pL	PodsLocationCriteria	Pods Location Criteria...
Esc pn	GotoNextPage	Next Page
Esc pN	RenamePage	Rename Master/Ref Page...
Esc po	RotatePage	Rotate Page Counterclockwise
Esc pO	RotatePageClockwise	Rotate Page Clockwise
Esc pp	GotoPreviousPage	Previous Page
Esc pU	RotatePageNormal	Unrotate Page
Esc pz	FreezePagination	Freeze Pagination...
Esc qa	ClipArtCmd	Clip Art...
Esc qc	CharQuickKey	Quick Character
Esc qC	QuickConditionalIn	Quick Conditional Text In
Esc qD	QuickConditionalNotIn	Quick Conditional Text NotIn
Esc QE	EditQrcodeCmd	Edit QR Code...
Esc qm	ManualsCmd	Manuals...
Esc QN	NewQrcodeCmd	Generate QR Code...
Esc qo	QuickStyles	Quick Style
Esc qp	ParaQuickKey	Quick Paragraph
Esc qs	SamplesCmd	Samples...
Esc qS	ShowOneCondTextTag	Show One Conditional Text Tag
Esc qt	TourCmd	Tour...
Esc qU	QuickConditionalUn	Quick Conditional Text Unconditional
Esc qv	QuickVariables	Quick Variable
Esc ra	ReplaceAndFindAgain	Replace and Find Again
Esc ram	AEMReviewforDitaMap	Review Comments...
Esc ram	AEMReviewforFMDoc	Review Comments...
Esc rc	OpenAllMRUFiles	Open All Recent Files
Esc rg	ReplaceAll	Replace All
Esc rm	ResourceManager	Resource Manager...
Esc RM	fileDFM_RefreshCmd	Refresh Menu
Esc ro	ReplaceOnce	Replace
Esc rs	RestoreSession	Restore Last Session
Esc rt1	DocDirectionRTL	Right-to-Left
Esc RTR	fileDFM_ExpandTRCmd	Show Content
Esc RTR	resourceManagerDFM_ExpandTRCmd	Show Content
Esc rv	SaveAsPdfRev	Send through email...
Esc rwm	RewrapInlineMath	ReShrinkwrap All Inline Math
Esc rxb	SwapRedBlue	Exchange Red And Blue
Esc S1	FM_Switch_To_View_1	
Esc S2	FM_Switch_To_View_2	

Shortcut	Command name	Command label
Esc S3	FM_Switch_To_View_3	
Esc sa	AnchoredFrame	Anchored Frame...
Esc SAD	SCStructAppWiz	Structured Application Designer...
Esc sB	MoveIPBeforeElement	Move To Before Element
Esc sc	CrossReference	Cross-Reference...
Esc sC	ConditionalText	Conditional Tags...
Esc SCR1	ReportCmds_byTag	Report Commands by Tag
Esc SCR2	ReportCmds_byShortcut	Report Commands by Shortcuts
Esc sd	ToggleStructAndDocWin	Toggle Between Structure and Doc Windows
Esc sD	MoveIPNextElement	Move To Next Element
Esc sE	MoveIPEndOfElement	Move To End Of Element
Esc sf	Footnote	Footnote
Esc SF	InsertMovieDemo	Adobe Captivate Demo
Esc SFL	ShowFileListUI	Currently Opened Files...
Esc sg, Esc si	Inset	Graphic Inset...
Esc sh	Hypertext	Hypertext...
Esc SK	bookDFM_SetKeySpaceCmd	Set Keyspace...
Esc SK	fileDFM_SetKeySpaceCmd	Set Keyspace...
Esc SK	resourceManagerDFM_SetKeySpaceCmd	Set Keyspace...
Esc s1	SelectSectionComponents	Section Components
Esc S1	SaveLocally	Save locally...
Esc sm	Marker	Marker...
Esc SMf	ScreenModeFullScreen	Full Screen Mode
Esc SMs	ScreenModeStandard	Standard Screen Mode
Esc SMu	ScreenModeFullWithUi	Full Screen Mode with UI
Esc sN	MoveIPIntoNextChild	Move Into Next Child
Esc so	ScriptOpen	Run
Esc spa	PageAdd	Add Disconnected Pages...
Esc Space 1	CharNumberSpace	Number Space
Esc Space h	CharHardSpace	Hard Space
Esc Space m	CharEmSpace	Em Space
Esc Space n	CharEnSpace	En Space
Esc Space t	CharThinSpace	Thin Space
Esc spb, Esc opb	PageBreak	Page Break...
Esc spd	!PageDelete	Delete Pages...
Esc spo	PreviewOff	Preview Off
Esc spt	PasteWithStructure	Smart Paste
Esc sr	InsertRubi	Rubi
Esc sS	MoveIPStartOfElement	Move To Start Of Element
Esc ssf	RemoveStruct	Remove Structure from Flow
Esc ss1	SelectSubSectionComponents	Sub-section Components
Esc ST	EditDemoCmd	Adobe Captivate
Esc ST	ThemeSave	SaveTheme...
Esc sta	AcceptTrackTextEdit	Accept Edit
Esc stA	AcceptAllTrackTextEdit	Accept All
Esc std	TrackTextDisable	Disable

Shortcut	Command name	Command label
Esc stF	PreviewFinal	Preview Final
Esc stn	ShowNextTrackTextEdit	Show Next
Esc sto	TrackTextEnable	Enable
Esc stO	PreviewOriginal	Preview Original
Esc stp	ShowPrevTrackTextEdit	Show Previous
Esc str	RejectTrackTextEdit	Reject Edit
Esc stR	RejectAllTrackTextEdit	Reject All
Esc stta	AcceptTrackTextEditAndShowNext	Accept Edit and Show Next
Esc sttr	RejectTrackTextEditAndShowNext	Reject Edit and Show Next
Esc sU	MoveIPPrevElement	Move To Previous Element
Esc sv	Variable	Variables...
Esc Sva	ToggleLeftAnchor	
Esc sx	ScriptCatalog	Catalog
Esc ta	TableAddRowsOrColumns	Add Rows or Columns...
Esc Tab	CharTabForTableCell	Tab For Table Cell
Esc tcc	TableCatalog	Catalog...
Esc tce	ClearLeavingCellsEmpty	Clear Leaving Cells Empty
Esc tcL	AddColumnsToLeft	Add Columns To Left
Esc tcr	AddColumnsToRight	Add Columns To Right
Esc tcx	ClearRemovingCells	Clear Removing Cells
Esc td	TableFormatDesigner	Table Designer...
Esc te	EditRulingStyle	Edit Ruling Style
Esc tha	SelectTextInCell	Select Text In Cell
Esc THA	ToolBarHideAll	Hide All
Esc thb	SelectColumnBodyCells	Select Column Body Cells
Esc thc	SelectColumn	Select Column
Esc the	SelectCell	Select Cell
Esc thr	SelectRow	Select Row
Esc tht	SelectTable	Select Table
Esc ti	TableInsert	Insert Table...
Esc tI	MoveIPOutOfTable	Move IP Out Of Table
Esc tI	TableStraddle	Straddle
Esc Tln	ToggleLineNumbers	Line Numbers
Esc tma	MoveIPToLeftmostCell	Move IP To Leftmost Cell
Esc tmb	MoveIPToColumnBottom	Move IP To Column Bottom
Esc tmd	MoveIPToCellBelow	Move IP To Cell Below
Esc tmda	MoveIPDownAndSelectText	Move IP Down And Select Text
Esc tme	MoveIPToRightmostCell	Move IP To Rightmost Cell
Esc tmL	MoveIPToCellAtLeft	Move IP To Cell At Left
Esc tmn	MoveIPToNextCell	Move IP To Next Cell
Esc tmp	MoveIPToPreviousCell	Move IP To Previous Cell
Esc tmr	MoveIPToCellAtRight	Move IP To Cell At Right
Esc tms, Esc th0	MoveIPToTopLeftSelectedCell	Move IP To Top Left Selected Cell
Esc tmt	MoveIPToColumnTop	Move IP To Column Top
Esc tmT	MoveIPToTopLeftCell	Move IP To Top Left Cell
Esc tmu	MoveIPToCellAbove	Move IP To Cell Above

Shortcut	Command name	Command label
Esc tmua	MoveIPUpAndSelectText	Move IP Up And Select Text
Esc toc	TableOfContents	Create Standalone TOC...
Esc tpa	TablePasteAfter	Paste After
Esc tpb	TablePasteBefore	Paste Before
Esc tpr	TablePasteReplaceSelection	Paste Replacing Selection
Esc tr	TableRowFormat	Row Format...
Esc Tr	ThesaurusReplace	Replace selection with thesaurus selection
Esc tRa	AddRowsAbove	Add Rows Above
Esc tRb	AddRowsBelow	Add Rows Below
Esc ts	TableSort	Sort...
Esc TSA	ToolBarShowAll	Show All
Esc tut	UnifyTableFormats	Unify Table Formats
Esc tv	TableConvert	Convert to Table...
Esc tw	TableShrinkWrapColWidth	Shrink Wrap Column Width
Esc tx	TableCustRuleAndShade	Custom Ruling & Shading...
Esc tz	TableResizeColumns	Resize Columns...
Esc uab	UploadActiveBook	Upload Active Book...
Esc uab	UploadActiveDitaMap	Upload Active DitaMap...
Esc uad	UploadActiveDoc	Upload Active Document...
Esc Uae	UpdateMathML	Update MathML Equations
Esc Ud	Upload	Save to Dropbox folder...
Esc UP	PreviewFBA	Preview Filter by Attribute
Esc UR	fileDFM_UpdateRefsCmd	Update References...
Esc UR	resourceManagerDFM_UpdateRefsCmd	Update References...
Esc usv	EditVariable	Edit Variable
Esc Uwd	UploadAll	Save to Dropbox folder with Dependencies...
Esc v1	ViewSeparation1	View Separation 1
Esc v2	ViewSeparation2	View Separation 2
Esc v3	ViewSeparation3	View Separation 3
Esc v4	ViewSeparation4	View Separation 4
Esc v5	ViewSeparation5	View Separation 5
Esc v6	ViewSeparation6	View Separation 6
Esc vA	SetAttrDisplay	Attribute Display Options...
Esc vae	AllowAsSpecialCase	Allow As Special Case
Esc vb	ViewBorders	Borders
Esc vB	ViewBodyPages	Body Pages
Esc Vbh	ViewBordersOff	Hide Borders
Esc Vbs	ViewBordersOn	Show Borders
Esc vC	ConditionVisibility	Show/Hide Conditional Text...
Esc vcd	ColorDefinitions	Definitions...
Esc vce	ClearSpecialValidationCases	Clear Special Validation Cases
Esc vcv	ColorViews	Views...
Esc vd	ValidateDocument	Validate Document
Esc ve	ValidateElement	Validate Element
Esc vE	ViewElementBoundaries	Element Boundaries
Esc Ve	tb_tr_ch	Track Text Edits

Shortcut	Command name	Command label
Esc VEh	ViewElementBoundariesOff	Hide Element Boundaries
Esc VEI	tb_element_insert	Quick Element Toolbar
Esc VEs	ViewElementBoundariesOn	Show Element Boundaries
Esc vf	ValidateFlow	Validate Flow
Esc vg	ViewGridLines	Grid Lines
Esc Vgh	ViewGridLinesOff	Hide Grid Lines
Esc Vgs	ViewGridLinesOn	Show Grid Lines
Esc vh	ValidateHypertext	Validate Hypertext...
Esc VHh	ViewHotspotIndicatorsOff	Hide Hotspot Indicators
Esc vHS	ViewHotspotIndicators	Hotspot Indicators
Esc VHS	ViewHotspotIndicatorsOn	Show Hotspot Indicators
Esc via	IgnoreMissingAttributes	Ignore Missing Attributes
Esc vie	IgnoreMissingElements	Ignore Missing Elements
Esc vip	ViewInsets	Insets...
Esc vl	ViewPublisherBoundaries	Publisher Boundaries
Esc Vlh	ViewPublisherBoundariesOff	Hide Publisher Boundaries
Esc Vls	ViewPublisherBoundariesOn	Show Publisher Boundaries
Esc vM	ViewMasterPages	Master Pages
Esc VM	ViewBookFileNames	FileNames
Esc vmc	ViewCompleteMenus	Complete
Esc vmk	PodsMarkers	Markers...
Esc vmm	ViewModifyMenus	Modify...
Esc vmq	ViewQuickMenus	Quick
Esc vmu	ViewCustomMenus	Custom
Esc vn	StartValidating	Start Validating
Esc vN	GotoNextView	Go Back Back
Esc vo	ViewOptions	Options...
Esc vO	ToggleCondUseFormatOverride	Conditional Text Format Overrides
Esc Voa	tb_obj_align	Object Alignment
Esc VOh	ViewConditionIndicatorsOff	Hide Conditional Text Indicators
Esc Vop	tb_obj_prop	Object Properties
Esc VOs	ViewConditionIndicatorsOn	Show Conditional Text Indicators
Esc vp	GotoPage	Go to Page...
Esc vP	GotoPreviousView	Go Back
Esc Vpa	tb_para_fmt	Paragraph Formatting
Esc vpc	PodsXRefs	Cross-References...
Esc vpf	FontPod	Fonts...
Esc vq	tb_dir	Direction Toolbar
Esc vq	tb_qck	Quick Access Bar
Esc vr	ViewRulers	Rulers
Esc vR	ViewReferencePages	Reference Pages
Esc Vrh	ViewRulersOff	Hide Rulers
Esc Vrs	ViewRulersOn	Show Rulers
Esc vs	tb_structured	Structured Access Bar
Esc vsn	GotoNextScreen	Next Screen
Esc vsp	GotoPreviousScreen	Previous Screen

Shortcut	Command name	Command label
Esc vt	ViewTextSymbols	Text Symbols
Esc vT	ViewElementTags	Element Boundaries (as Tags)
Esc Vta	tb_tbl_fmt	Table Formatting
Esc Vte	tb_txt_fmt	Text Formatting
Esc Vth	ViewTextSymbolsOff	Hide Text Symbols
Esc Vts	ViewTextSymbolsOn	Show Text Symbols
Esc VTs	ViewElementTagsOn	Show Element Boundaries (as Tags)
Esc vv	ToggleGraphicsDisplay	Graphics
Esc Vvh	ViewGraphicsOff	Hide Graphics
Esc Vvs	ViewGraphicsOn	Show Graphics
Esc vW	GotoPreviousViewFitWindowToPage	Go Back & Fit Window to Page
Esc vX	GotoNextViewFitWindowToPage	Go Back Back & Fit Window To Page
Esc VX	ViewBookText	Text
Esc wc	!WindowClose	Close
Esc we	WindowExpose	Expose
Esc wh	WindowHide	Hide
Esc wi	WordImport	Word Finder
Esc wm	WindowMove	Move
Esc wo	!WindowOpen	Open
Esc wr	WindowRedisplay	Refresh
Esc www	AdobeOnline	FrameMaker Online...
Esc xa	MathMatrixAlgebra	Matrix Algebra
Esc xar	XSLTAdvanceRun	Advanced Run...
Esc xc	MathAddColumn	Add Column
Esc xm	MathCreate1x1matrix	Create matrix
Esc xm	XSLTManageTransformation	Manage Transformations...
Esc xpp	XmlXPath	XPath
Esc xpt	XPathToolBar	XPath Toolbar
Esc xr	MathAddRow	Add Row
Esc xr	XSLTRun	Run...
Esc xt	MathTransposeMatrix	Transpose Matrix
Esc zaf	ToggleZoomAutofit	Toggle Autofit After Zoom
Esc zf	ZoomFitWindowToTextFrame	Fit Window to Text Frame
Esc zi	ZoomIn	In
Esc zo	ZoomOut	Out
Esc zp	ZoomFitPageInWindow	Fit Page in Window
Esc zs	ZoomSet	Set Zoom Percentages
Esc zw	ZoomFitWindowToPage	Fit Window to Page
Esc zz	ZoomTo100	100%

ESC sequences FM-09

Not listed are escape sequences for non-ASCII characters, such as ESC,c for ç.

Functions highlighted in **pink** are available only in structured mode.

Command label	Shortcut	Command name
Esc ?v, Esc fI	AboutFrameProduct	About FrameMaker...
Esc AI	fileDFM_AssignIdCmd	Assign ID to Element
Esc AI	resourceManagerDFM_AssignIdCmd	Assign ID to Element
Esc BE	kbdBuildXmlForElemCmd	BuildXmlForElem
Esc c-	StyleSubscript	Subscript
Esc c+	StyleSuperscript	Superscript
Esc cAC	CollapseAllComponents	Collapse All
Esc CB	CutBoth	Disconnect Both
Esc cb	StyleBold	Bold
Esc CC	ConnectTextFrames	Connect Text Frames
Esc cd	StyleDoubleUnderline	Double Underline
Esc CD	LaunchCaptiveCmd	Launch Adobe Captivate
Esc ch	StyleChangeBar	Change Bar
Esc ci	StyleItalic	Italic
Esc cl	SelectChapterComponents	Chapter Components
Esc cm	StyleSmallCaps	Small Caps
Esc CN	CutTail	Disconnect Next
Esc co	StyleOverline	Overline
Esc cp	StylePlain	Plain
Esc CP	CutHead	Disconnect Previous
Esc CS	SplitTextFrame	Split Text Frame
Esc cs	StyleStrikethrough	Strikethrough
Esc cu	StyleUnderline	Underline
Esc DO	fileDFM_OptionsCmd	DITA Options...
Esc DO	resourceManagerDFM_OptionsCmd	DITA Options...
Esc dv	DocumentView	Document View...
Esc ea	SelectAll	Select All on Page
Esc eAC	ExpandAllComponents	Expand All
Esc eAE	SelectAllExcludedItems	Excluded Components
Esc eAF	SelectAllFMFiles	FrameMaker Files
Esc eAG	SelectAllGeneratedFiles	Generated Files
Esc eAN	SelectAllNonGeneratedFiles	Nongenerated Files
Esc eb	Clear	Clear
Esc ec	Copy	Copy
Esc ef	Find/Change	Find/Change...
Esc eh	History	History
Esc ei	TextInsetProps	Text Inset Properties...
Esc emt	EditMarkerTypes	Edit Marker Types...
Esc eNE	SelectAllNonExcludedItems	Nonexcluded Components
Esc ep	Paste	Paste

Command label	Shortcut	Command name
Esc er	Redo	Redo
Esc eS	SuppressReferenceUpdating	Suppress Automatic Reference Updating...
Esc es	SpellingChecker	Spelling Checker...
Esc et	Thesaurus	Thesaurus...
Esc eU, Esc fg	Update	Update References...
Esc eu	Undo	Undo
Esc ex	Cut	Cut
Esc eY	YankKillBuffer	Yank Kill Buffer
Esc eya	CopyElemAttr	Attribute Values
Esc eyc	CopyCharFormat	Character Format
Esc eyd	CopyCondTextSettings	Conditional Text Settings
Esc eyp	CopyPgffFormat	Paragraph Format
Esc eyw	CopyTableColumnWidth	Table Column Width
Esc fa	SaveAs	Save As...
Esc fC, Esc fQ	QuitAll	Close All Open Files
Esc fc, Esc fq	Quit	Close
Esc fF	PrintComponents	Print Selected Files...
Esc fh	Help	Help Topics...
Esc fif	ImportFile	File...
Esc fil	DocInfo	File Info...
Esc fio	ImportFormats	Formats...
Esc fl	photoshopLaunch	Launch Photoshop
Esc fl	roboScreenCaptureLaunch	Launch RoboScreenCapture
Esc Flk	Lock	Lock/Unlock Document
Esc fN	NewBook	Book
Esc fn	NewDocument	Document...
Esc fO	OpenAll	Open All Files in Book
Esc fo	Open	Open...
Esc fP	Preferences	General...
Esc fp	Print	Print...
Esc fr	Revert	Revert to Saved
Esc fS	SaveAll	Save All Open Files
Esc fs	Save	Save
Esc ftc	DocCompare	Compare Documents...
Esc fth	MWHTMLSetup	HTML Setup...
Esc fti	ApiClientInfo	API Client Info...
Esc ftk	!Macro	Keyboard Macros...
Esc ftp	Capture	Capture...
Esc ftP	CaptureInStandardFormat	Capture in Standard Format...
Esc ftr	DocReport	Document Reports...
Esc fu	startMeeting	Start Meeting
Esc fwp	SaveAsPdf	Save As PDF...
Esc fwx	SaveAsXml	Save As XML...
Esc gl	photoshopEdit	Edit with Photoshop
Esc gl	roboScreenCaptureEdit	Edit with RoboScreenCapture
Esc IC	fileDFM_RefManagerCmd	Insert Conref...

Command label	Shortcut	Command name
Esc IC	resourceManagerDFM_RefManagerCmd	Insert Conref...
Esc ii	Stuff	Replace
Esc IT	fileDFM_InsertTopicrefCmd	Insert Topicref...
Esc IT	resourceManagerDFM_InsertTopicrefCmd	Insert Topicref...
Esc MP	ApplyMasterPages	Apply Master Pages...
Esc MP	ApplyMasterPagesBook	Apply Master Pages...
Esc NM1	bookDFM_NewMapCmd0	New <map>...
Esc NM1	fileDFM_NewMapCmd0	New <map>...
Esc NM1	resourceManagerDFM_NewMapCmd0	New <map>...
Esc NM2	bookDFM_NewMapCmd1	New <bookmap>...
Esc NM2	fileDFM_NewMapCmd1	New <bookmap>...
Esc NM2	resourceManagerDFM_NewMapCmd1	New <bookmap>...
Esc NT1	bookDFM_NewTopicCmd0	New <topic>...
Esc NT1	fileDFM_NewTopicCmd0	New <topic>...
Esc NT1	resourceManagerDFM_NewTopicCmd0	New <topic>...
Esc NT2	bookDFM_NewTopicCmd1	New <task>...
Esc NT2	fileDFM_NewTopicCmd1	New <task>...
Esc NT2	resourceManagerDFM_NewTopicCmd1	New <task>...
Esc NT3	bookDFM_NewTopicCmd2	New <concept>...
Esc NT3	fileDFM_NewTopicCmd2	New <concept>...
Esc NT3	resourceManagerDFM_NewTopicCmd2	New <concept>...
Esc NT4	bookDFM_NewTopicCmd3	New <reference>...
Esc NT4	fileDFM_NewTopicCmd3	New <reference>...
Esc NT4	resourceManagerDFM_NewTopicCmd3	New <reference>...
Esc NT5	bookDFM_NewTopicCmd4	New <glossentry>...
Esc NT5	fileDFM_NewTopicCmd4	New <glossentry>...
Esc NT5	resourceManagerDFM_NewTopicCmd4	New <glossentry>...
Esc oa	ToggleFullAbbrevRuler	Full/Abbreviated Ruler
Esc OA	fileDFM_OpenAllToicrefsCmd	Open All Topicrefs...
Esc OA	resourceManagerDFM_OpenAllToicrefsCmd	Open All Topicrefs...
Esc ob	ChangeBars	Change Bars...
Esc occ	CharacterCatalog	Catalog...
Esc ocd	CharacterFormatDesigner	Designer...
Esc ocf	CustomizeTextFrame	Customize Text Frame...
Esc oc1, Esc ogn	ColumnLayout	Column Layout...
Esc oco	CombinedFonts	Combined Fonts...
Esc ocp	CharacterDefaultPgFont	Default ¶ Font
Esc odn	DocumentNumbering	Numbering...
Esc odp, Esc oda	AcrobatSetup	PDF Setup...
Esc of	FootnoteProperties	Footnote Properties...
Esc oH	OpenHeroic	Heroic Open...
Esc ohc	HeaderFooterInsertPageCount	Insert Page Count
Esc ohd	HeaderFooterInsertCurrentDate	Insert Current Date
Esc oho	HeaderFooterInsertOther	Insert Other...
Esc ohp	HeaderFooterInsertPageNum	Insert Page #

Command label	Shortcut	Command name
Esc o1l	LineLayout	Line Layout...
Esc omp, Esc pm	NewMasterPage	New Master Page...
Esc omr	ReorderMasterPage	Reorder Custom Master Pages...
Esc omu, Esc ogm	MasterPageUsage	Master Page Usage...
Esc opc	ParagraphCatalog	Catalog...
Esc opd	ParagraphFormatDesigner	Designer...
Esc opi	Pagination	Pagination...
Esc ops	PageSize	Page Size...
Esc or	RubiProperties	Rubi Properties...
Esc oS	OpenSilent	Silent Open...
Esc oto	TextOptions	Text Options...
Esc oup, Esc pu	UpdateColumnLayout	Update Column Layout...
Esc pdf	ImportPDFComments	PDF Comments...
Esc pL	PodsLocationCriteria	Pods Location Criteria...
Esc pO	RotatePageClockwise	Rotate Page Clockwise
Esc po	RotatePage	Rotate Page Counterclockwise
Esc pU	RotatePageNormal	Unrotate Page
Esc pz	FreezePagination	Freeze Pagination...
Esc qc	CharQuickKey	Quick Character
Esc rm	ResourceManager	Resource Manager...
Esc RM	fileDFM_RefreshCmd	Refresh Menu
Esc sa	AnchoredFrame	Anchored Frame...
Esc sc	CrossReference	Cross-Reference...
Esc sf	Footnote	Footnote
Esc SF	InsertMovieDemo	Insert Adobe Captivate Demo
Esc sh	Hypertext	Hypertext...
Esc s1	SelectSectionComponents	Section Components
Esc sm	Marker	Marker...
Esc spb, Esc opb	PageBreak	Page Break...
Esc sr	InsertRubi	Rubi
Esc ss1	SelectSubSectionComponents	Sub-section Components
Esc ST	EditDemoCmd	Edit With Adobe Captivate
Esc sv	Variable	Variables...
Esc Tr	ThesaurusReplace	Replace selection with thesaurus selection
Esc UR	fileDFM_UpdateRefsCmd	Update References...
Esc UR	resourceManagerDFM_UpdateRefsCmd	Update References...
Esc vb	ViewBorders	Borders
Esc vB	ViewBodyPages	Body Pages
Esc vcd	ColorDefinitions	Definitions...
Esc vcv	ColorViews	Views...
Esc Ve	tb_tr_ch	Track Text Edits
Esc vg	ViewGridLines	Grid Lines
Esc vh	ValidateHypertext	Validate Hypertext...
Esc vip	ViewInsets	Insets...
Esc v1	ViewPublisherBoundaries	Publisher Boundaries
Esc vM	ViewMasterPages	Master Pages

Command label	Shortcut	Command name
Esc vmc	ViewCompleteMenus	Complete
Esc vmm	ViewModifyMenus	Modify...
Esc vmq	ViewQuickMenus	Quick
Esc vmu	ViewCustomMenus	Custom
Esc vN	GotoNextView	Go Back Back
Esc vo	ViewOptions	Options...
Esc Voa	tb_obj_align	Object Alignment
Esc Vop	tb_obj_prop	Object Properties
Esc vP	GotoPreviousView	Go Back
Esc vp	GotoPage	Go to Page...
Esc Vpa	tb_para_fmt	Paragraph Formatting
Esc vq	tb_qck	Quick Access Bar
Esc vr	ViewRulers	Rulers
Esc vR	ViewReferencePages	Reference Pages
Esc vs	tb_structured	Structured Access Bar
Esc vt	ViewTextSymbols	Text Symbols
Esc Vta	tb_tbl_fmt	Table Formatting
Esc Vte	tb_txt_fmt	Text Formatting
Esc vW	GotoPreviousViewFitWindowToPage	Go Back & Fit Window to Page
Esc vX	GotoNextViewFitWindowToPage	Go Back Back & Fit Window To Page

2018-02-07

E:_DDDprojects\FM-GUI-modifications\ESC-sequences\FM-ESC-sequences.fm

Special FM commands

Commands for FDK dialogue development

Short cut	Command	Command label	Note
Esc dc	CaptureLiveDialog	Capture Live Dialog	
Esc df	SetStuffItem	Set Stuff Item	
Esc dm	ShowMacDialog	Show Mac Dialog	Mac
Esc dp	TestPrintDialog	Print Dialog Resource...	
Esc dr	RemovePlatformDialog	Remove Platform Dialog	
Esc dt	TestAsModalDialog	Test As Modal Dialog	
Esc dT	TestAsModelessDialog	Test As Modeless Dialog	
Esc dw	ShowWindowsDialog	Show Windows Dialog	
Esc dx	ShowXDialog	Show X/Motif Dialog	Unix

Commands not used anymore?

Short cut	Command	Command label	Note
Esc ftk	!Macro	Keyboard Macros...	Unix
Esc ftp	Capture		Unix ?
Esc ftP	CaptureInStandardFormat		Unix ?
Esc LT	ThemeLoad		
Esc oa	ToggleFullAbbrevRuler		< FM 9?
Esc qm	ManualsCmd		
Esc qt	TourCmd		
Esc rm	ResourceManager		
Esc SCR1	ReportCmds_byTag		
Esc SCR2	ReportCmds_byShortcut		
Esc ST	ThemeSave		
Esc wc	WindowClose	Close	
Esc we	WindowExpose	Expose	
Esc wh	WindowHide	Hide	
Esc wm	WindowMove	Move	
Esc wo	WindowOpen	Open	
Esc wr	WindowRedisplay	Refresh	

Private use short cuts

The only really safe group start with Esc y or Esc Y. Esc Q is nearly safe (only QE and QN are used).

D+DD Enhanced Tool Bars

Short cut	Command name	Command label	Note
Esc Voa	tb_etb_align	ETB Object Alignment	
Esc Ve	tb_etb_trackedit	ETB Track Edits	
Esc Vop	tb_etb_obj_prop	ETB Object Properties	

D+DD scripts

- As far as useful short cuts use Esc q x y with x being the third character of the project name (c for FMcalc) and y being d for documentation, others according to the menu.
- Command names to be introduced with the project name (ETB_, Fmbiblio_, FMcalc_, FMvars_ etc).
- ETB tool bars will no more get short cuts. They are not listed in the menu entries.

Short cut	Command name	Command label	Note
Esc fdi	FMdict_DInfo	Dictionary information	Invalidates Esc fd ^a
Esc fso	ETB_bookSaveOld, ETB_docSaveOld	Save book as old version, Save document as old version ...	Invalidates Esc fs ^b
Esc qcb	FMcalc_BookAll	(Re-) Calculate in book	Invalidates Esc qc ^c
Esc qcd	FMcalc_DocAll	(Re-) Calculate in document	
Esc qmc	FMcalc_CMarker	Handle #calc Markers...	Invalidates Esc qm ^d
Esc qmd	FMcalc_Docu	Documentation	
Esc qms	FMcalc_SMarker	Handle #series Markers...	
Esc qmz	FMcalc_Settings	Document Settings...	
Esc qqe	ETB_EditingDisplay	Document Editing Display [ETB]	
Esc qqp	ETB_PrintingDisplay	Document Printing Display [ETB]	
Esc qvd	FMvars_Docu	Documentation	Invalidates Esc qv ^e
Esc qvv	FMvars_doc	Handling variables	
Esc qvx	FMvars_docImpExp	Import/Export variables	
none	ETB_InsertSymbol	Insert special symbol [ETB]	
none	Fmbiblio_Docu, Fmbiblio_Collect, Fmbiblio_Bibapp, Fmbiblio_Resolve, Fmbiblio_Expand	Documentation,1 Collect temporary citations, 2 Call bibliographic appli- cation, a Resolve temporary citations, 3b Expand temporary citations in footnotes	

- Esc fd is for **Set Up Generated File...**, which is rarely used and hence invoked via menu. Short cut hence not considered harmful.
- Esc fs is for **Save**, which normally is invoked by **CTRL+s**, hence not considered harmful.
- Esc qd is for **Quick Characters**, hence not considered harmful.
- Esc qm is for **Manuals...**, which is a (deprecated) UNIX command, hence not considered harmful.
- Esc qv is for **Quick Variable**, hence not considered harmful.

FrameScript

Short cut	Command name	Command label	Note
Esc EAC	ESLMACTIVATE	Activate...	
Esc EC	ESLMCOMP	Compile...	
Esc EDAC	ESLMDEACTIVATE	Deactivate...	
Esc EI	ESLMREG	Install...	
Esc EO	ESLMOPTS	Options...	
Esc ES	ESLMRUN	Run...	
Esc EU	ESLMDREG	Uninstall...	
Esc EW	ESLMSWIN	Script Window...	
Esc EA1	ESLMRU_1	H:\Adobe\FM-addons\Fscripts\xxx	

itl [iFrame]

Short cut	Command name	Command label	Note
Esc DT	iFrameDocTOC	Insert/Update DocTOC	
Esc gc	iFrameGraphScale_GrphCenter	Center	
Esc gea	iFrameGraphScale_EnhAllWidth	Scale to Text Frame Width (incl. Sidehead)	
Esc gec	iFrameGraphScale_EnhColWidth	Scale to Text Column Width	
Esc gef	iFrameGraphScale_EnhFrmWidth	Scale to Text Frame Width	
Esc gff	iFrameGraphScale_Grph2Frame	Fit All into Frame	
Esc gfh	iFrameGraphScale_Grph2FHeight	Scale to Frame Height	
Esc gfo	iFrameGraphScale_GrphOriginal	Scale - Original Size	
Esc gfw	iFrameGraphScale_Grph2FWWidth	Scale to Frame Width	
Esc gi	iFrameGraphScale_GrphInfo	Info	
Esc grh	iFrameGraphScale_GrphHeight	Scale - Define Height	
Esc grw	iFrameGraphScale_GrphWidth	Scale - Define Width	
Esc gsd	iFrameGraphScale_SpecifyDefaults	Settings ...	
Esc gtg	iFrameGraphScale_Frame2Grph	Adjust to Graphic	
Esc gth	iFrameGraphScale_Frame2GrphH	Scale to Graphic Height	
Esc gtw	iFrameGraphScale_Frame2GrphW	Scale to Graphic Width	
Esc mc	iFrameMultiCatalog*	Multi Catalog *	
Esc mc	iFrameMultiCatalog	Multi Catalog	
Esc op	iFrameOWPPalette	OWP Palette ...	
Esc sa	iFrameSelectAnchor	Select Anchor	Invalidates sa (Save)
Esc to	iFrameFindTextOverflow	Find Text Overflow	

CleanImport (EZtools)

Unfortunately for us, Electropubs, and its EzTools, has disappeared. Lin Sims <ljsims.ml@gmail.com>. 2015-04-23

Silicon Prairie

Auto-text

This plug-in uses ESC sequences only, if the user assigns such short cuts to Auto-Text items.

Paragraph tools

Short cut	Command name	Command label
Esc n o v		Find the next paragraph override

Character tools

Short cut	Command name	Command label
Esc n o v		Find the next character override

Index tools

Short cut	Command name	Command label
Esc i i		Insert standard index
Esc i s		Start Range
Esc i e		End Range
Esc i n		No Page
Esc i x		Native
Esc i c		Conditional

The following tools do not assign ESC sequences:

- Alert tool
- Autotext
- LEPT Tools
- Master page Tools
- Outline Tool
- Readability Tools
- Table Tools

WestStreet Consulting

Weststreet Utilities

Short cut	Command name	Command label
Esc m i	WSUtils_Cmd_Reimport_Graphic	Reimport Graphic (Esc m i)
Esc m o	WSUtils_Cmd_Size_To_Fit_Graphic	Size-To-Fit Graphic (Esc m o)
Esc m p	WSUtils_Cmd_Shrinkwrap_Graphic	Shrinkwrap Graphic (Esc m p)
Esc t 1	WSUtils_Cmd_Copy_Table_Column_Widths	Copy Table Column Widths (Esc t 1)
Esc t 2	WSUtils_Cmd_Paste_Table_Column_Widths	Paste Table Column Widths (Esc t 2)

InsetPlus

This plug-in does not provide short cuts.

Archive [Bruce Foster]

This plug-in was available until FM-09.

Short cut	Command name	Command label
Esc ARC	cmdArchiveBook	Archive Book
Esc ARC	cmdArchiveDoc	Archive Document